

To access the Agenda and Backup Materials electronically, go to [www.gjcity.org](http://www.gjcity.org)



**GRAND JUNCTION CITY COUNCIL  
MONDAY, AUGUST 3, 2020**

**PRE-MEETING (DINNER) 5:00 PM  
WORKSHOP, 5:30 PM  
CITY HALL AUDITORIUM  
250 N. 5<sup>TH</sup> STREET**

*To become the most livable community west of the Rockies by 2025*

**1. Discussion Topics**

- a. Presentation and Discussion on the Draft Patterson Road Access Control Plan (20 minutes)
- b. De-Brucing Discussion (20 minutes)
- c. Tobacco & Vaping Discussion (20 minutes)

**2. City Council Communication**

An unstructured time for Councilmembers to discuss current matters, share ideas for possible future consideration by Council, and provide information from board & commission participation.

**3. Next Workshop Topics**

**4. Other Business**

---

*What is the purpose of a Workshop?*

The purpose of the Workshop is to facilitate City Council discussion through analyzing information, studying issues, and clarifying problems. The less formal setting of the Workshop promotes conversation regarding items and topics that may be considered at a future City Council meeting.

---

*How can I provide my input about a topic on tonight's Workshop agenda?*

Individuals wishing to provide input about Workshop topics can:

1. Send an email (addresses found here [www.gjcity.org/city-government/](http://www.gjcity.org/city-government/)) or call one or more members of City Council (970-244-1504);
  2. Provide information to the City Manager ([citymanager@gjcity.org](mailto:citymanager@gjcity.org)) for dissemination to the City Council. If your information is submitted prior to 3 p.m. on the date of the Workshop, copies will be provided to Council that evening. Information provided after 3 p.m. will be disseminated the next business day.
  3. Attend a Regular Council Meeting (generally held the 1<sup>st</sup> and 3<sup>rd</sup> Wednesdays of each month at 6 p.m. at City Hall) and provide comments during "Citizen Comments."
-



## Grand Junction City Council

### Workshop Session

Item #1.a.

---

**Meeting Date:** August 3, 2020

**Presented By:** Trent Prall, Public Works Director, Stolfus and Associates

**Department:** Community Development

**Submitted By:** Rick Dorris, Development Engineer

---

#### **Information**

##### **SUBJECT:**

Presentation and Discussion on the Draft Patterson Road Access Control Plan (20 minutes)

##### **EXECUTIVE SUMMARY:**

The City engaged Stolfus and Associates to prepare an Access Control Plan (ACP) for the 7.0-mile Patterson Road corridor within the City limits.

The goal of access management is to optimize the performance of the corridor, improve the level of safety, reduce traffic congestion, and improve the overall functionality. The ACP works to plan, coordinate, regulate, and design access to and from adjacent property including future development.

Stolfus has been working for over seven months to inventory access points, count traffic, determine existing and future traffic demands, and perform a safety analysis for Patterson Road. They have prepared a draft plan and the overall project which will be presented to City Council at the August 3, 2020 Workshop.

##### **BACKGROUND OR DETAILED INFORMATION:**

See attached memo provided by Stolfus and Associates dated July 16, 2020.

##### **FISCAL IMPACT:**

This item is for discussion purposes only and there is currently no resulting fiscal impact. As the plan is implemented, development will pay some or all cost adjacent their property. City improvements in the Patterson Road Corridor will be addressed in

the normal budget process.

**SUGGESTED ACTION:**

Discussion only.

**Attachments**

1. City Staff Memo to Council 7-17-2020
2. Patterson Rd Access Control Plan - Consultant Memo 7-16-20



## *Memorandum*

**TO:** Mayor and Members of Council  
**FROM:** Greg Caton, City Manager  
Trent Prall, Public Works Director  
**DATE:** July 17, 2020  
**SUBJECT:** Patterson Road Access Control Plan

---

The City engaged, in January of 2020, the consulting firm Stolfus and Associates to prepare an Access Control Plan (ACP) for the 7.0-mile Patterson Road corridor within the City limits.

Effective access management is essential in order to optimize the performance of Patterson Road to improve the level of safety, reduce traffic congestion and improve the overall functionality of the corridor. The ACP works to coordinate planning, regulation, and design of access to Patterson Road from adjacent property including future development. The plan involves the systematic control of the location, spacing, design, and operation of driveways, median openings, and street connections to a roadway.

Stolfus and Associates has been working over the course of the past seven months to inventory access points, determine existing and future traffic demands, and perform a safety analysis for Patterson Road. Stolfus has prepared a draft plan and the overall project and elements of the draft plan will be reviewed by City Council at the August 3<sup>rd</sup> Workshop. Additional information about the project, project goals and timeline are included in the attached memo provided by Stolfus and Associates.

*Attachment:*  
*Patterson Road ACP Project Team Memo dated July 16, 2020.*



## Memorandum

**TO:** Patterson Road ACP Project Team  
**FROM:** Janet Lundquist  
**DATE:** July 16, 2020  
**SUBJECT:** Patterson Road Access Control Plan

---

### INTRODUCTION

The City hired Stolfus and Associates for professional services to develop an Access Control Plan (ACP) for Patterson Road. Since its construction in 1984, Patterson Road has served as a critical part of Grand Junction's transportation system. It serves as a major east-west arterial corridor and is an important public resource. Effective access management is essential in order to optimize the performance of the road to improve the level of safety, reduce traffic congestion and improve the quality of this corridor. This ACP will coordinate planning, regulation, and design of access to Patterson Road from adjacent property including new land development. The plan will involve the systematic control of the location, spacing, design, and operation of driveways, median openings, and street connections to the roadway.

The ACP will include an evaluation of existing access along the corridor and analyze future development of properties along or near the corridor by providing recommendations for property access and traffic flow to and from sites resulting in predictability and consistency in the development environment. The ACP will define existing and future access locations and configurations (movements allowed), with consideration for circulation and alternative access opportunities. It is a long-range planning document that identifies access conditions that will be implemented as roadway corridor and land-use characteristics change. Similar studies have been developed by CDOT throughout the state and have shown that access-managed corridors not only preserve the transportation functions of roadways but also help preserve property values and the economic viability of abutting developments by providing predictability/certainty in where future accesses will or will not be allowed.

### STUDY AREA

The study area consists of approximately 7.0 miles of Patterson Road (F Road) between I-70B (23.75 Road) and Lodgepole Street (30.75 Road). The segment on the east end that extends beyond City limits is controlled by Mesa County and not included in this plan. In general, land use within the city limits is suburban in nature with residential and commercial uses. There are currently 284 access points on Patterson Road within the study area. A majority of access points are full movement. The access points are classified as follows:

- 15 Signalized public road intersections (29 access points)
- 54 Unsignalized public road intersections (62 access points)
- 2 unsignalized private road intersections (2 access points)
- 81 business access points
- 93 residential access points
- 17 maintenance or field access points



## **PLAN GOALS**

The Street Plan Functional Classification Map within the Grand Junction Circulation Plan (GJCP) identifies the corridor as a Minor Arterial from I-70B (23.75 Road) to 25 Road and a Principal Arterial from 25 Road to Lodgepole Street (30.75 Road). Arterial roadways are considered higher order roadways that carry large volumes of traffic and have limited access. Implementing access management along Patterson Road will help the City by preserving and improving traffic operations along the corridor. By preserving the capacity of Patterson Road more traffic can be carried throughout the corridor without the construction of additional travel lanes. Access management also has tremendous safety benefits. Studies have shown a 30% to 60% reduction in crashes on roadways where access management techniques are implemented. The reduction in vehicle conflicts has the added benefit of improving traffic flow, reducing travel times, increasing fuel efficiency and contributing less to air pollution. Access management is also good for business, providing safe access to customers and retaining more of a community's original market area.

With this in mind and recognizing the primary purpose of the ACP is to improve the traveling experience along the corridor and coordinate anticipated growth in the area with the roadway network, the following project goals were established:

- Provide effective and efficient through travel for traffic on Patterson Road utilizing the existing right-of-way and identify if additional right-of-way is needed.
- Provide safe, effective, and efficient access to and from Patterson Road for businesses, residents, and guests to support the economic viability of the City of Grand Junction and Mesa County.
- Maintain compatibility with existing and proposed street network connections that provide local circulation to support the transportation system.
- Support alternative modal choices, including transit, pedestrian, and bicycle routes.
- Provide a plan that can be implemented in phases.
- Maintain compatibility with previous local planning efforts. Such as, the GJCP Plan, Ballot 2A measure, and the One Grand Junction Comprehensive Plan.

## **PLAN DEVELOPMENT & APPROACH**

The existing physical and operational characteristics of Patterson Road were investigated. Next, future physical and operational characteristics were projected for a 20-year planning period based on anticipated growth in the area. Using this information, a draft ACP has been developed. Utilizing future input from agency representatives, private property owners, and the public, the draft plan will be revised to generate the final ACP. The final ACP will be evaluated using criteria in the compatibility matrix to confirm that the final ACP achieves the project goals.

To achieve the project goals, various changes to the existing Patterson Road corridor are recommended in the draft ACP, including:

- Restriction of numerous full movement access point resulting in right-in/right-out and  $\frac{3}{4}$  movement (left-in, right-in/right-out) accesses.
- Limitation of full movement access to major signalized intersections.
- Reduction of access to one location per ownership and where feasible, shared between adjacent properties.
- For properties located adjacent to Patterson Road, Access points may be relocated to lower order streets, where reasonable access can be preserved.
- Out of direction travel will be limited in general to a maximum distance of one mile ( $\frac{1}{2}$  mile each direction). Out of direction travel is the distance needed to reach an access that has been obstructed by a center median compared to the distance needed on an undivided street.



The recommended changes to Patterson Road will result in a reduction of conflict points through the corridor. Traffic crashes typically occur at conflict points. A conflict point is the intersecting point between different traffic movement paths. Traffic conflict points can be grouped into crossing, merging, and diverging types. In a four-legged full movement intersection there are 32 conflict points and eight merge, eight diverge, and 16 crossing conflict points; totaling 32 conflict points.

In addition to the recommended changes, several new local or alternative streets will be proposed where possible. These alternative streets would provide additional local connections and internal circulation opportunities that will reduce local dependence on the Patterson Road by providing alternatives for restricted left-turn movements and reducing demand at intersections that are already experiencing high demand.

### **PUBLIC INVOLVEMENT**

Input from corridor stakeholders including property owners, partner agencies, and the general public is critical to the project. During this time of COVID, the project team is monitoring health orders to determine specific approaches to public engagement. Multiple techniques will be used to engage stakeholders including agency stakeholder meetings, public open houses, one-on-one property owner meetings, and individual communication with interested parties. In advance of the first open house, agency stakeholder meetings with Mesa County, Grand Junction Fire District, Clifton Fire District, Mesa County Valley School District 51, Grand Valley Transit and Mesa County Regional Transportation Planning Organization will be held.

The following method to obtain public feedback includes: two public open houses to gather input from adjacent property owners and the general public. Invitations and public notice will occur through local news, the City's website and social media. All property owners and business tenants, adjacent to the Patterson Road corridor within the project study area, will be invited to the open houses noticed by mail.

1. Preparations are currently underway for the first open house in September. Exhibits presenting access management principles, the study process, and the recommended draft ACP will be displayed at the open house.
2. The second open house is anticipated in January 2021 and will present changes to the Plan based upon input from the public and project stakeholders. Representatives from the project team will be available for questions and discussion at all open houses.

### **IMPLEMENTATION**

The improvements recommended in the ACP will represent a long-range plan to implement over time as traffic and safety needs arise and as funding becomes available. Construction of the improvements recommended may be completed using public and/or private funding. The following cases will trigger construction.

1. A property redevelops or changes use, resulting in an increase in traffic to and from the site of 20% or more.
2. Planned publicly funded project by the City.
3. A safety or operational issue develops that can be mitigated through the implementation of access management techniques consistent with the ACP.

It is important to remember that implementation of improvements recommended in the ACP will only occur if one of the triggers listed above are met. If a trigger is not met, a change to the existing condition will not be made.

**PLAN ADOPTION**

The final ACP will be documented with a report and a table that defines the location, existing and proposed configurations, and conditions for implementation. The Plan will be presented to the Planning Commission and City Council in workshop(s) and will be followed by hearings for review and recommendation by Planning Commission and consideration of adoption by City Council. Public hearings are tentatively targeted for April of 2021.



## Grand Junction City Council

### Workshop Session

Item #1.b.

---

**Meeting Date:** August 3, 2020

**Presented By:** Greg Caton, City Manager

**Department:** City Manager's Office

**Submitted By:** Greg LeBlanc, Sr. Asst. to the City Manager

---

#### **Information**

#### **SUBJECT:**

De-Brucing Discussion (20 minutes)

#### **EXECUTIVE SUMMARY:**

The Taxpayers Bill of Rights (TABOR), which was approved by votes in November 1992 amended the Colorado Constitution to, among other things, require voter approval on all tax increases in all taxing districts within the state. Included are tax rate increases, imposition of new taxes, and increases in property tax assessment ratios. The law also explicitly prohibits the implementation of certain types of taxes including new or increased real estate transfer taxes, local income taxes, state property taxes, and state income tax surcharges. TABOR also requires voter approval to change any existing spending limits or revenue growth limits.

Equally important, TABOR restricts general revenues to the prior year's revenues adjusted for growth and inflation. Any "excess revenues" which are determined by the growth and inflation formula, must be rebated through tax reductions or refunds. Voter approval is needed to override any of these provisions and some provisions cannot be exempted.

For the City of Grand Junction, because of the economic impact from the COVID-19 Pandemic and the resulting loss of revenues, the "base" for the excess calculation in 2021 will be significantly less which is what is referred to as the ratchet down. As a result significantly more revenues will be considered excess. Although the City has voter authorization to use excess revenues for road projects, this will reduce funds available for core municipal services that are critical to the community. There are two main variables that impact the estimate of how much revenue will be subject to TABOR

as a direct result of the Pandemic revenue loss and ratchet down effect. Those variables are how much revenue is actually reduced in 2020 (thus ratcheting down the base) and how revenues recover in 2021. It will be 18 months before we know the final actual numbers at the end of 2021.

“De-Brucing” is a term that refers to a process local governments across the State have approved in order to use all of the tax revenue that comes in for public service and projects. Currently, 230 Colorado communities have de-Bruced, and the City is one of the only municipality of our size and full scope of services that has not permanently de-Bruced.

### **BACKGROUND OR DETAILED INFORMATION:**

The economic crisis caused by the COVID-19 pandemic will negatively affect the City’s revenues, and 2020 revenues are now projected to be 20% lower than budgeted which is a change from the previously projected loss of 25%. Because the formula to calculate the TABOR surplus is based on the previous year’s actual revenues or the revenue allowed under TABOR restrictions (TABOR Limit), whichever is lower, this reduction could result in a greater amount of 2021 and future revenues being subject to the TABOR Surplus calculation. The “whichever is lower” requirement of the TABOR amendment is what causes the ratchet-down effect.

The City’s 2% sales tax revenues in 2019 totaled approximately \$35 million, and of that the TABOR Limit was \$34.3 million. Because the TABOR Limit from 2019 is less than the actual revenues, that is used as the base and then is increased by an estimated allowed growth rate of 3.2% for a TABOR Limit of \$35.4 million in 2020. When developing the 2020 Annual Budget, staff projected revenues to be approximately \$36.2 million, however due to the economic impact from the COVID-19 crisis, the revenues were originally reduced by 25%, however have been revised now to a projected 20% loss. Assuming that revenues return to a pre-pandemic level in 2021 with no growth, the amount of revenue now subject to TABOR will increase significantly. Attached is a revised chart representing this impact based on a current estimated reduction of revenues for the 2% sales tax in the General Fund (there are other revenues that are subject to TABOR but this is the main source of revenue in the General Fund).

Although there is no new growth in 2021, the amount subject to surplus actually increases significantly and the ratchet down in the 2021 TABOR limit has ongoing ramifications and remains significantly less than revenues based on a modest 3% assumed sales tax growth and allowed TABOR growth of 3.2% each year. There are two main variables that impact the estimate of how much revenue will be subject to TABOR as a direct result of the Pandemic revenue loss and ratchet down effect. Those variables are how much revenue is actually reduced in 2020 (thus ratcheting down the base) and how revenues recover in 2021. Based on the current information

available, that estimate ranges from \$6 million to \$12 million; both significant amounts of revenue that are needed for current ongoing City services. It will be 18 months before we know the final actual numbers at the end of 2021.

The City is currently allowed to use its TABOR surplus for road and transportation projects. While the City will be able to use the new amount of surplus on transportation projects, the ratchet-down effect will reduce the amount of funds available for other operations, such as police and fire. This effectively reduces the amount of funding available for other core municipal services.

This ratchet-down effect could disproportionately affect our revenue streams and ability to provide core municipal services. Without the ability to use the greater amount of surplus for things other than road and transportation projects, there exists a scenario where some services would not have enough funding when other services have an increased amount available.

There is, however, a method for reducing the restrictions brought by TABOR. When local governments are allowed to keep revenues in excess of TABOR's specified limit in lieu of returning it to the citizens, it is known as de-Bruicing. The term de-Bruice is in reference to Douglas Bruce, the architect of the TABOR amendment. A common misconception of the practice is that it strips the voters of their right to vote on taxes or the issuance of new debt; however, de-Bruicing only allows local governments to keep "excess revenues" collected. By de-Bruicing the entirety of the City's TABOR surplus, there would be no restrictions on how the City could spend the funds. This means that core municipal services would not be at risk of reduced revenues.

Attached is a schedule listing the municipalities that have held municipal elections in the last 27 years to either temporarily, permanently, partially, or fully de-Bruice. Of the 230 Colorado communities that have de-Bruiced, many are regional neighbors and most of the municipalities that are considered comparable to the City of Grand Junction in population and scope of services provided have permanently de-Bruiced.

**Comparable Municipalities:**

Arvada, 1996  
Boulder, 1993  
Broomfield, 1993  
Commerce City, 2000  
Englewood, 1997  
Fort Collins, 1997  
Greeley, 1999  
Lakewood, 1999  
Longmont, 1996  
Loveland, 1994



Thornton, 1998  
Westminster, 2002

**Regional Neighbors:**

Carbondale, 2002  
DeBeque, 1996  
Glenwood Springs, 1994  
Gunnison, 1995  
Montrose, 1996  
Olathe, 2018  
Palisade, 1995  
Parachute, 1996  
Rangely, 1997  
Ridgway, 1994  
Rifle, 1995

There are revenue collection scenarios that may not trigger as significant of an amount of additional TABOR excess. For example, if the revenue growth does not return to pre-pandemic levels in 2021 and is slow and it falls within the allowed revenue growth limits, then the ratchet-down would not be as severe. It is more likely for the ratchet-down to have the impact demonstrated, and if the City waits to see if this materializes, we would likely be in a reactionary position. Although we do not know the full impact of the potential ratchet-down effect on the City, we recommend City Council consider a ballot question to prevent this situation from occurring.

Should Council consider referring a ballot question to the voters this fall, the proposed timeline is as follows:

- July 26 – Deadline to notify the County Clerk of the intent to participate in a coordinated election
- September 4 – Deadline for the City to certify ballot content to Mesa County
- September 18 – Written comments concerning TABOR issues must be filed
- September 21 – Deadline to deliver TABOR notice to Mesa County
- November 3 – Election Day

Also attached is an Election Calendar for reference

**FISCAL IMPACT:**

This topic is for discussion purposes only.


**SUGGESTED ACTION:**

This topic is for discussion purposes only.

**Attachments**

1. Ratchet-down Effect (20% revenue loss in 2020)
2. BQ-2020 deBruce072820
3. Fall Election Potential Ballot Questions Memo and Attachment to City Council
4. TABOR Memo May 2020
5. DeBrucingMunicipalities

### TABOR Ratchet-down Effect



Permanent de-Brucing

WITHOUT ANY INCREASE IN TAXES OR DEBT (UNLESS THE VOTERS AUTHORIZE ANY INCREASE IN THE FUTURE), SHALL THE CITY OF GRAND JUNCTION, COLORADO BE AUTHORIZED TO COLLECT, RETAIN AND SPEND ALL REVENUES OVER THE AMOUNTS WHICH THE CITY IS PERMITTED TO COLLECT UNDER ARTICLE X, SECTION 20 (ALSO KNOWN AS THE TABOR AMENDMENT) OF THE COLORADO CONSTITUTION TO PAY FOR POLICE, FIRE, PARKS AND ANY OTHER GOVERNMENT SERVICES AND IMPROVEMENTS INCLUDING STREET IMPROVEMENT PROJECTS AND TRANSPORTATION INFRASTRUCTURE?

Sunset de-Brucing

WITHOUT ANY INCREASE IN TAXES OR DEBT (UNLESS THE VOTERS AUTHORIZE ANY INCREASE IN THE FUTURE), SHALL THE CITY OF GRAND JUNCTION, COLORADO BE AUTHORIZED TO COLLECT, RETAIN AND SPEND ALL REVENUES OVER THE AMOUNTS WHICH THE CITY IS PERMITTED TO COLLECT UNDER ARTICLE X, SECTION 20 (ALSO KNOWN AS THE TABOR AMENDMENT) OF THE COLORADO CONSTITUTION TO PAY FOR POLICE, FIRE, PARKS AND ANY OTHER GOVERNMENT SERVICES AND IMPROVEMENTS INCLUDING STREET IMPROVEMENT PROJECTS AND TRANSPORTATION INFRASTRUCTURE THROUGH DECEMBER 31, 2037, AND TO RETAIN AND SPEND IN THE 2038 FISCAL YEAR AND THEREAFTER AN AMOUNT OF REVENUE THAT EXCEEDS ANY TABOR LIMITATIONS BUT IS NO GREATER THAN THE CITY REVENUE CAP, WHICH CONTINUES TO LIMIT FUTURE REVENUE GROWTH AS PROVIDED IN RESOLUTION NO. \_\_\_20 -?

For the resolution:

“City Revenue Cap” means for the 2038 fiscal year or any fiscal year thereafter an amount that is equal to the highest total revenues received by the City for any fiscal year from the 2020 fiscal year through the 2037 fiscal year that are not excluded from TABOR spending or revenue limitations, adjusted each subsequent fiscal year for inflation, the percentage change in local growth, and the qualification or disqualification of enterprises and debt service changes. Inflation and local growth shall have the same meanings as in TABOR. The qualification or disqualification of an enterprise, or changes in debt service shall change the City Revenue Cap in the same manner as such change or qualification or disqualification changes the limitations on spending and revenue under TABOR.



CITY MANAGER'S OFFICE

## *Memorandum*

**TO:** Mayor and Members of Council  
**FROM:** Greg Caton, City Manager  
**DATE:** May 28, 2020  
**SUBJECT:** Fall Election & Potential Ballot Questions

---

The crisis caused by the COVID-19 pandemic has had an impact on our local economy. The *Stay at Home* Order from the Governor and mandatory business closures occurred in mid-March and significantly impacted many businesses and corresponding retail activity. Since sales tax is a major and primary source of revenue for cities, the impacts to retail activity affect our ability to fund core municipal services.

The City's revenues are also constrained by the ratchet-down effect of the Taxpayers Bill of Rights (TABOR). TABOR restricts general revenues to the prior year's revenues adjusted for population growth and inflation. Any excess revenues must be rebated back to the population through tax reductions or cash rebates. Voter approval is needed to override any of these provisions and some provisions cannot be exempted.

2020 revenues are projected to be 25% lower than budgeted. With these projected losses in revenues, we suggest that City Council refers two questions to the voters during the November election. These questions are for an increase in sales tax on tobacco and vaping products and to *de-Bruce* the City from restrictions brought by TABOR. This purpose of this memo is to describe the current state of the City's revenues and offer suggestions for expanding into new areas of sales tax collections as well as *de-Bruicing*.


**TABOR Restrictions** – The following describes the current restrictions placed on revenues by TABOR:

*Ratchet-down Effect of TABOR* – The formula to calculate the TABOR surplus is based on the previous year's actual revenues or the revenue allowed under TABOR restrictions (TABOR Limit), whichever is lower. This reduction could result in a greater amount of 2021 and future revenues being subject to the TABOR surplus calculation. The *whichever is lower* requirement in the TABOR amendment is what causes the ratchet-down effect.

The City's 2% sales tax revenues in 2019 totaled approximately \$35 million, and of that the TABOR Limit was \$34.3 million. Because the TABOR Limit from 2019 is less than the actual revenues, that is used as the base and then is increased by an estimated allowed growth rate of 3.2% for a TABOR Limit of \$35.4 million in 2020. When developing the 2020 Annual Budget, staff projected revenues to be approximately \$36.2 million, however due to the economic impact from the COVID-19 pandemic crisis, the revenues have been reduced by 25%. Assuming that revenues return to a pre-pandemic level in 2021 with no growth, the amount of revenue now subject to TABOR will increase significantly.

Although there is no new growth in 2021, the amount subject to surplus actually increases. As shown in the chart below, the effect of the *ratchet-down* means that the 2021 TABOR limit will be significantly less than the limit would have been if revenues had not been affected by the

pandemic. As a reminder, the City is currently allowed to use its TABOR surplus for road and transportation projects. While the City will be able to use the new amount of surplus on transportation projects, the *ratchet-down* effect will reduce the amount of funds available for other operations, such as police and fire. This effectively reduces the amount of funding available for other core municipal services.



**Options for Next Steps** – The ratchet-down effect could disproportionately affect our expenditures and ability to provide core municipal services. Without the ability to use the greater amount of surplus for things other than road and transportation projects, there exists a scenario where some services would not have enough funding when other services have an increased amount available.

There is, however, a method for reducing the restrictions brought by TABOR. When local governments are allowed to permanently keep revenues in excess of TABOR’s specified limit in lieu of returning it to the citizens, it is known as *de-Brucing*. This is compared to the City’s current authorization, where voters have temporarily allowed the City of Grand Junction to use the TABOR surplus for certain uses. By *de-Brucing* the entirety of the City’s TABOR surplus, there would be no restrictions on how the City could spend the funds. This means that core municipal services would not be at risk of reduced revenues.

There are revenue collection scenarios that may not trigger as significant of an amount of additional TABOR surplus. For example, if the revenue growth does not return to pre-pandemic levels in 2021 and is slow and it falls within the allowed revenue growth limits, then the ratchet-down would not be as severe. However, it is more likely for the ratchet-down to have the impact demonstrated, and if we wait to see if this materialized, we would likely be in a reactionary position. Although we do not know the full impact of the potential ratchet-down effect on the City, we recommend City Council consider a ballot question to prevent this situation from occurring.

**Sales Tax on Tobacco & Vaping Products** – Taxes on tobacco and vaping products is universally used by state governments in the US. Voters in municipalities across Colorado have also approved taxes on tobacco and vaping products. For example, a 40% tax on other tobacco products, including electronic cigarettes, passed in Crested Butte, Glenwood Springs, New Castle, Vail, and Eagle, Summit, and Pitkin counties. Local taxes on cigarettes range between \$3 and \$4 per pack and the chart below shows the rates for tobacco and vape taxes in the state:

<b>Entity</b>	<b>Tax</b>
State of Colorado	- \$0.84 per pack of cigarettes - No vapor tax
Summit County	- \$4.00 per pack of cigarettes - 40% increase in sales tax for nicotine and tobacco products that will increase annually for four years through 2024.
Town of Carbondale	- \$4.00 per pack of cigarettes - 40% tax on all other nicotine products
Pitkin County	- \$3.20 per pack of cigarettes with a \$0.10 increase until the tax reaches \$4.00 - 40% tax on other tobacco and nicotine products
Eagle County	- \$4.00 per pack of cigarettes - 40% tax on tobacco and nicotine products other than cigarettes
City of Glenwood Springs	- \$4.00 per pack of cigarettes - 40% tax on all other tobacco products - Prohibits the sale of flavored tobacco products
Town of New Castle	- \$3.20 per pack of cigarettes with a \$0.10 increase until the tax reaches \$4.00 per pack - 40% tax on tobacco and nicotine products
Town of Vail	- \$3.00 per pack of cigarettes - 40% tax on tobacco and nicotine products
City of Aspen	- \$3.00 per pack of cigarettes - 40% tax on other tobacco or nicotine products
Town of Avon	- \$3.00 per pack of cigarettes - 40% tax on other tobacco or nicotine products
Town of Crested Butte	- \$3.00 per pack of cigarettes - 40% tax on other tobacco or nicotine products

Revenue generated from the tax in the Town of New Castle during the months of January and February of this year were trending in a direction that, if allowed to continue, would surpass the \$65,000 threshold voters approved last year. At this rate, the town would collect approximately \$390,000 over the course of a year. The town does not have to adhere to the cap in years following 2020. Summit County estimates that the tobacco tax will generate \$3.8 million in revenue in its first year. Similarly, the City of Boulder and City of Glenwood Springs estimated revenues from the tobacco tax to be \$2.5 million and \$650,000 in their respective 2020 budgets. Using the projections provided by these cities as a model, the City of Grand Junction could increase revenues by approximately \$800,000 to \$1 million.

**Election Schedule & Timeline** – Attached is the full election calendar for the November election. Election Day is November 3.

Should Council consider referring a ballot question to the voters, the proposed timeline is as follows:

- July 26 – Deadline to notify the County Clerk of the intent to participate in a coordinated election.
- September 4 – Deadline for the City to certify ballot content to Mesa County.
- September 18 – Written comments concerning TABOR issues must be filed with State
- September 21 – Deadline to deliver TABOR notice to Mesa County
- November 3 – Election Day

We suggest that City Council consider two questions this fall. The first question would entail *de-Brucing* in order to prevent the *ratchet-down* effect from negatively impacting our ability to fund core city services. The second question could entail a new sales tax on tobacco and vaping products, which could generate approximately \$800,000 - \$1 million in new revenue, depending on the rate and volume of sales.

I look forward to receiving your feedback.

*Attachment*



### Election Calendar

November 3, 2020 Special Municipal Election  
(in conjunction with Mesa County Coordinated Election)

Days Before/After Election	Date	Action	Citation
100 days before November Election	Sunday, July 26, 2020	Deadline to notify the County Clerk of intent to participate in Coordinated Election	CRS 1-7-116(5); 1-1-106(4)
70 days before November Election	Tuesday, August 25, 2020	Deadline to sign IGA with Mesa County	CRS 1-7-116(2)
		Certify Street Locator File	
60 days before November Election	Friday, September 4, 2020	Deadline to certify ballot content to Mesa County	CRS 1-5-203(3)
Noon on the Friday before the 45th day before November Election	Friday, September 18, 2020	Written comments concerning TABOR issues must be filed with DEO	CRS 1-7-901(4) provides that, because the 45th day is a Saturday, written comments shall be filed by noon on the preceding Friday.
43 days before November Election	Monday, September 21, 2020	Deadline to deliver TABOR notice to Mesa County	CRS 1-7-904
30 days before November Election	Sunday, October 4, 2020	Any \$1000+ contribution made within 30 days of the election must be reported within 24 hours	CRS 1-45-108(2.5). SOS Campaign Finance Manual Page 129 (10.17). <a href="http://www.sos.state.co.us/pubs/elections/CampaignFinance/files/CPFManual.pdf">http://www.sos.state.co.us/pubs/elections/CampaignFinance/files/CPFManual.pdf</a>
21 days before November Election	Tuesday, October 13, 2020	Campaign Reports Due	CRS 1-45-108(2)(a)(II)
20 days before November Election	Wednesday, October 14, 2020	Deadline to publish and post Notice of Election and send to Mesa County, unless this duty is assigned to the Mesa Clerk in the IGA. Deadline to post TABOR/debt question information online	CRS 1-5-205(1), CRS 1-7-908
10 days before November Election	Saturday, October 24, 2020	Publish Election Notice for 3 successive days before Election Day	Charter Section 17
Friday before November Election	Friday, November 1, 2019	Campaign Reports Due	CRS 1-45-108(2)(a)(II)
30 days after November Election	Thursday, December 3, 2020	Campaign Reports Due	CRS 1-45-108(2)(a)(II)

Notes:

Requires Council Action

Amended by SB 18-233


Tuesday, November 3, 2020 Election Day

*Memorandum*

**TO:** Mayor and Members of Council  
**FROM:** Greg Caton, City Manager  
 Jodi Romero, Finance Director  
**DATE:** May 15, 2020  
**SUBJECT:** TABOR's Ratchet-down Effect on City Revenues

The passage of the TABOR law in November 1992 required voter approval on all tax increases in all taxing districts within the state. These include tax rate increases, imposition of new taxes, and increases in property tax assessment ratios. The law also explicitly prohibits the implementation of certain types of taxes including new or increased real estate transfer taxes, local income taxes, state property taxes, and state income tax surcharges. TABOR also requires voter approval to change any existing spending limits or revenue growth limits. Equally important, TABOR restricts general revenues to the prior year's revenues adjusted for population growth and inflation. Any excess revenues must be rebated back to the population through tax reductions or cash rebates. Voter approval is needed to override any of these provisions and some provisions cannot be exempted.

**Ratchet-down Effect** –The economic crisis caused by the COVID-19 pandemic will negatively affect the City's revenues, and 2020 revenues are projected to be 25% lower than budgeted. Since the formula to calculate the TABOR Surplus is based on the previous year's actual revenues or the revenue allowed under TABOR restrictions (TABOR Limit), whichever is lower, this reduction could result in a greater amount of 2021 and future revenues being subject to the TABOR Surplus calculation. The "whichever is lower" requirement in the TABOR amendment is what causes the ratchet-down effect. The image below illustrates that *ratchet-down* effect on City's 2% sales tax, which is the City's primary funding source of the General Fund:



The City's 2% sales tax revenues in 2019 totaled approximately \$35 million, and of that the TABOR Limit was \$34.3 million. Because the TABOR Limit from 2019 is less than the actual revenues, that is used as the base and then is increased by an estimated allowed growth rate of 3.2% for a TABOR Limit of \$35.4 million in 2020. When developing the 2020 Annual Budget, staff projected revenues to be approximately \$36.2 million, however due to the economic impact from the COVID-19 pandemic crisis, the revenues have been reduced by 25%. Assuming that revenues return to a pre-pandemic level in 2021 with no growth, the amount of revenue now subject to TABOR will increase significantly.

Although there is no new growth in 2021, the amount subject to surplus actually increases, and as shown in the chart, the ratchet down in the 2021 TABOR limit has ongoing ramifications and remains significantly less than revenues based on a modest 3% assumed sales tax growth and allowed TABOR growth of 3.2% each year. As a reminder, the City is currently allowed to use its TABOR surplus for road and transportation projects. While the City will be able to use the new amount of surplus on transportation projects, the *ratchet-down* effect will reduce the amount of funds available for other operations, such as police and fire. This effectively reduces the amount of funding available for other core municipal services.

*De-Bruicing* – This ratchet-down effect could disproportionately affect our revenue streams and ability to provide core municipal services. Without the ability to use the greater amount of surplus for things other than road and transportation projects, there exists a scenario where some services would not have enough funding when other services have an increased amount available.

There is, however, a method for reducing the restrictions brought by TABOR. When local governments are allowed to keep revenues in excess of TABOR's specified limit in lieu of returning it to the citizens, it is known as *de-Bruicing*. The term *de-Bruice* is in reference to Douglas Bruce, the architect of the TABOR amendment. A common misconception of the practice is that it strips the voters of their right to vote on taxes or the issuance of new debt. However, *de-Bruicing* only allows local governments to keep excess revenues collected. By *de-Bruicing* the entirety of the City's TABOR surplus, there would be no restrictions on how the City could spend the funds. This means that core municipal services would not be at risk of reduced revenues.

There are revenue collection scenarios that may not trigger as significant of an amount of additional TABOR excess. For example, if the revenue growth does not return to pre-Pandemic levels in 2021 and is slow and it falls within the allowed revenue growth limits, then the ratchet-down would not be as severe. However, it is more likely for the ratchet-down to have the impact demonstrated, and if we wait to see if this materialized, we would likely be in a reactionary position. Although we do not know the full impact of the potential ratchet-down effect on the City, we recommend City Council consider a ballot question to prevent this situation from occurring.















# Municipal Elections

Revenue and Spending Changes, 1993–Spring 2019 Ballots

Municipality	Authorization to Retain and Spend Excess Revenues	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019		
Fountain	All excess revenue				fail																									
	General revenue de-Brucing					fail																								
	Authority to retain \$37,448 in excess revenue						pass																							
	Retain excess revenues collected in 1999 in the amount of \$455,286 for trails, parks and open space								pass																					
	Retain and spend excess TABOR revenues of \$399,228 collected in 2000 for streets and Stormwater drainage										fail																			
	Approval to retain excess revenues from 2001 through 2011 for parks and recreation programs											fail																		
	Collect, retain and expend from all sources												fail																	
	Authorization to retain revenue																		fail											
	Retain and spend city revenues for economic development																				pass									
	Retain and spend \$53,145 from funds collected for baseball																				pass									
Retain and spend grants and other funds from state or other governmental entity																										pass				
Foxfield	All excess revenue			pass																										
	Mill levy - collect, retain and spend all property tax revenues												pass																	
Fraser	\$1 million for 1994 and subsequent years		pass																											
	de-Brucing for capital improvements								pass																					
Frederick	All excess revenue from sales and use tax		pass																											
	Retain and spend taxes, grants, property tax and all other																					pass								
Frisco	All excess revenue from all sources through 2001		pass																											
	Retain all excess revenues								pass																					
Fruita	Broad form revenue/spending authorization (three years)		pass																											
	Lump sum revenue change for state grant (museum)		pass																											
	Lump sum revenue change for state grant (sewer)		pass																											
	All excess revenue for five-year capital improvements plan			pass																										
	de-Brucing of state grants for capital improvements								pass																					
	All excess revenue de-Brucing for capital improvements 6															pass														
	All grants and revenues for capital improvement plan through Dec. 31, 2018																					pass								
All grants and revenues for capital improvement plan through Dec. 31, 2024																										pass				
Garden City	All excess revenue from all sources		pass																											
Genoa	General revenue de-Brucing						pass																							
Georgetown	State grant revenue			pass																										
Gilcrest	All excess revenue in 1995 and subsequent years			pass																										
	Lump sum excess 1994 revenue			pass																										
Glendale	Broad form revenue/spending authorization		pass																											
	General revenue de-Brucing						fail																							
	Broad form revenue/spending authorization from 1998-2004						pass																							
	Retain and spend city revenues for public safety, municipal services, transportation, and other public recreational facilities											pass																		
Glenwood Springs	All excess revenue from all sources		pass																											
	\$54 million bond for streets and bridges																								pass					











# Municipal Elections

Revenue and Spending Changes, 1993–Spring 2019 Ballots

Municipality	Authorization to Retain and Spend Excess Revenues	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	
Norwood	All excess revenue from all sources		pass																										
Nucla	All excess revenue			pass																									
Nunn	All excess revenues from town's fees and revenues and nonfederal grants		pass																										
Oak Creek	Broad form revenue/spending authorization						pass																						
Olathe	Excess revenue from 3% sales tax, 1% use tax, and nonfederal grants			pass																									
	All excess revenues from 2017 forward																										pass		
Olney Springs	General revenue de-Brucing					pass																							
Ordway	All excess revenue from all sources		pass																										
Otis	All excess revenue				pass																								
	All excess revenue							pass																					
Ouray	All excess revenue from sales tax, lodging tax, and non-federal grants		pass																										
	All excess revenue						pass																						
	All excess revenue commencing 2007 and thereafter														fail														
	All excess revenues commencing 2015 and thereafter																						pass						
Pagosa Springs	All excess revenue from all sources		pass																										
Palisade	Excess revenue from state grants, sales and use tax,			pass																									
Palmer Lake	Lump sum revenue change for 1993 (capital improvements)		pass																										
	All excess revenues for 1994 (capital improvements)		pass																										
	Lump sum revenue change (1995, approx. \$77,000)				pass																								
	All excess revenue, 1996 only				pass																								
	Authorization to retain 1997 excess revenues for street repairs and improvements						pass																						
	Authorization to retain 1998 excess revenues for street construction and reconstruction and water system improvements						pass																						
	General revenue de-Brucing for capital improvements								pass																				
	General revenue de-Brucing for 5-year period								pass																				
	Lump sum revenue change of \$88,235									fail																			
	de-Bruce future revenues										fail																		
	Retain and expend for capital improvements												pass																
	Retain and expend excess rev. for police, fire and roads													pass															
	Retain and expend excess rev. for lake rehabilitation													pass															
	Collect, retain and expend full revenues from all sources in 2012 for building maintenance, parking, sidewalks, roads, parks and water supplies																				pass								
	Collect, retain and expend full revenues from all sources in 2013 for building maintenance, parking, sidewalks, roads, parks and water supplies																				pass								
Collect, retain and expend full revenues from all sources in 2014, 2015, 2016 and 2017 for building maintenance, parking, sidewalks, roads, parks and water supplies																													
Permanent debrucing all revenues																									pass				









# Municipal Elections

Revenue and Spending Changes, 1993–Spring 2019 Ballots

Municipality	Authorization to Retain and Spend Excess Revenues	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	
	All excess property tax revenue generated from mill levy							pass																					
<b>Wiley</b>	All excess revenue			pass																									
<b>Williamsburg</b>	All excess revenues																						fail						
<b>Windsor</b>	Broad form revenue/spending authorization						fail																						
	All excess revenue to be used for new parks acquisition and development							pass																					
	De-Bruce road impact fee										pass																		
	Retain and spend all revenues for police, parks & rec., and other capital improvement projects.											pass																	
<b>Winter Park</b>	All excess revenue from all sources, except property tax		pass																										
<b>Woodland Park</b>	All excess revenue from all sources		pass																										
<b>Wray</b>	All excess revenue			pass																									
<b>Yampa</b>	General revenue de-Brucing						pass																						
<b>Yuma</b>	All excess revenue				pass																								
<b>TOTALS*</b>		Pass:	31	82	59	82	37	37	24	31	10	8	6	15	5	6	1	7	6	5	1	5	3	7	7	5	7	7	4
		Fail:	3	9	5	4	4	6	5	6	4	4	4	5	1	5	2	2	0	0	0	0	3	2	0	0	3	1	0
		Totals:	34	91	64	86	41	43	29	37	14	12	10	20	6	11	3	9	6	5	1	5	6	9	7	5	10	8	4

CUMULATIVE TOTALS:

PASS 498

FAIL 78

TOTAL 576 (86.5% approval rate)



## Grand Junction City Council

### Workshop Session

Item #1.c.

---

**Meeting Date:** August 3, 2020

**Presented By:** Greg Caton, City Manager

**Department:** City Manager's Office

**Submitted By:** Greg LeBlanc, Sr. Asst. to the City Manager

---

### **Information**

#### **SUBJECT:**

Tobacco & Vaping Discussion (20 minutes)

#### **EXECUTIVE SUMMARY:**

Council first discussed this topic during a workshop held on June 29. Council requested more information on this topic. To aid in the discussion, staff arranged for a presentation from a representative of Tobacco Free Kids on tobacco use. According to Tobacco Free Kids, the annual health care costs in Colorado directly caused by smoking is \$1.89 billion and Medicaid costs caused by smoking in Colorado is \$386.3 million. These amounts do not include health costs caused by exposure to secondhand smoke, smoking-caused fires, smokeless tobacco use, or cigar and pipe smoking. Tobacco use also imposes additional costs such as workplace productivity losses and damage to property.

When discussing tobacco and vaping there are various considerations including taxing, ordinances, etc. With scarce resources, it is important to explore new avenues in finding solutions to funding challenges, furthermore with the crisis caused by the COVID-19 pandemic, the City's traditional revenue sources will likely be stressed for the foreseeable future. In order to meet funding challenges, the sale of items to which sales tax applies/is currently collected could be expanded. Recent conversations have highlighted the opportunity to explore taxing the sales of tobacco and vaping products.

Draft ballot language has been attached for consideration by City Council. Staff seeks direction from Council on this draft question.

#### **BACKGROUND OR DETAILED INFORMATION:**

Council first discussed this topic during a workshop held on June 29. Council requested more information on this topic. To aid in the discussion, staff arranged for a presentation from a representative of Tobacco Free Kids on tobacco use.

**Tobacco Free Kids** - According to Tobacco Free Kids, published research studies have found that kids are twice as sensitive to tobacco advertising as adults and are more likely to be influenced to smoke by cigarette marketing than by peer pressure. One-third of underage experimentation with smoking is attributable to tobacco company advertising. The annual health care costs in Colorado directly caused by smoking is \$1.89 billion and Medicaid costs caused by smoking in Colorado is \$386.3 million. These amounts do not include health costs caused by exposure to secondhand smoke, smoking-caused fires, smokeless tobacco use, or cigar and pipe smoking. Tobacco use also imposes additional costs such as workplace productivity losses and damage to property. Also according to Tobacco Free Kids, smoking kills more people than alcohol, AIDS, car crashes, illegal drugs, murders, and suicides combined in Colorado — and thousands more die from other tobacco-related causes — such as fires caused by smoking (more than 1,000 deaths/year nationwide) and smokeless tobacco use.

Healthy Kids Colorado Survey - The purpose of the Healthy Kids Colorado Survey is to better understand youth health and what factors support youth to make healthy choices. The survey, conducted every two years, is supported by the Colorado Department of Public Health and Environment, the Colorado Department of Education and the Colorado Department of Human Services. The University of Colorado Anschutz Medical Campus administers the survey. Attached is the most recent survey results which provides insights on tobacco use among school age children.

**Tax on Tobacco and Vaping Products** - Voters in municipalities across the State of Colorado have approved taxes on tobacco and vaping products. The City of Boulder has a 40% tax on vape products. A 40% tax on other tobacco products, including electronic cigarettes, passed in Crested Butte, Glenwood Springs, New Castle, Vail, and Eagle, Summit, and Pitkin counties. Local taxes on cigarettes range between \$3 and \$4 per pack. Revenue generated from the tax in the Town of New Castle during the months of January and February of this year were trending in a direction that would surpass the \$65,000 threshold voters approved last year. At this rate, the town would collect approximately \$390,000 over the course of a year. Summit County estimates that the tobacco tax will generate \$3.8 million in revenue in its first year. Similarly, the City of Boulder and City of Glenwood Springs estimated revenues from the tobacco tax to be \$2.5 million and \$650,000 in their respective 2020 budgets.

Staff continues to work to estimate the revenue from a nicotine containing products tax. The calculation is complex because the tax will apply to both a pack of cigarettes and

other tobacco and nicotine containing products including e-cigarettes and vaping products. The cigarette tax is proposed at twenty cents per cigarette and a 40% (increasing to 60% in five years) rate on other tobacco and nicotine containing products. As other entities who have passed these types of taxes have experienced, it is difficult to estimate the amount of revenue that will be generated.

The State disburses a share of State collected tax to local governments based on the cigarette packs sold in that jurisdiction, however the pack number is not reported as part of that disbursement. We are working to get information from the State on the number of cigarette packs sold in Grand Junction. That information will greatly assist in estimating the tax/completing the calculation required for the ballot question. While the cigarette calculation is difficult, it is even more difficult to estimate the other tobacco products because so many establishments sell those types of products and the retailers do not differentiate those sales on City or State tax reports.

It is important to estimate the revenue as accurately as possible for the TABOR requirements of a potential ballot question because in the event the revenue is understated a refund is required. As well, an estimate will assist with prioritizing potential uses of the revenue generated from the tax.

As a reminder, any new taxes will require an amendment to the tax code and existing ordinances. To accomplish such, a vote will be necessary. Should Council consider referring a ballot question to the voters this fall, the proposed timeline is as follows:

- July 26 – Deadline to notify the County Clerk of the intent to participate in a coordinated election.
- September 4 – Deadline for the City to certify ballot content to Mesa County
- September 18 – Written comments concerning TABOR issues must be filed
- September 21 – Deadline to deliver TABOR notice to Mesa County
- November 3 – Election Day

An Election Calendar is attached.

Draft ballot language has been attached for consideration by City Council. Staff seeks direction from Council on this draft question.

With the passage of HB 20-1427 a statewide ballot issue will be referred to the November election for incremental tax changes beginning January 1, 2021. Those changes include tax increases on nicotine containing products.

### **FISCAL IMPACT:**

We are currently determining the fiscal impact and will finalize based on direction from City Council regarding the specifics of the ballot question and tax.

**SUGGESTED ACTION:**

This topic is for discussion purposes only.

**Attachments**

1. Revenue Options Memo May 2020
2. Fall Election Potential Ballot Questions Memo and Attachment to City Council
3. 2017 Healthy Kids Colorado Survey Results
4. Presentation
5. BQ-Nicotine Tax 2020 072920





CITY MANAGER'S OFFICE

## *Memorandum*

**TO:** Mayor and Members of Council  
**FROM:** Greg Caton, City Manager  
Jodi Romero, Finance Director  
**DATE:** May 11, 2020  
**SUBJECT:** Revenue Options

---

A core responsibility of the City of Grand Junction is to be a responsible steward of our finances. Staff is regularly asked about revenue options, so we annually share revenue for Council's information. Historically, the community's growing expectation to provide additional services has not been met with a proportional increase in a willingness to increase funding. With scarce resources, it is important to be creative in finding solutions to funding challenges. Recent community conversations have highlighted the opportunity to explore tax options for the sales of tobacco and vaping products as well as taxing the sale of marijuana products. Marijuana is complex topic and will be discussed in a separate memo in the coming weeks. The following memo explores some standard revenue and new source options. The City's primary revenue source, sales tax, will be stressed for the foreseeable future. So, City Council may want to consider new sources to replace the shortfall from historic sources.

**Increase & Expand Sales Tax** – Sales tax is a major and primary source of revenue for cities. Sales taxes are currently collected on only a certain number of items at a rate of 3.25%. For example, the City of Grand Junction does not tax food for home consumption or residential utilities. The rate could be increased as the City's current sales tax rate is lower than the average of other cities in Colorado. The types of items from which sales tax is currently collected could be expanded as well. With the crisis causes by the COVID-19 pandemic, our traditional revenue sources will likely be stressed for the foreseeable future, therefore, we wanted to put forward the following suggestions for discussion of new sources of revenue:

Sales Tax on Tobacco & Vaping Products – Taxes on tobacco and vaping products is universally used by state governments in the US. The rationale behind these taxes is typically to reduce the demand for tobacco products due to associated health risks, and to generate tax revenue for tobacco secession, tobacco related health services and education.

Voters in municipalities across the state have approved taxes on tobacco and vaping products. The city of Boulder has a 40% tax on vape products. A 40% tax on other tobacco products, including electronic cigarettes, passed in Crested Butte, Glenwood Springs, New Castle, Vail, and Eagle, Summit, and Pitkin counties. Local taxes on cigarettes will range between \$3 and \$4 per pack.

Revenue generated from the tax in the Town of New Castle during the months of January and February of this year were trending in a direction that, if allowed to continue, would surpass the \$65,000 threshold voters approved last year. At this rate, the town would collect approximately \$390,000 over the course of a year. The town does not have to adhere to the cap in years following 2020. Summit County estimates that the tobacco tax will generate \$3.8 million in revenue in its first year. Similarly, the City of Boulder and City of Glenwood Springs estimated revenues from the tobacco tax to be \$2.5 million and \$650,000 in their respective 2020 budgets.

Using the projections provided by these cities as a model, the City of Grand Junction could increase revenues by approximately \$800,000 to \$1 million.

Sales Tax on Grocery Items – In Colorado, certain grocery items are exempt from state sales tax, though municipalities can tax these items. The City of Fort Collins, for example, has a 2.25% tax on food for home consumption. The City of Aspen does not exempt food from sales tax, but refunds a fixed amount per person that lived in the city for the entire preceding year. By doing so, Aspen is able to collect sales tax on food purchased by visitors, while minimizing the impact on residents through a refund. It is estimated that \$265 million in tax exempt food for home consumption is sold in Grand Junction annually.

Sales Tax on Services – Sales tax collections could also be expanded to include services not currently taxed. Increasing revenues from services would help capture consumer dollars spent on discretionary items and would ensure that consumer spending is taxed broadly and evenly. Examples of services that are not currently taxed locally are a variety of personal services, business services, computer services, admissions and amusements, and professional services. Like collecting tax on internet sales, the standards for this would likely have to come from the Federal or State level.

**Mill Levy Adjustments & Property Tax** – A mill levy adjustment would allow the City to maintain revenue in response to changes in property tax from the 1982 Gallagher Amendment, which maintains Colorado's base property tax ratio at 55% for commercial property and 45% for residential. It is important to remember that under this law, commercial property is assessed at a fixed 29% rate, requiring that the residential assessment rate be lowered periodically in order to balance. Grand Junction currently enjoys low mill levy rates relative to other parts of the state. Adjusting mill levies would allow the City to also maintain revenue despite changes in valuation across the state. Alternatively, rural fire districts could adjust their respective mill levies to keep their revenues from decreasing.

The Colorado State Legislature is considering a resolution to repeal the Gallagher Amendment to the State Constitution. If approved, it would refer a question to the voters in November to freeze the residential assessment rate at 7.15%.

Property Tax – Property tax is based on the value of real estate and personal property that a person owns within a jurisdiction and is calculated by multiplying the value of the property by the assessment rate and mill levy. Increasing the City's property tax would increase revenues, however with the current rate of just 8 mills in the City of Grand Junction, property tax would have to be significantly increased to match the potential revenues of increasing other sources, such as sales tax. For example, current property tax revenues in the City are approximately \$7.5 million from our 8 mills. If an increase in sales tax by 0.25% generates roughly \$4.5 million in additional revenue, generating a similar amount of new revenue from property tax would require the mill levy to increase by an additional 4.8 mills. Furthermore, the sales tax base is much larger than the base for property tax. Using the same example, approximately \$4.5 million would be generated by a sales tax increase of 0.25%, compared to 60% increase in the property tax mill rate.

## *Memorandum*

**TO:** Mayor and Members of Council  
**FROM:** Greg Caton, City Manager  
**DATE:** May 28, 2020  
**SUBJECT:** Fall Election & Potential Ballot Questions

---

The crisis caused by the COVID-19 pandemic has had an impact on our local economy. The *Stay at Home* Order from the Governor and mandatory business closures occurred in mid-March and significantly impacted many businesses and corresponding retail activity. Since sales tax is a major and primary source of revenue for cities, the impacts to retail activity affect our ability to fund core municipal services.

The City's revenues are also constrained by the ratchet-down effect of the Taxpayers Bill of Rights (TABOR). TABOR restricts general revenues to the prior year's revenues adjusted for population growth and inflation. Any excess revenues must be rebated back to the population through tax reductions or cash rebates. Voter approval is needed to override any of these provisions and some provisions cannot be exempted.

2020 revenues are projected to be 25% lower than budgeted. With these projected losses in revenues, we suggest that City Council refers two questions to the voters during the November election. These questions are for an increase in sales tax on tobacco and vaping products and to *de-Bruce* the City from restrictions brought by TABOR. This purpose of this memo is to describe the current state of the City's revenues and offer suggestions for expanding into new areas of sales tax collections as well as *de-Bruicing*.


**TABOR Restrictions** – The following describes the current restrictions placed on revenues by TABOR:

*Ratchet-down Effect of TABOR* – The formula to calculate the TABOR surplus is based on the previous year's actual revenues or the revenue allowed under TABOR restrictions (TABOR Limit), whichever is lower. This reduction could result in a greater amount of 2021 and future revenues being subject to the TABOR surplus calculation. The *whichever is lower* requirement in the TABOR amendment is what causes the ratchet-down effect.

The City's 2% sales tax revenues in 2019 totaled approximately \$35 million, and of that the TABOR Limit was \$34.3 million. Because the TABOR Limit from 2019 is less than the actual revenues, that is used as the base and then is increased by an estimated allowed growth rate of 3.2% for a TABOR Limit of \$35.4 million in 2020. When developing the 2020 Annual Budget, staff projected revenues to be approximately \$36.2 million, however due to the economic impact from the COVID-19 pandemic crisis, the revenues have been reduced by 25%. Assuming that revenues return to a pre-pandemic level in 2021 with no growth, the amount of revenue now subject to TABOR will increase significantly.

Although there is no new growth in 2021, the amount subject to surplus actually increases. As shown in the chart below, the effect of the *ratchet-down* means that the 2021 TABOR limit will be significantly less than the limit would have been if revenues had not been affected by the

pandemic. As a reminder, the City is currently allowed to use its TABOR surplus for road and transportation projects. While the City will be able to use the new amount of surplus on transportation projects, the *ratchet-down* effect will reduce the amount of funds available for other operations, such as police and fire. This effectively reduces the amount of funding available for other core municipal services.



**Options for Next Steps** – The ratchet-down effect could disproportionately affect our expenditures and ability to provide core municipal services. Without the ability to use the greater amount of surplus for things other than road and transportation projects, there exists a scenario where some services would not have enough funding when other services have an increased amount available.

There is, however, a method for reducing the restrictions brought by TABOR. When local governments are allowed to permanently keep revenues in excess of TABOR’s specified limit in lieu of returning it to the citizens, it is known as *de-Brucing*. This is compared to the City’s current authorization, where voters have temporarily allowed the City of Grand Junction to use the TABOR surplus for certain uses. By *de-Brucing* the entirety of the City’s TABOR surplus, there would be no restrictions on how the City could spend the funds. This means that core municipal services would not be at risk of reduced revenues.

There are revenue collection scenarios that may not trigger as significant of an amount of additional TABOR surplus. For example, if the revenue growth does not return to pre-pandemic levels in 2021 and is slow and it falls within the allowed revenue growth limits, then the ratchet-down would not be as severe. However, it is more likely for the ratchet-down to have the impact demonstrated, and if we wait to see if this materialized, we would likely be in a reactionary position. Although we do not know the full impact of the potential ratchet-down effect on the City, we recommend City Council consider a ballot question to prevent this situation from occurring.

**Sales Tax on Tobacco & Vaping Products** – Taxes on tobacco and vaping products is universally used by state governments in the US. Voters in municipalities across Colorado have also approved taxes on tobacco and vaping products. For example, a 40% tax on other tobacco products, including electronic cigarettes, passed in Crested Butte, Glenwood Springs, New Castle, Vail, and Eagle, Summit, and Pitkin counties. Local taxes on cigarettes range between \$3 and \$4 per pack and the chart below shows the rates for tobacco and vape taxes in the state:

<b>Entity</b>	<b>Tax</b>
State of Colorado	- \$0.84 per pack of cigarettes - No vapor tax
Summit County	- \$4.00 per pack of cigarettes - 40% increase in sales tax for nicotine and tobacco products that will increase annually for four years through 2024.
Town of Carbondale	- \$4.00 per pack of cigarettes - 40% tax on all other nicotine products
Pitkin County	- \$3.20 per pack of cigarettes with a \$0.10 increase until the tax reaches \$4.00 - 40% tax on other tobacco and nicotine products
Eagle County	- \$4.00 per pack of cigarettes - 40% tax on tobacco and nicotine products other than cigarettes
City of Glenwood Springs	- \$4.00 per pack of cigarettes - 40% tax on all other tobacco products - Prohibits the sale of flavored tobacco products
Town of New Castle	- \$3.20 per pack of cigarettes with a \$0.10 increase until the tax reaches \$4.00 per pack - 40% tax on tobacco and nicotine products
Town of Vail	- \$3.00 per pack of cigarettes - 40% tax on tobacco and nicotine products
City of Aspen	- \$3.00 per pack of cigarettes - 40% tax on other tobacco or nicotine products
Town of Avon	- \$3.00 per pack of cigarettes - 40% tax on other tobacco or nicotine products
Town of Crested Butte	- \$3.00 per pack of cigarettes - 40% tax on other tobacco or nicotine products

Revenue generated from the tax in the Town of New Castle during the months of January and February of this year were trending in a direction that, if allowed to continue, would surpass the \$65,000 threshold voters approved last year. At this rate, the town would collect approximately \$390,000 over the course of a year. The town does not have to adhere to the cap in years following 2020. Summit County estimates that the tobacco tax will generate \$3.8 million in revenue in its first year. Similarly, the City of Boulder and City of Glenwood Springs estimated revenues from the tobacco tax to be \$2.5 million and \$650,000 in their respective 2020 budgets. Using the projections provided by these cities as a model, the City of Grand Junction could increase revenues by approximately \$800,000 to \$1 million.

**Election Schedule & Timeline** – Attached is the full election calendar for the November election. Election Day is November 3.

Should Council consider referring a ballot question to the voters, the proposed timeline is as follows:

- July 26 – Deadline to notify the County Clerk of the intent to participate in a coordinated election.
- September 4 – Deadline for the City to certify ballot content to Mesa County.
- September 18 – Written comments concerning TABOR issues must be filed with State
- September 21 – Deadline to deliver TABOR notice to Mesa County
- November 3 – Election Day

We suggest that City Council consider two questions this fall. The first question would entail *de-Brucing* in order to prevent the *ratchet-down* effect from negatively impacting our ability to fund core city services. The second question could entail a new sales tax on tobacco and vaping products, which could generate approximately \$800,000 - \$1 million in new revenue, depending on the rate and volume of sales.

I look forward to receiving your feedback.

*Attachment*

### Election Calendar

November 3, 2020 Special Municipal Election  
(in conjunction with Mesa County Coordinated Election)

Days Before/After Election	Date	Action	Citation
100 days before November Election	Sunday, July 26, 2020	Deadline to notify the County Clerk of intent to participate in Coordinated Election	CRS 1-7-116(5); 1-1-106(4)
70 days before November Election	Tuesday, August 25, 2020	Deadline to sign IGA with Mesa County	CRS 1-7-116(2)
		Certify Street Locator File	
60 days before November Election	Friday, September 4, 2020	Deadline to certify ballot content to Mesa County	CRS 1-5-203(3)
Noon on the Friday before the 45th day before November Election	Friday, September 18, 2020	Written comments concerning TABOR issues must be filed with DEO	CRS 1-7-901(4) provides that, because the 45th day is a Saturday, written comments shall be filed by noon on the preceding Friday.
43 days before November Election	Monday, September 21, 2020	Deadline to deliver TABOR notice to Mesa County	CRS 1-7-904
30 days before November Election	Sunday, October 4, 2020	Any \$1000+ contribution made within 30 days of the election must be reported within 24 hours	CRS 1-45-108(2.5). SOS Campaign Finance Manual Page 129 (10.17). <a href="http://www.sos.state.co.us/pubs/elections/CampaignFinance/files/CPFManual.pdf">http://www.sos.state.co.us/pubs/elections/CampaignFinance/files/CPFManual.pdf</a>
21 days before November Election	Tuesday, October 13, 2020	Campaign Reports Due	CRS 1-45-108(2)(a)(II)
20 days before November Election	Wednesday, October 14, 2020	Deadline to publish and post Notice of Election and send to Mesa County, unless this duty is assigned to the Mesa Clerk in the IGA. Deadline to post TABOR/debt question information online	CRS 1-5-205(1), CRS 1-7-908
10 days before November Election	Saturday, October 24, 2020	Publish Election Notice for 3 successive days before Election Day	Charter Section 17
Friday before November Election	Friday, November 1, 2019	Campaign Reports Due	CRS 1-45-108(2)(a)(II)
30 days after November Election	Thursday, December 3, 2020	Campaign Reports Due	CRS 1-45-108(2)(a)(II)

Notes:

Requires Council Action

Amended by SB 18-233

Tuesday, November 3, 2020 Election Day

**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 1. Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and gender)**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	12.8	( 11.4 - 14.2 )	1,298	9.6	( 8.8 - 10.4 )	39,342
<b>Sex</b>	Male	15.4	( 13.5 - 17.2 )		12.2	( 11.3 - 13.1 )	
	Female	10.1	( 8.9 - 11.3 )		7.0	( 6.1 - 7.8 )	
<b>Age</b>	15 or younger	12.3	( 9.3 - 15.3 )		9.2	( 8.2 - 10.1 )	
	16 or 17	12.8	( 12.0 - 13.5 )		9.8	( 9.0 - 10.7 )	
	18 or older	15.5	( 13.4 - 17.6 )		10.9	( 9.2 - 12.6 )	
<b>Grade</b>	9th	12.6	( 8.9 - 16.3 )		9.4	( 8.4 - 10.4 )	
	10th	15.3	( 14.2 - 16.4 )		9.1	( 8.3 - 9.9 )	
	11th	12.9	( 12.5 - 13.2 )		9.4	( 8.5 - 10.3 )	
	12th	12.7	( 11.2 - 14.1 )		10.6	( 9.5 - 11.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		18.7	( 14.3 - 23.0 )	
	Asian*	.	.		4.8	( 3.5 - 6.1 )	
	Black or African American*	.	.		14.8	( 11.8 - 17.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		17.5	( 8.1 - 26.9 )	
	White*	11.9	( 10.2 - 13.5 )		7.3	( 6.6 - 8.0 )	
	Hispanic Only or Hispanic White	13.9	( 11.2 - 16.5 )		13.6	( 12.7 - 14.5 )	
	Multiple Race or Hispanic Other Race	23.3	( 17.7 - 28.9 )		11.8	( 9.9 - 13.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	11.5	( 10.3 - 12.8 )		9.0	( 8.2 - 9.7 )	
	Gay, Lesbian, or Bisexual	17.4	( 15.0 - 19.7 )		14.3	( 12.5 - 16.1 )	
	Unsure	.	.		11.5	( 9.4 - 13.6 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 2. Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and gender)**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	12.7	( 11.5 - 13.8 )	1,298	12.3	( 11.6 - 13.0 )	39,342
<b>Sex</b>	Male	10.4	( 8.7 - 12.2 )		11.9	( 11.2 - 12.6 )	
	Female	15.0	( 14.2 - 15.8 )		12.8	( 11.8 - 13.7 )	
<b>Age</b>	15 or younger	12.1	( 11.3 - 12.8 )		12.7	( 11.8 - 13.6 )	
	16 or 17	13.0	( 10.7 - 15.3 )		12.1	( 11.3 - 12.9 )	
	18 or older	14.0	( 12.5 - 15.4 )		11.9	( 10.3 - 13.5 )	
<b>Grade</b>	9th	12.8	( 12.4 - 13.3 )		12.3	( 11.0 - 13.6 )	
	10th	12.2	( 10.7 - 13.6 )		12.9	( 11.9 - 13.9 )	
	11th	13.6	( 11.5 - 15.6 )		12.1	( 11.1 - 13.1 )	
	12th	12.7	( 10.3 - 15.2 )		12.0	( 11.2 - 12.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		15.1	( 9.7 - 20.6 )	
	Asian*	.	.		6.6	( 3.8 - 9.4 )	
	Black or African American*	.	.		12.6	( 10.4 - 14.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		11.2	( 6.0 - 16.4 )	
	White*	13.0	( 10.5 - 15.5 )		10.8	( 10.1 - 11.6 )	
	Hispanic Only or Hispanic White	11.6	( 8.5 - 14.7 )		15.6	( 14.8 - 16.4 )	
	Multiple Race or Hispanic Other Race	10.6	( 9.3 - 11.9 )		16.1	( 13.8 - 18.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	11.8	( 10.1 - 13.4 )		11.9	( 11.2 - 12.7 )	
	Gay, Lesbian, or Bisexual	23.7	( 18.4 - 29.1 )		15.9	( 14.6 - 17.2 )	
	Unsure	.	.		12.2	( 10.1 - 14.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 3. Percentage of students who were overweight or obese (i.e., at or above the 85th percentile for body mass index, by age and gender)**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	25.5	( 23.6 - 27.3 )	1,298	22.0	( 20.6 - 23.3 )	39,342
<b>Sex</b>	Male	25.8	( 23.8 - 27.8 )		24.1	( 22.8 - 25.4 )	
	Female	25.1	( 23.2 - 27.0 )		19.7	( 18.1 - 21.4 )	
<b>Age</b>	15 or younger	24.4	( 20.9 - 27.9 )		21.8	( 20.3 - 23.4 )	
	16 or 17	25.8	( 22.8 - 28.7 )		22.0	( 20.6 - 23.3 )	
	18 or older	29.5	( 26.7 - 32.2 )		22.8	( 20.4 - 25.2 )	
<b>Grade</b>	9th	25.4	( 21.3 - 29.6 )		21.7	( 19.8 - 23.5 )	
	10th	27.5	( 25.0 - 29.9 )		22.0	( 20.5 - 23.5 )	
	11th	26.4	( 24.4 - 28.5 )		21.5	( 20.1 - 22.9 )	
	12th	25.4	( 22.1 - 28.7 )		22.7	( 20.9 - 24.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		33.8	( 27.9 - 39.7 )	
	Asian*	.	.		11.4	( 8.9 - 14.0 )	
	Black or African American*	.	.		27.4	( 24.2 - 30.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		28.7	( 18.6 - 38.8 )	
	White*	24.9	( 22.3 - 27.4 )		18.2	( 16.9 - 19.4 )	
	Hispanic Only or Hispanic White	25.5	( 21.6 - 29.4 )		29.2	( 27.9 - 30.6 )	
	Multiple Race or Hispanic Other Race	33.9	( 28.5 - 39.3 )		28.0	( 24.3 - 31.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	23.3	( 21.2 - 25.4 )		20.9	( 19.5 - 22.3 )	
	Gay, Lesbian, or Bisexual	41.1	( 33.8 - 48.5 )		30.2	( 28.2 - 32.3 )	
	Unsure	.	.		23.7	( 20.6 - 26.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 4. Percentage of students who were underweight (i.e., below the 5th percentile for body mass index, by age and gender)**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	3.3	( 2.5 - 4.1 )	1,298	4.6	( 4.4 - 4.9 )	39,342
<b>Sex</b>	Male	5.7	( 4.0 - 7.3 )		6.2	( 5.8 - 6.6 )	
	Female	0.8	( 0.7 - 1.0 )		3.0	( 2.7 - 3.4 )	
<b>Age</b>	15 or younger	3.2	( 2.4 - 3.9 )		4.3	( 4.0 - 4.7 )	
	16 or 17	3.2	( 1.9 - 4.5 )		4.4	( 4.0 - 4.9 )	
	18 or older	4.3	( 1.7 - 6.9 )		8.2	( 6.5 - 9.8 )	
<b>Grade</b>	9th	4.2	( 2.0 - 6.4 )		4.8	( 4.3 - 5.4 )	
	10th	1.6	( 1.1 - 2.1 )		3.8	( 3.4 - 4.3 )	
	11th	1.9	( 0.4 - 3.4 )		4.4	( 4.0 - 4.9 )	
	12th	4.3	( 2.5 - 6.2 )		5.5	( 5.0 - 6.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		5.2	( 2.5 - 7.9 )	
	Asian*	.	.		9.6	( 7.2 - 12.0 )	
	Black or African American*	.	.		3.8	( 2.2 - 5.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		5.3	( 0.0 - 13.6 )	
	White*	3.2	( 2.4 - 4.1 )		5.2	( 4.8 - 5.5 )	
	Hispanic Only or Hispanic White	3.8	( 1.6 - 6.1 )		3.1	( 2.7 - 3.5 )	
	Multiple Race or Hispanic Other Race	3.4	( 1.2 - 5.7 )		4.1	( 2.9 - 5.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	3.4	( 2.4 - 4.3 )		4.4	( 4.1 - 4.6 )	
	Gay, Lesbian, or Bisexual	2.2	( 1.3 - 3.1 )		6.2	( 5.5 - 6.9 )	
	Unsure	.	.		7.5	( 5.9 - 9.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 5. Percentage of students who described themselves as slightly or very overweight**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	30.0	( 28.9 - 31.2 )	1,372	28.3	( 27.3 - 29.4 )	34,662
<b>Sex</b>	Male	21.6	( 19.4 - 23.8 )		22.7	( 21.6 - 23.7 )	
	Female	38.9	( 37.4 - 40.5 )		34.1	( 32.7 - 35.5 )	
<b>Age</b>	15 or younger	29.1	( 26.6 - 31.5 )		26.9	( 25.6 - 28.1 )	
	16 or 17	31.2	( 29.5 - 32.9 )		29.8	( 28.5 - 31.1 )	
	18 or older	29.8	( 26.5 - 33.1 )		28.0	( 25.3 - 30.7 )	
<b>Grade</b>	9th	27.2	( 24.9 - 29.5 )		25.7	( 24.2 - 27.1 )	
	10th	32.7	( 30.2 - 35.2 )		27.9	( 26.6 - 29.2 )	
	11th	31.9	( 30.8 - 33.0 )		29.4	( 27.6 - 31.1 )	
	12th	30.3	( 25.7 - 34.8 )		30.6	( 29.0 - 32.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		38.9	( 33.7 - 44.1 )	
	Asian*	.	.		24.5	( 22.0 - 26.9 )	
	Black or African American*	.	.		25.9	( 22.5 - 29.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		17.2	( 11.3 - 23.2 )	
	White*	30.0	( 27.7 - 32.3 )		25.1	( 24.1 - 26.2 )	
	Hispanic Only or Hispanic White	29.9	( 27.3 - 32.5 )		35.3	( 33.9 - 36.8 )	
	Multiple Race or Hispanic Other Race	29.5	( 24.1 - 35.0 )		30.9	( 28.6 - 33.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	27.6	( 26.1 - 29.1 )		26.4	( 25.3 - 27.5 )	
	Gay, Lesbian, or Bisexual	44.3	( 38.8 - 49.9 )		43.4	( 41.2 - 45.5 )	
	Unsure	54.4	( 43.4 - 65.5 )		30.8	( 26.9 - 34.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 6. Percentage of students who were trying to lose weight**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	43.6	( 42.0 - 45.2 )	1,373	40.8	( 39.5 - 42.0 )	34,662
<b>Sex</b>	Male	25.9	( 24.1 - 27.8 )		28.2	( 27.0 - 29.4 )	
	Female	62.0	( 60.0 - 64.0 )		53.6	( 52.2 - 55.0 )	
<b>Age</b>	15 or younger	44.4	( 43.5 - 45.4 )		39.9	( 38.6 - 41.2 )	
	16 or 17	43.4	( 41.2 - 45.6 )		41.7	( 40.2 - 43.2 )	
	18 or older	39.2	( 34.9 - 43.6 )		39.8	( 37.6 - 42.1 )	
<b>Grade</b>	9th	44.9	( 42.2 - 47.7 )		38.8	( 37.2 - 40.4 )	
	10th	45.0	( 42.6 - 47.4 )		41.5	( 40.1 - 43.0 )	
	11th	41.2	( 33.9 - 48.4 )		41.0	( 38.7 - 43.3 )	
	12th	45.1	( 39.8 - 50.4 )		41.9	( 40.5 - 43.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		50.4	( 44.9 - 55.9 )	
	Asian*	.	.		40.3	( 36.6 - 44.0 )	
	Black or African American*	.	.		39.2	( 35.0 - 43.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		28.6	( 19.7 - 37.5 )	
	White*	41.9	( 40.3 - 43.5 )		36.6	( 35.1 - 38.1 )	
	Hispanic Only or Hispanic White	50.7	( 47.1 - 54.4 )		49.4	( 48.1 - 50.8 )	
	Multiple Race or Hispanic Other Race	48.7	( 41.9 - 55.6 )		42.0	( 39.3 - 44.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	42.7	( 41.0 - 44.3 )		39.3	( 38.1 - 40.6 )	
	Gay, Lesbian, or Bisexual	50.6	( 46.1 - 55.2 )		52.4	( 49.6 - 55.1 )	
	Unsure	53.4	( 48.8 - 58.0 )		43.4	( 39.7 - 47.1 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 7. Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past 7 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	54.5	( 53.4 - 55.6 )	1,355	51.6	( 50.0 - 53.2 )	43,712
<b>Sex</b>	Male	66.7	( 64.9 - 68.4 )		60.4	( 58.4 - 62.3 )	
	Female	42.1	( 40.4 - 43.7 )		42.9	( 41.4 - 44.5 )	
<b>Age</b>	15 or younger	52.1	( 49.4 - 54.7 )		54.8	( 52.7 - 56.9 )	
	16 or 17	55.8	( 52.5 - 59.1 )		49.2	( 47.8 - 50.7 )	
	18 or older	60.5	( 56.8 - 64.3 )		46.8	( 44.2 - 49.5 )	
<b>Grade</b>	9th	55.4	( 52.5 - 58.3 )		57.4	( 54.8 - 60.0 )	
	10th	55.6	( 49.5 - 61.7 )		52.2	( 50.5 - 54.0 )	
	11th	51.8	( 47.4 - 56.2 )		48.0	( 46.2 - 49.7 )	
	12th	57.2	( 53.1 - 61.3 )		48.2	( 46.1 - 50.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		46.1	( 39.2 - 53.0 )	
	Asian*	.	.		41.4	( 36.4 - 46.5 )	
	Black or African American*	.	.		45.8	( 42.1 - 49.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		41.3	( 29.4 - 53.3 )	
	White*	56.7	( 55.9 - 57.6 )		55.8	( 54.0 - 57.5 )	
	Hispanic Only or Hispanic White	48.2	( 45.5 - 51.0 )		46.1	( 44.3 - 47.9 )	
	Multiple Race or Hispanic Other Race	50.8	( 45.5 - 56.1 )		51.0	( 48.2 - 53.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	57.8	( 56.8 - 58.7 )		54.4	( 52.7 - 56.2 )	
	Gay, Lesbian, or Bisexual	28.5	( 22.3 - 34.7 )		35.3	( 33.0 - 37.5 )	
	Unsure	.	.		36.5	( 32.7 - 40.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 8. Percentage of students who watched three or more hours of TV on an average school day**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	18.9	( 17.1 - 20.7 )	1,356	16.7	( 15.7 - 17.7 )	34,424
<b>Sex</b>	Male	17.8	( 15.5 - 20.0 )		16.3	( 15.1 - 17.5 )	
	Female	20.3	( 18.8 - 21.9 )		17.0	( 16.0 - 18.0 )	
<b>Age</b>	15 or younger	20.0	( 16.6 - 23.4 )		16.3	( 15.2 - 17.4 )	
	16 or 17	18.1	( 16.7 - 19.4 )		16.8	( 15.7 - 17.9 )	
	18 or older	17.0	( 13.5 - 20.6 )		18.5	( 16.7 - 20.4 )	
<b>Grade</b>	9th	18.9	( 15.5 - 22.3 )		16.8	( 15.3 - 18.4 )	
	10th	19.2	( 18.1 - 20.3 )		16.5	( 15.2 - 17.7 )	
	11th	16.6	( 14.6 - 18.6 )		16.7	( 15.4 - 18.0 )	
	12th	16.6	( 13.2 - 20.1 )		16.5	( 15.0 - 18.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		19.2	( 15.9 - 22.5 )	
	Asian*	.	.		15.9	( 12.4 - 19.5 )	
	Black or African American*	.	.		27.7	( 22.8 - 32.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		22.5	( 14.6 - 30.4 )	
	White*	16.5	( 15.7 - 17.4 )		14.5	( 13.5 - 15.5 )	
	Hispanic Only or Hispanic White	26.4	( 21.1 - 31.6 )		18.8	( 17.7 - 19.9 )	
	Multiple Race or Hispanic Other Race	20.4	( 17.4 - 23.4 )		21.7	( 19.4 - 24.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	18.0	( 16.1 - 19.8 )		16.0	( 15.0 - 17.1 )	
	Gay, Lesbian, or Bisexual	17.1	( 13.6 - 20.6 )		19.7	( 18.1 - 21.3 )	
	Unsure	.	.		21.6	( 19.1 - 24.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 9. Percentage of students who played video or computer games, spent time on social media, or used a computer for something that was not school work for three or more hours on an average school day**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	38.7	( 35.8 - 41.6 )	1,357	34.8	( 33.2 - 36.4 )	34,353
<b>Sex</b>	Male	41.4	( 39.1 - 43.7 )		37.0	( 35.0 - 39.0 )	
	Female	36.2	( 31.3 - 41.1 )		32.4	( 30.9 - 34.0 )	
<b>Age</b>	15 or younger	43.4	( 39.3 - 47.5 )		34.9	( 32.9 - 36.9 )	
	16 or 17	34.1	( 32.8 - 35.4 )		35.0	( 33.4 - 36.7 )	
	18 or older	37.1	( 31.8 - 42.5 )		33.0	( 30.6 - 35.5 )	
<b>Grade</b>	9th	43.9	( 39.3 - 48.6 )		34.4	( 32.1 - 36.7 )	
	10th	41.5	( 38.1 - 45.0 )		35.8	( 33.8 - 37.7 )	
	11th	32.5	( 30.2 - 34.7 )		33.6	( 31.8 - 35.4 )	
	12th	34.1	( 31.2 - 37.0 )		35.2	( 33.4 - 37.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		39.9	( 32.0 - 47.8 )	
	Asian*	.	.		39.6	( 35.1 - 44.0 )	
	Black or African American*	.	.		36.1	( 31.1 - 41.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		49.2	( 36.6 - 61.8 )	
	White*	38.9	( 35.6 - 42.3 )		33.6	( 31.7 - 35.6 )	
	Hispanic Only or Hispanic White	38.1	( 35.8 - 40.5 )		36.1	( 34.3 - 37.9 )	
	Multiple Race or Hispanic Other Race	42.3	( 39.1 - 45.5 )		36.7	( 32.8 - 40.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	38.2	( 35.6 - 40.8 )		33.0	( 31.3 - 34.7 )	
	Gay, Lesbian, or Bisexual	45.5	( 38.4 - 52.7 )		47.1	( 44.4 - 49.9 )	
	Unsure	.	.		40.9	( 38.5 - 43.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 10. Percentage of students who have 3 or more hours total screen time on average school day**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	54.6	( 52.4 - 56.8 )	1,355	52.2	( 50.3 - 54.1 )	34,302
<b>Sex</b>	Male	56.3	( 53.9 - 58.7 )		54.1	( 52.2 - 56.1 )	
	Female	53.1	( 49.7 - 56.6 )		50.1	( 48.0 - 52.2 )	
<b>Age</b>	15 or younger	58.6	( 54.5 - 62.7 )		52.4	( 50.1 - 54.7 )	
	16 or 17	49.1	( 47.4 - 50.8 )		52.3	( 50.4 - 54.2 )	
	18 or older	61.2	( 58.3 - 64.0 )		50.4	( 48.3 - 52.5 )	
<b>Grade</b>	9th	59.2	( 52.6 - 65.8 )		51.9	( 49.3 - 54.6 )	
	10th	56.6	( 55.1 - 58.0 )		53.0	( 50.8 - 55.2 )	
	11th	48.7	( 46.9 - 50.6 )		50.8	( 48.8 - 52.9 )	
	12th	51.4	( 50.0 - 52.8 )		52.8	( 50.6 - 54.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		57.1	( 49.7 - 64.6 )	
	Asian*	.	.		56.0	( 51.3 - 60.6 )	
	Black or African American*	.	.		61.8	( 59.4 - 64.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		65.0	( 53.8 - 76.3 )	
	White*	53.0	( 51.1 - 55.0 )		49.6	( 47.4 - 51.7 )	
	Hispanic Only or Hispanic White	60.3	( 56.6 - 64.0 )		54.9	( 52.9 - 56.9 )	
	Multiple Race or Hispanic Other Race	62.4	( 58.0 - 66.8 )		56.5	( 53.1 - 60.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	53.5	( 51.9 - 55.1 )		50.7	( 48.7 - 52.7 )	
	Gay, Lesbian, or Bisexual	62.8	( 54.4 - 71.1 )		61.9	( 59.2 - 64.6 )	
	Unsure	.	.		58.2	( 55.3 - 61.0 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 11. Percentage of students who played on one or more sports teams during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	59.0	( 57.0 - 61.0 )	1,361	60.6	( 59.0 - 62.1 )	34,394
<b>Sex</b>	Male	61.9	( 59.4 - 64.4 )		63.4	( 61.8 - 65.1 )	
	Female	56.2	( 54.7 - 57.7 )		57.8	( 56.0 - 59.7 )	
<b>Age</b>	15 or younger	64.0	( 62.5 - 65.5 )		64.8	( 62.8 - 66.8 )	
	16 or 17	58.7	( 55.3 - 62.0 )		57.6	( 56.0 - 59.1 )	
	18 or older	35.5	( 29.1 - 41.9 )		54.4	( 52.0 - 56.8 )	
<b>Grade</b>	9th	67.2	( 62.3 - 72.0 )		67.0	( 64.5 - 69.6 )	
	10th	65.6	( 63.3 - 67.8 )		61.8	( 60.2 - 63.3 )	
	11th	61.4	( 57.8 - 65.1 )		59.0	( 57.3 - 60.7 )	
	12th	45.7	( 41.3 - 50.1 )		54.0	( 52.1 - 56.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		56.4	( 50.7 - 62.1 )	
	Asian*	.	.		51.9	( 46.8 - 57.1 )	
	Black or African American*	.	.		60.4	( 56.4 - 64.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		65.4	( 56.7 - 74.2 )	
	White*	59.4	( 56.1 - 62.7 )		63.8	( 62.1 - 65.5 )	
	Hispanic Only or Hispanic White	55.8	( 52.3 - 59.4 )		55.0	( 52.7 - 57.3 )	
	Multiple Race or Hispanic Other Race	64.6	( 63.2 - 66.0 )		61.2	( 58.7 - 63.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	62.4	( 59.9 - 64.9 )		64.0	( 62.3 - 65.7 )	
	Gay, Lesbian, or Bisexual	35.2	( 27.7 - 42.8 )		38.8	( 36.2 - 41.5 )	
	Unsure	.	.		45.2	( 42.6 - 47.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 12. Percentage of students who could walk or ride a bike, scooter, or skateboard to school**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	41.5	( 35.0 - 48.1 )	663	46.9	( 44.1 - 49.6 )	16,667
<b>Sex</b>	Male	47.6	( 41.3 - 53.9 )		53.0	( 50.2 - 55.9 )	
	Female	35.8	( 28.4 - 43.2 )		40.6	( 37.5 - 43.7 )	
<b>Age</b>	15 or younger	45.6	( 39.8 - 51.4 )		46.7	( 43.8 - 49.7 )	
	16 or 17	40.3	( 36.2 - 44.4 )		46.6	( 43.6 - 49.7 )	
	18 or older	.	.		49.5	( 45.6 - 53.4 )	
<b>Grade</b>	9th	41.7	( 35.8 - 47.5 )		47.7	( 44.2 - 51.1 )	
	10th	42.8	( 34.8 - 50.8 )		46.5	( 43.3 - 49.7 )	
	11th	45.3	( 39.8 - 50.8 )		46.9	( 43.2 - 50.6 )	
	12th	31.7	( 22.4 - 41.0 )		46.4	( 43.5 - 49.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		57.5	( 49.5 - 65.5 )	
	Asian*	.	.		46.6	( 39.7 - 53.5 )	
	Black or African American*	.	.		40.7	( 35.5 - 45.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		55.9	( 29.1 - 82.6 )	
	White*	42.4	( 35.5 - 49.3 )		47.8	( 44.6 - 50.9 )	
	Hispanic Only or Hispanic White	37.8	( 29.0 - 46.7 )		45.8	( 42.1 - 49.5 )	
	Multiple Race or Hispanic Other Race	49.7	( 42.0 - 57.3 )		46.5	( 42.6 - 50.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	40.2	( 33.5 - 46.9 )		47.5	( 44.7 - 50.3 )	
	Gay, Lesbian, or Bisexual	43.6	( 34.5 - 52.7 )		44.4	( 40.4 - 48.4 )	
	Unsure	.	.		38.8	( 34.5 - 43.1 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 13. Percent of students who walk or ride to school one or more days in an average week**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	10.2	( 7.8 - 12.5 )	664	15.9	( 14.2 - 17.7 )	16,639
<b>Sex</b>	Male	13.1	( 10.6 - 15.7 )		18.6	( 16.8 - 20.5 )	
	Female	7.4	( 4.6 - 10.2 )		13.2	( 11.3 - 15.0 )	
<b>Age</b>	15 or younger	14.8	( 12.3 - 17.2 )		19.0	( 16.7 - 21.2 )	
	16 or 17	7.0	( 4.3 - 9.7 )		13.6	( 11.9 - 15.4 )	
	18 or older	.	.		12.6	( 10.3 - 15.0 )	
<b>Grade</b>	9th	7.7	( 4.9 - 10.5 )		19.4	( 17.2 - 21.6 )	
	10th	13.2	( 9.2 - 17.2 )		18.1	( 15.6 - 20.6 )	
	11th	8.4	( 3.9 - 12.8 )		15.0	( 12.8 - 17.2 )	
	12th	4.2	( 2.8 - 5.6 )		10.7	( 9.0 - 12.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		23.5	( 15.1 - 31.8 )	
	Asian*	.	.		15.5	( 10.4 - 20.6 )	
	Black or African American*	.	.		15.1	( 11.9 - 18.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		17.2	( 0.0 - 34.8 )	
	White*	8.5	( 5.8 - 11.1 )		15.1	( 13.0 - 17.1 )	
	Hispanic Only or Hispanic White	14.3	( 9.8 - 18.7 )		17.8	( 15.6 - 20.0 )	
	Multiple Race or Hispanic Other Race	21.8	( 12.8 - 30.7 )		15.4	( 12.7 - 18.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	9.8	( 7.3 - 12.3 )		15.4	( 13.6 - 17.2 )	
	Gay, Lesbian, or Bisexual	14.8	( 8.6 - 21.0 )		19.7	( 16.4 - 22.9 )	
	Unsure	.	.		16.7	( 12.8 - 20.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 14. Percentage of student who attended physical education (PE) classes on one or more days in an average week**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	47.1	( 44.6 - 49.5 )	1,356	43.7	( 40.5 - 46.9 )	34,097
<b>Sex</b>	Male	52.0	( 48.8 - 55.2 )		49.6	( 46.6 - 52.7 )	
	Female	42.3	( 40.3 - 44.2 )		37.9	( 34.2 - 41.5 )	
<b>Age</b>	15 or younger	51.4	( 44.6 - 58.1 )		49.3	( 46.0 - 52.5 )	
	16 or 17	46.6	( 43.4 - 49.8 )		38.6	( 35.0 - 42.2 )	
	18 or older	28.5	( 21.6 - 35.5 )		43.2	( 39.5 - 46.9 )	
<b>Grade</b>	9th	48.5	( 40.1 - 56.8 )		53.7	( 50.0 - 57.3 )	
	10th	59.0	( 51.9 - 66.1 )		44.5	( 41.3 - 47.8 )	
	11th	43.0	( 38.8 - 47.2 )		35.9	( 32.0 - 39.7 )	
	12th	38.0	( 35.3 - 40.8 )		39.8	( 35.6 - 44.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		49.8	( 43.6 - 56.0 )	
	Asian*	.	.		41.8	( 30.9 - 52.7 )	
	Black or African American*	.	.		51.6	( 45.7 - 57.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		56.6	( 43.8 - 69.3 )	
	White*	43.9	( 40.0 - 47.7 )		41.6	( 37.8 - 45.4 )	
	Hispanic Only or Hispanic White	57.2	( 52.5 - 61.9 )		46.6	( 43.7 - 49.6 )	
	Multiple Race or Hispanic Other Race	47.7	( 39.1 - 56.3 )		45.6	( 41.8 - 49.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	47.3	( 44.7 - 49.9 )		44.9	( 41.7 - 48.0 )	
	Gay, Lesbian, or Bisexual	39.1	( 31.1 - 47.2 )		35.0	( 30.0 - 40.0 )	
	Unsure	.	.		39.6	( 36.3 - 43.0 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 15. Percentage of students who ate fruit one or more times per day in the past seven days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	36.9	( 35.1 - 38.7 )	1,372	42.2	( 40.6 - 43.9 )	34,681
<b>Sex</b>	Male	40.5	( 38.4 - 42.5 )		43.3	( 41.8 - 44.8 )	
	Female	33.4	( 31.2 - 35.5 )		41.3	( 39.1 - 43.5 )	
<b>Age</b>	15 or younger	39.2	( 34.3 - 44.1 )		45.0	( 42.8 - 47.2 )	
	16 or 17	35.8	( 32.1 - 39.4 )		40.7	( 39.1 - 42.3 )	
	18 or older	30.3	( 26.4 - 34.1 )		34.8	( 32.1 - 37.6 )	
<b>Grade</b>	9th	38.6	( 33.1 - 44.2 )		44.8	( 42.3 - 47.3 )	
	10th	42.9	( 37.4 - 48.5 )		43.9	( 42.0 - 45.8 )	
	11th	37.1	( 33.4 - 40.8 )		40.2	( 38.1 - 42.4 )	
	12th	29.5	( 26.2 - 32.8 )		39.7	( 37.6 - 41.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		38.8	( 31.3 - 46.3 )	
	Asian*	.	.		49.6	( 46.2 - 53.0 )	
	Black or African American*	.	.		30.9	( 28.3 - 33.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		35.8	( 27.3 - 44.4 )	
	White*	38.8	( 37.1 - 40.5 )		45.6	( 43.8 - 47.5 )	
	Hispanic Only or Hispanic White	30.5	( 25.7 - 35.3 )		35.9	( 34.3 - 37.5 )	
	Multiple Race or Hispanic Other Race	42.2	( 34.8 - 49.7 )		42.9	( 40.3 - 45.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	36.8	( 35.2 - 38.3 )		43.0	( 41.3 - 44.8 )	
	Gay, Lesbian, or Bisexual	38.9	( 35.6 - 42.2 )		35.9	( 33.4 - 38.5 )	
	Unsure	33.8	( 29.8 - 37.7 )		40.3	( 37.0 - 43.6 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 16. Percentage of students who ate fruit two or more times per day in the past seven days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	27.8	( 26.1 - 29.4 )	1,372	31.8	( 30.3 - 33.2 )	34,681
<b>Sex</b>	Male	30.8	( 28.4 - 33.3 )		32.9	( 31.6 - 34.2 )	
	Female	24.7	( 23.8 - 25.7 )		30.7	( 28.7 - 32.7 )	
<b>Age</b>	15 or younger	28.4	( 24.8 - 31.9 )		34.4	( 32.6 - 36.2 )	
	16 or 17	28.4	( 24.3 - 32.5 )		30.2	( 28.8 - 31.6 )	
	18 or older	20.9	( 17.1 - 24.6 )		25.6	( 23.5 - 27.7 )	
<b>Grade</b>	9th	28.8	( 25.4 - 32.2 )		34.5	( 32.5 - 36.5 )	
	10th	32.6	( 28.9 - 36.4 )		33.5	( 31.6 - 35.4 )	
	11th	29.1	( 24.2 - 34.0 )		30.6	( 28.6 - 32.5 )	
	12th	22.1	( 21.0 - 23.2 )		28.2	( 26.6 - 29.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		29.3	( 23.3 - 35.4 )	
	Asian*	.	.		35.8	( 31.7 - 39.9 )	
	Black or African American*	.	.		24.6	( 22.1 - 27.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		21.5	( 13.7 - 29.3 )	
	White*	28.4	( 26.7 - 30.0 )		33.9	( 32.3 - 35.5 )	
	Hispanic Only or Hispanic White	25.5	( 21.7 - 29.4 )		27.6	( 26.1 - 29.2 )	
	Multiple Race or Hispanic Other Race	34.5	( 26.4 - 42.6 )		33.4	( 30.9 - 35.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	27.5	( 25.8 - 29.2 )		32.4	( 30.8 - 34.0 )	
	Gay, Lesbian, or Bisexual	29.0	( 26.7 - 31.4 )		26.3	( 24.4 - 28.3 )	
	Unsure	30.2	( 27.7 - 32.6 )		30.8	( 27.6 - 34.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 17. Percentage of students who ate vegetables one or more times per day in the past seven days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	44.6	( 41.4 - 47.9 )	689	44.2	( 42.5 - 45.9 )	17,320
<b>Sex</b>	Male	47.5	( 43.8 - 51.3 )		45.4	( 43.4 - 47.4 )	
	Female	41.9	( 38.4 - 45.4 )		43.1	( 41.0 - 45.1 )	
<b>Age</b>	15 or younger	45.7	( 42.6 - 48.8 )		45.3	( 42.8 - 47.8 )	
	16 or 17	42.5	( 38.9 - 46.2 )		43.2	( 41.4 - 45.0 )	
	18 or older	.	.		44.7	( 41.3 - 48.2 )	
<b>Grade</b>	9th	41.1	( 35.8 - 46.4 )		45.8	( 42.8 - 48.8 )	
	10th	47.1	( 42.9 - 51.4 )		43.8	( 41.8 - 45.9 )	
	11th	43.7	( 41.2 - 46.2 )		43.9	( 41.4 - 46.4 )	
	12th	41.5	( 35.7 - 47.4 )		43.1	( 41.1 - 45.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		44.5	( 35.9 - 53.1 )	
	Asian*	.	.		57.8	( 52.6 - 63.0 )	
	Black or African American*	.	.		32.5	( 28.6 - 36.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		43.2	( 27.6 - 58.9 )	
	White*	51.6	( 48.0 - 55.2 )		48.4	( 46.5 - 50.4 )	
	Hispanic Only or Hispanic White	24.1	( 19.5 - 28.6 )		35.4	( 33.2 - 37.6 )	
	Multiple Race or Hispanic Other Race	54.5	( 48.9 - 60.0 )		43.5	( 40.3 - 46.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	44.8	( 41.7 - 47.9 )		44.4	( 42.7 - 46.2 )	
	Gay, Lesbian, or Bisexual	43.0	( 35.2 - 50.7 )		40.2	( 37.2 - 43.3 )	
	Unsure	.	.		47.9	( 43.4 - 52.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 18. Percentage of students who ate vegetables two or more times per day in the past seven days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	29.3	( 26.8 - 31.8 )	689	30.1	( 28.8 - 31.4 )	17,320
<b>Sex</b>	Male	31.4	( 28.0 - 34.9 )		30.9	( 29.3 - 32.5 )	
	Female	27.3	( 25.3 - 29.3 )		29.3	( 27.7 - 30.9 )	
<b>Age</b>	15 or younger	30.0	( 27.4 - 32.5 )		31.2	( 29.4 - 33.1 )	
	16 or 17	28.3	( 24.9 - 31.7 )		29.3	( 27.7 - 31.0 )	
	18 or older	.	.		28.2	( 25.0 - 31.3 )	
<b>Grade</b>	9th	25.3	( 19.4 - 31.1 )		31.7	( 29.7 - 33.6 )	
	10th	33.0	( 30.9 - 35.1 )		29.3	( 27.5 - 31.1 )	
	11th	27.2	( 24.7 - 29.8 )		30.2	( 27.7 - 32.6 )	
	12th	27.0	( 23.4 - 30.7 )		28.9	( 27.2 - 30.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		32.2	( 23.7 - 40.7 )	
	Asian*	.	.		44.1	( 36.9 - 51.2 )	
	Black or African American*	.	.		23.9	( 20.0 - 27.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		26.7	( 16.2 - 37.2 )	
	White*	32.9	( 29.2 - 36.6 )		31.3	( 29.9 - 32.6 )	
	Hispanic Only or Hispanic White	17.4	( 13.2 - 21.7 )		26.5	( 24.7 - 28.2 )	
	Multiple Race or Hispanic Other Race	41.6	( 35.0 - 48.3 )		32.1	( 28.9 - 35.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	28.9	( 25.8 - 32.0 )		30.3	( 29.0 - 31.7 )	
	Gay, Lesbian, or Bisexual	29.2	( 24.6 - 33.8 )		25.9	( 23.3 - 28.5 )	
	Unsure	.	.		33.6	( 29.5 - 37.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 19. Percentage of students who ate breakfast on all of the past seven days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	39.7	( 36.7 - 42.6 )	1,368	37.2	( 35.6 - 38.8 )	34,652
<b>Sex</b>	Male	44.7	( 40.5 - 49.0 )		42.9	( 41.0 - 44.7 )	
	Female	34.9	( 31.6 - 38.2 )		31.6	( 30.0 - 33.2 )	
<b>Age</b>	15 or younger	40.4	( 36.2 - 44.6 )		41.1	( 39.2 - 43.1 )	
	16 or 17	38.1	( 34.8 - 41.3 )		34.0	( 32.4 - 35.6 )	
	18 or older	44.9	( 43.1 - 46.7 )		33.8	( 31.0 - 36.6 )	
<b>Grade</b>	9th	37.5	( 33.8 - 41.2 )		42.0	( 39.7 - 44.4 )	
	10th	38.3	( 36.5 - 40.0 )		39.0	( 37.0 - 41.0 )	
	11th	34.5	( 32.2 - 36.8 )		34.2	( 32.4 - 36.0 )	
	12th	42.0	( 37.9 - 46.1 )		32.8	( 31.1 - 34.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		25.1	( 20.0 - 30.2 )	
	Asian*	.	.		41.5	( 36.9 - 46.1 )	
	Black or African American*	.	.		28.2	( 25.9 - 30.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		31.5	( 22.0 - 41.0 )	
	White*	41.3	( 38.0 - 44.6 )		41.1	( 39.4 - 42.8 )	
	Hispanic Only or Hispanic White	37.0	( 31.6 - 42.5 )		30.8	( 29.1 - 32.5 )	
	Multiple Race or Hispanic Other Race	32.1	( 30.6 - 33.6 )		32.5	( 30.2 - 34.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	42.4	( 38.9 - 45.8 )		38.7	( 36.9 - 40.5 )	
	Gay, Lesbian, or Bisexual	15.7	( 12.0 - 19.5 )		25.8	( 23.5 - 28.0 )	
	Unsure	.	.		35.3	( 31.8 - 38.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 20. Percent of students who went hungry in the last 30 days sometimes, most of the time, or always because of lack of food at home**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	10.9	( 9.7 - 12.2 )	670	14.1	( 13.1 - 15.0 )	21,649
<b>Sex</b>	Male	11.3	( 9.9 - 12.8 )		14.4	( 13.2 - 15.7 )	
	Female	10.6	( 9.5 - 11.7 )		13.7	( 12.8 - 14.7 )	
<b>Age</b>	15 or younger	10.8	( 8.9 - 12.8 )		13.4	( 12.2 - 14.6 )	
	16 or 17	12.5	( 11.1 - 13.9 )		14.5	( 13.4 - 15.6 )	
	18 or older	.	.		15.8	( 12.6 - 18.9 )	
<b>Grade</b>	9th	10.2	( 8.0 - 12.3 )		13.9	( 12.4 - 15.4 )	
	10th	10.2	( 7.8 - 12.5 )		13.0	( 11.7 - 14.3 )	
	11th	8.0	( 5.1 - 10.9 )		14.4	( 13.0 - 15.7 )	
	12th	15.0	( 7.8 - 22.2 )		14.7	( 12.7 - 16.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		30.0	( 21.7 - 38.4 )	
	Asian*	.	.		19.6	( 15.5 - 23.6 )	
	Black or African American*	.	.		15.2	( 11.1 - 19.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		34.6	( 15.2 - 54.0 )	
	White*	9.7	( 7.7 - 11.8 )		11.9	( 11.0 - 12.8 )	
	Hispanic Only or Hispanic White	15.0	( 13.2 - 16.8 )		16.3	( 14.2 - 18.3 )	
	Multiple Race or Hispanic Other Race	21.6	( 13.6 - 29.7 )		18.2	( 15.7 - 20.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	9.0	( 7.5 - 10.5 )		13.2	( 12.2 - 14.3 )	
	Gay, Lesbian, or Bisexual	30.5	( 27.0 - 34.0 )		17.9	( 16.1 - 19.8 )	
	Unsure	.	.		19.0	( 14.8 - 23.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 21. Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	14.8	( 12.7 - 16.9 )	687	15.8	( 14.8 - 16.9 )	21,935
<b>Sex</b>	Male	17.7	( 14.5 - 20.9 )		19.2	( 18.0 - 20.4 )	
	Female	11.6	( 9.3 - 13.8 )		12.4	( 11.1 - 13.6 )	
<b>Age</b>	15 or younger	17.0	( 13.7 - 20.4 )		14.2	( 13.1 - 15.4 )	
	16 or 17	13.7	( 11.8 - 15.6 )		17.2	( 15.9 - 18.6 )	
	18 or older	.	.		16.2	( 13.7 - 18.8 )	
<b>Grade</b>	9th	21.2	( 15.7 - 26.7 )		14.8	( 13.2 - 16.3 )	
	10th	13.3	( 10.4 - 16.2 )		15.3	( 13.6 - 16.9 )	
	11th	10.6	( 8.1 - 13.1 )		15.8	( 14.5 - 17.1 )	
	12th	14.8	( 13.0 - 16.6 )		17.3	( 15.4 - 19.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		20.6	( 12.4 - 28.8 )	
	Asian*	.	.		10.5	( 7.3 - 13.7 )	
	Black or African American*	.	.		17.9	( 13.4 - 22.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		32.4	( 18.4 - 46.4 )	
	White*	13.9	( 10.9 - 16.9 )		14.7	( 13.5 - 15.9 )	
	Hispanic Only or Hispanic White	15.0	( 13.8 - 16.3 )		17.6	( 16.3 - 18.9 )	
	Multiple Race or Hispanic Other Race	25.3	( 18.5 - 32.2 )		19.4	( 16.3 - 22.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	14.9	( 12.7 - 17.1 )		15.6	( 14.5 - 16.8 )	
	Gay, Lesbian, or Bisexual	14.3	( 7.3 - 21.2 )		17.9	( 15.5 - 20.2 )	
	Unsure	.	.		13.5	( 11.0 - 16.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 22. Percentage of students who drank a can, bottle or glass of sports drink one or more times in the last 7 days**

Question: Which of the following beverages did you drink a can, bottle, or glass of one or more times during the past 7 days? (Please select all that apply) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	33.4	( 30.3 - 36.5 )	682	36.6	( 35.2 - 38.0 )	17,090
<b>Sex</b>	Male	39.5	( 35.9 - 43.2 )		45.4	( 43.3 - 47.6 )	
	Female	27.2	( 24.5 - 29.9 )		27.6	( 26.2 - 29.0 )	
<b>Age</b>	15 or younger	37.3	( 34.8 - 39.9 )		38.5	( 36.4 - 40.5 )	
	16 or 17	30.5	( 25.5 - 35.5 )		34.9	( 33.5 - 36.4 )	
	18 or older	.	.		35.9	( 33.0 - 38.8 )	
<b>Grade</b>	9th	42.1	( 39.0 - 45.2 )		41.2	( 38.3 - 44.1 )	
	10th	31.0	( 27.5 - 34.5 )		36.0	( 33.9 - 38.0 )	
	11th	31.6	( 24.3 - 39.0 )		36.0	( 34.3 - 37.8 )	
	12th	29.8	( 26.3 - 33.2 )		33.1	( 30.9 - 35.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		54.9	( 47.6 - 62.2 )	
	Asian*	.	.		29.3	( 20.4 - 38.2 )	
	Black or African American*	.	.		35.5	( 31.2 - 39.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		43.2	( 23.4 - 62.9 )	
	White*	31.1	( 28.8 - 33.4 )		35.2	( 33.4 - 37.0 )	
	Hispanic Only or Hispanic White	37.6	( 30.6 - 44.6 )		39.2	( 37.6 - 40.7 )	
	Multiple Race or Hispanic Other Race	45.5	( 43.0 - 47.9 )		42.1	( 38.0 - 46.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	33.8	( 30.4 - 37.2 )		38.7	( 37.1 - 40.3 )	
	Gay, Lesbian, or Bisexual	28.8	( 23.1 - 34.4 )		24.8	( 22.4 - 27.2 )	
	Unsure	.	.		25.9	( 21.9 - 29.9 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 23. Percentage of students who drank a can, bottle or glass of an energy drink one or more times in the last 7 days**

Question: Which of the following beverages did you drink a can, bottle, or glass of one or more times during the past 7 days? (Please select all that apply) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	12.1	( 10.3 - 13.9 )	682	11.7	( 10.9 - 12.4 )	17,090
<b>Sex</b>	Male	14.6	( 11.9 - 17.3 )		14.5	( 13.3 - 15.7 )	
	Female	9.6	( 6.8 - 12.3 )		8.8	( 8.0 - 9.5 )	
<b>Age</b>	15 or younger	14.9	( 13.0 - 16.9 )		10.9	( 9.7 - 12.1 )	
	16 or 17	9.2	( 6.8 - 11.7 )		12.2	( 11.1 - 13.2 )	
	18 or older	.	.		13.2	( 10.6 - 15.8 )	
<b>Grade</b>	9th	18.1	( 13.5 - 22.6 )		10.9	( 9.4 - 12.4 )	
	10th	13.7	( 11.5 - 15.9 )		11.1	( 10.2 - 12.0 )	
	11th	9.0	( 5.8 - 12.2 )		11.6	( 10.3 - 12.9 )	
	12th	9.3	( 6.9 - 11.7 )		13.0	( 11.6 - 14.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		12.1	( 8.5 - 15.7 )	
	Asian*	.	.		5.7	( 4.0 - 7.4 )	
	Black or African American*	.	.		5.9	( 3.0 - 8.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		17.2	( 6.9 - 27.6 )	
	White*	11.5	( 9.0 - 13.9 )		12.2	( 11.2 - 13.1 )	
	Hispanic Only or Hispanic White	10.5	( 8.5 - 12.5 )		12.2	( 10.9 - 13.6 )	
	Multiple Race or Hispanic Other Race	29.8	( 21.3 - 38.2 )		13.6	( 11.7 - 15.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	11.3	( 9.5 - 13.1 )		11.1	( 10.3 - 11.9 )	
	Gay, Lesbian, or Bisexual	23.6	( 13.8 - 33.5 )		16.3	( 14.5 - 18.2 )	
	Unsure	.	.		10.7	( 8.2 - 13.2 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 24. Percentage of students who drank a can, bottle or glass of another sweetened beverage one or more times in the last 7 days**  
 Question: Which of the following beverages did you drink a can, bottle, or glass of one or more times during the past 7 days? (Please select all that apply) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	45.6	( 44.5 - 46.7 )	682	44.0	( 42.4 - 45.6 )	17,090
<b>Sex</b>	Male	35.5	( 32.9 - 38.2 )		40.7	( 39.0 - 42.3 )	
	Female	56.2	( 53.9 - 58.4 )		47.4	( 45.3 - 49.5 )	
<b>Age</b>	15 or younger	46.9	( 42.4 - 51.5 )		44.5	( 42.7 - 46.4 )	
	16 or 17	43.6	( 41.9 - 45.3 )		43.9	( 41.8 - 46.0 )	
	18 or older	.	.		41.1	( 36.7 - 45.5 )	
<b>Grade</b>	9th	52.3	( 48.7 - 55.9 )		42.7	( 40.7 - 44.7 )	
	10th	42.0	( 37.6 - 46.5 )		44.9	( 42.4 - 47.4 )	
	11th	42.2	( 40.2 - 44.2 )		43.1	( 40.9 - 45.3 )	
	12th	47.4	( 39.7 - 55.0 )		45.8	( 42.4 - 49.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		35.3	( 26.5 - 44.1 )	
	Asian*	.	.		42.8	( 37.2 - 48.3 )	
	Black or African American*	.	.		42.1	( 34.7 - 49.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		31.9	( 16.9 - 46.9 )	
	White*	47.8	( 46.3 - 49.3 )		46.6	( 45.1 - 48.0 )	
	Hispanic Only or Hispanic White	40.6	( 39.1 - 42.1 )		39.5	( 36.9 - 42.0 )	
	Multiple Race or Hispanic Other Race	43.8	( 39.6 - 48.1 )		46.4	( 43.1 - 49.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	44.8	( 43.6 - 46.1 )		43.3	( 41.6 - 45.1 )	
	Gay, Lesbian, or Bisexual	58.7	( 52.6 - 64.8 )		49.3	( 46.8 - 51.8 )	
	Unsure	.	.		44.9	( 39.7 - 50.1 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 25. Percentage of students who drank a can, bottle or glass of diet soda one or more times in the last 7 days**

Question: Which of the following beverages did you drink a can, bottle, or glass of one or more times during the past 7 days? (Please select all that apply) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	18.6	( 15.8 - 21.4 )	682	15.2	( 14.1 - 16.2 )	17,090
<b>Sex</b>	Male	17.8	( 14.1 - 21.6 )		14.8	( 13.5 - 16.0 )	
	Female	19.1	( 16.2 - 22.1 )		15.6	( 14.3 - 16.8 )	
<b>Age</b>	15 or younger	18.7	( 14.4 - 23.0 )		16.0	( 14.7 - 17.2 )	
	16 or 17	16.2	( 14.3 - 18.1 )		14.8	( 13.5 - 16.1 )	
	18 or older	.	.		12.7	( 10.7 - 14.6 )	
<b>Grade</b>	9th	24.4	( 17.3 - 31.5 )		16.1	( 14.4 - 17.7 )	
	10th	15.1	( 13.1 - 17.2 )		15.3	( 13.8 - 16.9 )	
	11th	16.4	( 13.6 - 19.3 )		15.4	( 13.3 - 17.5 )	
	12th	18.6	( 13.8 - 23.4 )		13.8	( 12.6 - 15.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		13.0	( 8.3 - 17.7 )	
	Asian*	.	.		16.2	( 12.5 - 19.9 )	
	Black or African American*	.	.		10.4	( 8.0 - 12.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		11.3	( 0.7 - 21.9 )	
	White*	19.6	( 16.3 - 23.0 )		16.4	( 15.1 - 17.7 )	
	Hispanic Only or Hispanic White	15.0	( 10.8 - 19.3 )		13.3	( 11.9 - 14.8 )	
	Multiple Race or Hispanic Other Race	19.3	( 15.7 - 22.9 )		14.5	( 12.4 - 16.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	18.3	( 15.5 - 21.0 )		14.8	( 13.7 - 15.9 )	
	Gay, Lesbian, or Bisexual	25.8	( 20.1 - 31.4 )		18.0	( 15.6 - 20.4 )	
	Unsure	.	.		16.4	( 13.4 - 19.4 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 26. Percentage of students who drank a can, bottle or glass of water one or more times in the last 7 days**

Question: Which of the following beverages did you drink a can, bottle, or glass of one or more times during the past 7 days? (Please select all that apply) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	68.0	( 65.5 - 70.6 )	682	66.7	( 65.5 - 67.9 )	17,090
<b>Sex</b>	Male	61.1	( 54.5 - 67.8 )		62.7	( 61.1 - 64.3 )	
	Female	75.1	( 72.9 - 77.3 )		70.8	( 69.3 - 72.2 )	
<b>Age</b>	15 or younger	68.4	( 65.9 - 70.9 )		67.3	( 65.8 - 68.8 )	
	16 or 17	66.8	( 64.4 - 69.2 )		66.5	( 64.6 - 68.4 )	
	18 or older	.	.		63.9	( 60.7 - 67.1 )	
<b>Grade</b>	9th	68.3	( 59.6 - 76.9 )		65.6	( 63.6 - 67.6 )	
	10th	72.6	( 67.1 - 78.1 )		66.6	( 64.4 - 68.7 )	
	11th	62.4	( 58.4 - 66.4 )		67.1	( 65.0 - 69.2 )	
	12th	70.4	( 66.2 - 74.7 )		67.7	( 65.7 - 69.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		58.8	( 50.1 - 67.5 )	
	Asian*	.	.		72.0	( 65.2 - 78.8 )	
	Black or African American*	.	.		54.1	( 49.9 - 58.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		62.5	( 48.0 - 76.9 )	
	White*	70.0	( 66.5 - 73.6 )		70.2	( 69.1 - 71.2 )	
	Hispanic Only or Hispanic White	62.3	( 58.4 - 66.3 )		61.7	( 59.6 - 63.7 )	
	Multiple Race or Hispanic Other Race	67.7	( 62.6 - 72.9 )		64.1	( 60.3 - 68.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	68.4	( 65.9 - 70.9 )		66.6	( 65.3 - 67.8 )	
	Gay, Lesbian, or Bisexual	64.3	( 58.7 - 70.0 )		69.1	( 66.1 - 72.2 )	
	Unsure	.	.		65.4	( 60.1 - 70.8 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 27. Percentage of students who had ever been bullied on school property during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	23.5	( 21.6 - 25.5 )	1,397	18.6	( 17.8 - 19.4 )	46,065
<b>Sex</b>	Male	20.8	( 18.4 - 23.2 )		15.0	( 14.1 - 15.8 )	
	Female	26.7	( 24.3 - 29.0 )		22.3	( 21.3 - 23.2 )	
<b>Age</b>	15 or younger	29.3	( 27.3 - 31.2 )		20.9	( 20.1 - 21.8 )	
	16 or 17	20.7	( 20.2 - 21.1 )		16.9	( 15.8 - 18.0 )	
	18 or older	8.7	( 7.4 - 10.0 )		15.5	( 13.3 - 17.8 )	
<b>Grade</b>	9th	31.1	( 27.3 - 34.9 )		21.0	( 19.7 - 22.3 )	
	10th	26.6	( 23.2 - 30.1 )		20.7	( 19.7 - 21.8 )	
	11th	25.6	( 23.0 - 28.2 )		17.6	( 16.4 - 18.7 )	
	12th	10.4	( 8.3 - 12.6 )		14.6	( 13.2 - 16.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		23.0	( 17.6 - 28.4 )	
	Asian*	.	.		12.3	( 10.3 - 14.3 )	
	Black or African American*	.	.		12.3	( 8.6 - 15.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		23.3	( 11.9 - 34.7 )	
	White*	24.9	( 23.0 - 26.8 )		20.7	( 19.8 - 21.7 )	
	Hispanic Only or Hispanic White	20.0	( 15.7 - 24.3 )		15.7	( 14.6 - 16.9 )	
	Multiple Race or Hispanic Other Race	25.4	( 20.1 - 30.6 )		20.6	( 18.5 - 22.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	21.7	( 19.1 - 24.2 )		16.6	( 15.8 - 17.4 )	
	Gay, Lesbian, or Bisexual	41.9	( 34.8 - 49.1 )		32.1	( 29.7 - 34.5 )	
	Unsure	.	.		25.5	( 22.7 - 28.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 28. Percentage of students who had ever been electronically bullied during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	18.5	( 16.9 - 20.0 )	1,394	14.9	( 14.3 - 15.5 )	46,041
<b>Sex</b>	Male	10.7	( 9.3 - 12.1 )		9.7	( 9.1 - 10.3 )	
	Female	26.8	( 24.3 - 29.3 )		20.1	( 19.3 - 20.9 )	
<b>Age</b>	15 or younger	19.9	( 17.7 - 22.2 )		16.2	( 15.4 - 17.0 )	
	16 or 17	16.7	( 13.8 - 19.6 )		13.9	( 13.2 - 14.7 )	
	18 or older	19.8	( 17.3 - 22.4 )		12.8	( 11.3 - 14.2 )	
<b>Grade</b>	9th	20.1	( 18.8 - 21.3 )		15.8	( 14.6 - 17.0 )	
	10th	23.2	( 20.3 - 26.1 )		16.6	( 15.8 - 17.3 )	
	11th	16.7	( 12.5 - 21.0 )		14.0	( 13.0 - 14.9 )	
	12th	16.1	( 14.5 - 17.7 )		12.9	( 11.9 - 13.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		21.8	( 17.1 - 26.4 )	
	Asian*	.	.		9.7	( 8.2 - 11.1 )	
	Black or African American*	.	.		10.4	( 8.1 - 12.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		19.5	( 11.1 - 27.8 )	
	White*	18.6	( 17.9 - 19.3 )		16.6	( 15.9 - 17.3 )	
	Hispanic Only or Hispanic White	17.8	( 13.2 - 22.3 )		12.8	( 11.9 - 13.8 )	
	Multiple Race or Hispanic Other Race	23.9	( 16.9 - 30.9 )		15.7	( 13.8 - 17.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	16.5	( 14.8 - 18.2 )		13.2	( 12.6 - 13.7 )	
	Gay, Lesbian, or Bisexual	45.1	( 34.6 - 55.5 )		28.5	( 26.4 - 30.6 )	
	Unsure	.	.		16.7	( 14.6 - 18.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 29. Percentage of students who have been a victim of teasing or name calling because of their actual or perceived race or ethnic background**

Question: During the past 12 months, have you ever been a victim of teasing or name calling because of your actual or perceived: (You can choose one answer or more than one answer) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	8.7	( 7.2 - 10.2 )	685	9.7	( 9.1 - 10.3 )	22,708
<b>Sex</b>	Male	8.5	( 6.6 - 10.4 )		9.8	( 8.9 - 10.8 )	
	Female	9.0	( 7.2 - 10.7 )		9.6	( 8.9 - 10.4 )	
<b>Age</b>	15 or younger	9.6	( 6.9 - 12.4 )		10.2	( 9.3 - 11.0 )	
	16 or 17	8.2	( 6.4 - 10.1 )		9.5	( 8.7 - 10.3 )	
	18 or older	.	.		8.2	( 6.5 - 9.9 )	
<b>Grade</b>	9th	5.9	( 3.2 - 8.7 )		9.8	( 8.8 - 10.9 )	
	10th	13.5	( 10.9 - 16.0 )		10.4	( 9.4 - 11.5 )	
	11th	9.9	( 6.7 - 13.1 )		9.0	( 8.0 - 10.1 )	
	12th	5.9	( 4.0 - 7.8 )		9.5	( 8.2 - 10.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		8.9	( 4.1 - 13.6 )	
	Asian*	.	.		31.8	( 25.1 - 38.6 )	
	Black or African American*	.	.		21.1	( 17.7 - 24.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		4.8	( 0.9 - 8.6 )	
	White*	2.1	( 1.0 - 3.2 )		4.4	( 3.9 - 4.8 )	
	Hispanic Only or Hispanic White	22.9	( 20.7 - 25.1 )		14.0	( 12.7 - 15.2 )	
	Multiple Race or Hispanic Other Race	22.5	( 17.0 - 28.0 )		20.4	( 18.1 - 22.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	8.1	( 6.0 - 10.2 )		9.7	( 9.0 - 10.4 )	
	Gay, Lesbian, or Bisexual	11.8	( 7.1 - 16.5 )		9.9	( 8.4 - 11.4 )	
	Unsure	.	.		10.9	( 7.8 - 14.0 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 30. Percentage of students who have been a victim of teasing or name calling because of their actual or perceived sexual orientation**

Question: During the past 12 months, have you ever been a victim of teasing or name calling because of your actual or perceived: (You can choose one answer or more than one answer) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	6.9	( 6.2 - 7.6 )	685	4.9	( 4.2 - 5.5 )	22,708
<b>Sex</b>	Male	5.1	( 3.9 - 6.3 )		3.8	( 3.3 - 4.4 )	
	Female	8.7	( 7.5 - 10.0 )		5.7	( 4.8 - 6.6 )	
<b>Age</b>	15 or younger	6.9	( 5.5 - 8.4 )		5.0	( 4.4 - 5.7 )	
	16 or 17	7.1	( 5.9 - 8.2 )		4.8	( 3.9 - 5.7 )	
	18 or older	.	.		4.6	( 2.7 - 6.4 )	
<b>Grade</b>	9th	8.1	( 7.4 - 8.9 )		4.5	( 3.8 - 5.3 )	
	10th	4.1	( 2.1 - 6.1 )		5.7	( 4.6 - 6.7 )	
	11th	9.2	( 6.0 - 12.4 )		4.6	( 3.6 - 5.6 )	
	12th	5.2	( 2.6 - 7.7 )		4.4	( 3.0 - 5.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		4.5	( 2.4 - 6.5 )	
	Asian*	.	.		3.2	( 1.3 - 5.0 )	
	Black or African American*	.	.		4.2	( 1.9 - 6.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		7.8	( 0.0 - 15.7 )	
	White*	5.9	( 4.6 - 7.2 )		5.4	( 4.6 - 6.3 )	
	Hispanic Only or Hispanic White	10.4	( 6.5 - 14.2 )		3.7	( 3.0 - 4.5 )	
	Multiple Race or Hispanic Other Race	7.4	( 3.7 - 11.2 )		6.1	( 4.6 - 7.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	2.0	( 1.5 - 2.5 )		1.6	( 1.3 - 1.9 )	
	Gay, Lesbian, or Bisexual	53.4	( 49.0 - 57.7 )		28.4	( 24.8 - 32.0 )	
	Unsure	.	.		11.5	( 7.7 - 15.2 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 31. Percentage of students who have been a victim of teasing or name calling because of their actual or perceived gender identity**

Question: During the past 12 months, have you ever been a victim of teasing or name calling because of your actual or perceived: (You can choose one answer or more than one answer) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	2.3	( 2.1 - 2.6 )	685	2.3	( 2.0 - 2.6 )	22,708
<b>Sex</b>	Male	1.9	( 1.2 - 2.5 )		1.7	( 1.5 - 2.0 )	
	Female	2.8	( 1.8 - 3.8 )		2.7	( 2.2 - 3.1 )	
<b>Age</b>	15 or younger	1.7	( 1.4 - 2.1 )		2.4	( 2.1 - 2.7 )	
	16 or 17	2.9	( 1.8 - 4.0 )		2.2	( 1.8 - 2.6 )	
	18 or older	.	.		2.3	( 1.4 - 3.1 )	
<b>Grade</b>	9th	1.9	( 1.1 - 2.7 )		2.3	( 2.0 - 2.7 )	
	10th	0.7	( 0.2 - 1.2 )		2.3	( 1.7 - 2.8 )	
	11th	4.6	( 2.7 - 6.5 )		2.1	( 1.6 - 2.6 )	
	12th	1.5	( 0.6 - 2.4 )		2.3	( 1.8 - 2.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		4.3	( 2.2 - 6.4 )	
	Asian*	.	.		0.6	( 0.3 - 1.0 )	
	Black or African American*	.	.		2.3	( 1.0 - 3.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		2.0	( 0.0 - 5.1 )	
	White*	2.1	( 1.5 - 2.6 )		2.4	( 2.0 - 2.9 )	
	Hispanic Only or Hispanic White	3.5	( 1.3 - 5.6 )		1.9	( 1.5 - 2.2 )	
	Multiple Race or Hispanic Other Race	3.1	( 1.5 - 4.8 )		4.6	( 3.3 - 5.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	1.1	( 0.9 - 1.3 )		1.3	( 1.0 - 1.5 )	
	Gay, Lesbian, or Bisexual	13.1	( 9.8 - 16.4 )		8.8	( 7.1 - 10.4 )	
	Unsure	.	.		5.0	( 3.5 - 6.6 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 32. Percentage of students who have been a victim of teasing or name calling because of their actual or perceived disability status**

Question: During the past 12 months, have you ever been a victim of teasing or name calling because of your actual or perceived: (You can choose one answer or more than one answer) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	1.9	( 1.6 - 2.3 )	685	2.3	( 2.1 - 2.6 )	22,708
<b>Sex</b>	Male	1.0	( 0.6 - 1.4 )		2.4	( 2.0 - 2.7 )	
	Female	2.9	( 2.2 - 3.5 )		2.2	( 1.8 - 2.5 )	
<b>Age</b>	15 or younger	1.7	( 0.7 - 2.7 )		2.2	( 1.9 - 2.6 )	
	16 or 17	2.0	( 1.2 - 2.8 )		2.4	( 2.0 - 2.7 )	
	18 or older	.	.		2.5	( 1.8 - 3.2 )	
<b>Grade</b>	9th	0.6	( 0.1 - 1.1 )		1.7	( 1.4 - 2.1 )	
	10th	2.5	( 1.3 - 3.7 )		2.9	( 2.2 - 3.6 )	
	11th	3.5	( 2.4 - 4.6 )		2.4	( 1.8 - 3.0 )	
	12th	1.0	( 0.1 - 1.9 )		2.2	( 1.7 - 2.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		0.5	( 0.2 - 0.8 )	
	Asian*	.	.		0.7	( 0.1 - 1.4 )	
	Black or African American*	.	.		3.4	( 0.9 - 5.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		6.0	( 0.4 - 11.5 )	
	White*	1.3	( 0.9 - 1.8 )		2.5	( 2.1 - 3.0 )	
	Hispanic Only or Hispanic White	3.5	( 1.9 - 5.2 )		1.8	( 1.4 - 2.3 )	
	Multiple Race or Hispanic Other Race	5.3	( 3.6 - 7.0 )		3.9	( 2.7 - 5.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	1.1	( 0.7 - 1.5 )		1.8	( 1.6 - 2.1 )	
	Gay, Lesbian, or Bisexual	7.4	( 2.6 - 12.1 )		4.1	( 3.1 - 5.0 )	
	Unsure	.	.		6.4	( 4.0 - 8.9 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 33. Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	22.1	( 20.0 - 24.2 )	695	17.8	( 17.0 - 18.7 )	17,862
<b>Sex</b>	Male	12.7	( 10.6 - 14.8 )		11.2	( 10.4 - 12.0 )	
	Female	32.2	( 29.3 - 35.1 )		24.6	( 23.3 - 26.0 )	
<b>Age</b>	15 or younger	22.8	( 19.9 - 25.7 )		18.6	( 17.6 - 19.6 )	
	16 or 17	21.6	( 19.6 - 23.7 )		17.5	( 16.3 - 18.8 )	
	18 or older	.	.		14.9	( 12.2 - 17.7 )	
<b>Grade</b>	9th	20.9	( 17.3 - 24.4 )		17.3	( 15.9 - 18.8 )	
	10th	22.7	( 18.9 - 26.5 )		19.4	( 18.1 - 20.7 )	
	11th	25.3	( 22.6 - 28.0 )		17.5	( 15.8 - 19.1 )	
	12th	19.0	( 14.7 - 23.2 )		16.7	( 15.1 - 18.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		23.1	( 16.4 - 29.8 )	
	Asian*	.	.		15.7	( 12.6 - 18.9 )	
	Black or African American*	.	.		12.5	( 9.5 - 15.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		14.3	( 5.2 - 23.4 )	
	White*	22.4	( 20.2 - 24.6 )		17.9	( 16.7 - 19.2 )	
	Hispanic Only or Hispanic White	19.1	( 11.9 - 26.3 )		17.7	( 16.4 - 19.1 )	
	Multiple Race or Hispanic Other Race	32.1	( 25.9 - 38.2 )		21.5	( 19.1 - 24.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	16.6	( 14.4 - 18.8 )		13.5	( 12.7 - 14.4 )	
	Gay, Lesbian, or Bisexual	76.2	( 69.5 - 82.9 )		48.4	( 45.8 - 50.9 )	
	Unsure	.	.		28.7	( 24.5 - 32.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 34. Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	7.1	( 5.8 - 8.4 )	1,388	4.4	( 4.1 - 4.8 )	46,020
<b>Sex</b>	Male	11.4	( 9.3 - 13.5 )		6.5	( 5.9 - 7.1 )	
	Female	2.5	( 2.0 - 2.9 )		2.2	( 2.0 - 2.5 )	
<b>Age</b>	15 or younger	6.4	( 4.7 - 8.1 )		3.5	( 3.2 - 3.9 )	
	16 or 17	8.0	( 7.3 - 8.6 )		4.9	( 4.5 - 5.4 )	
	18 or older	6.8	( 3.5 - 10.1 )		6.8	( 5.6 - 7.9 )	
<b>Grade</b>	9th	5.3	( 4.1 - 6.4 )		3.1	( 2.8 - 3.5 )	
	10th	8.8	( 6.3 - 11.2 )		4.1	( 3.6 - 4.7 )	
	11th	8.5	( 7.8 - 9.3 )		5.0	( 4.5 - 5.6 )	
	12th	6.6	( 4.6 - 8.7 )		5.3	( 4.6 - 5.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		6.9	( 5.1 - 8.6 )	
	Asian*	.	.		3.2	( 2.0 - 4.4 )	
	Black or African American*	.	.		5.1	( 3.5 - 6.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		8.9	( 1.4 - 16.4 )	
	White*	7.6	( 6.0 - 9.2 )		4.7	( 4.2 - 5.1 )	
	Hispanic Only or Hispanic White	3.8	( 1.9 - 5.7 )		3.5	( 3.0 - 4.0 )	
	Multiple Race or Hispanic Other Race	18.9	( 14.4 - 23.4 )		7.4	( 6.0 - 8.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	6.5	( 5.5 - 7.5 )		4.0	( 3.6 - 4.3 )	
	Gay, Lesbian, or Bisexual	11.8	( 6.9 - 16.7 )		7.0	( 6.4 - 7.7 )	
	Unsure	.	.		6.6	( 5.5 - 7.7 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 35. Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	7.6	( 6.4 - 8.7 )	1,390	5.8	( 5.3 - 6.3 )	46,190
<b>Sex</b>	Male	3.8	( 2.9 - 4.7 )		4.7	( 4.2 - 5.3 )	
	Female	11.3	( 9.0 - 13.5 )		6.8	( 6.1 - 7.4 )	
<b>Age</b>	15 or younger	6.1	( 4.7 - 7.5 )		5.9	( 5.4 - 6.5 )	
	16 or 17	6.7	( 6.2 - 7.3 )		5.5	( 4.9 - 6.1 )	
	18 or older	19.1	( 12.0 - 26.2 )		6.7	( 5.4 - 8.1 )	
<b>Grade</b>	9th	8.6	( 6.4 - 10.8 )		6.0	( 5.2 - 6.8 )	
	10th	5.9	( 5.4 - 6.4 )		5.9	( 5.3 - 6.6 )	
	11th	5.9	( 4.8 - 7.1 )		5.9	( 5.0 - 6.8 )	
	12th	12.4	( 9.2 - 15.6 )		5.0	( 4.5 - 5.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		11.4	( 7.5 - 15.2 )	
	Asian*	.	.		4.0	( 2.5 - 5.4 )	
	Black or African American*	.	.		5.5	( 3.7 - 7.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		10.3	( 2.6 - 18.0 )	
	White*	7.2	( 6.0 - 8.5 )		4.6	( 4.2 - 5.0 )	
	Hispanic Only or Hispanic White	7.1	( 5.6 - 8.6 )		7.6	( 6.9 - 8.3 )	
	Multiple Race or Hispanic Other Race	14.6	( 13.1 - 16.0 )		8.3	( 6.8 - 9.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	6.7	( 5.7 - 7.7 )		4.8	( 4.3 - 5.3 )	
	Gay, Lesbian, or Bisexual	16.0	( 13.5 - 18.6 )		10.8	( 9.5 - 12.1 )	
	Unsure	.	.		10.6	( 8.9 - 12.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 36. Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	8.6	( 8.0 - 9.2 )	1,396	6.5	( 6.0 - 6.9 )	46,040
<b>Sex</b>	Male	9.2	( 8.0 - 10.4 )		7.5	( 6.9 - 8.1 )	
	Female	8.1	( 7.0 - 9.1 )		5.3	( 4.8 - 5.8 )	
<b>Age</b>	15 or younger	10.9	( 9.2 - 12.5 )		6.9	( 6.3 - 7.5 )	
	16 or 17	6.7	( 6.1 - 7.4 )		6.0	( 5.5 - 6.5 )	
	18 or older	6.2	( 3.6 - 8.8 )		6.6	( 5.1 - 8.1 )	
<b>Grade</b>	9th	11.2	( 10.3 - 12.0 )		6.4	( 5.6 - 7.2 )	
	10th	12.1	( 10.5 - 13.7 )		7.2	( 6.6 - 7.8 )	
	11th	7.8	( 7.5 - 8.1 )		6.5	( 5.8 - 7.3 )	
	12th	4.0	( 2.4 - 5.6 )		5.2	( 4.4 - 5.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		13.3	( 8.1 - 18.4 )	
	Asian*	.	.		5.0	( 3.2 - 6.8 )	
	Black or African American*	.	.		5.5	( 3.8 - 7.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		18.3	( 9.6 - 27.0 )	
	White*	8.3	( 7.4 - 9.2 )		6.2	( 5.7 - 6.8 )	
	Hispanic Only or Hispanic White	6.6	( 5.5 - 7.8 )		6.4	( 5.7 - 7.1 )	
	Multiple Race or Hispanic Other Race	20.1	( 16.2 - 24.0 )		10.7	( 9.0 - 12.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	7.6	( 6.4 - 8.7 )		5.7	( 5.3 - 6.1 )	
	Gay, Lesbian, or Bisexual	17.8	( 11.3 - 24.2 )		10.4	( 9.1 - 11.8 )	
	Unsure	.	.		11.4	( 9.3 - 13.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 37. Percentage of students who were in a physical fight one or more times during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	16.9	( 15.5 - 18.4 )	1,393	18.0	( 17.2 - 18.8 )	45,984
<b>Sex</b>	Male	23.1	( 21.8 - 24.5 )		23.4	( 22.2 - 24.5 )	
	Female	10.5	( 8.4 - 12.6 )		12.3	( 11.4 - 13.3 )	
<b>Age</b>	15 or younger	19.7	( 17.5 - 21.9 )		19.7	( 18.5 - 20.8 )	
	16 or 17	13.9	( 11.5 - 16.3 )		16.6	( 15.7 - 17.5 )	
	18 or older	16.5	( 14.6 - 18.5 )		15.9	( 14.0 - 17.9 )	
<b>Grade</b>	9th	21.5	( 18.9 - 24.2 )		21.3	( 19.8 - 22.8 )	
	10th	19.7	( 16.7 - 22.7 )		18.2	( 17.0 - 19.4 )	
	11th	14.5	( 12.6 - 16.5 )		16.8	( 16.0 - 17.7 )	
	12th	12.0	( 10.5 - 13.5 )		14.8	( 13.6 - 16.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		26.4	( 21.3 - 31.5 )	
	Asian*	.	.		11.2	( 8.7 - 13.6 )	
	Black or African American*	.	.		21.4	( 18.9 - 24.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		20.8	( 12.5 - 29.0 )	
	White*	18.5	( 17.6 - 19.4 )		16.8	( 16.1 - 17.5 )	
	Hispanic Only or Hispanic White	9.8	( 6.7 - 12.8 )		19.2	( 18.0 - 20.5 )	
	Multiple Race or Hispanic Other Race	31.2	( 25.4 - 36.9 )		25.9	( 23.4 - 28.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	16.9	( 15.5 - 18.2 )		17.4	( 16.5 - 18.2 )	
	Gay, Lesbian, or Bisexual	18.5	( 15.9 - 21.2 )		22.3	( 20.4 - 24.2 )	
	Unsure	14.3	( 7.7 - 21.0 )		18.6	( 16.1 - 21.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 38. Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	9.3	( 8.1 - 10.5 )	937	9.2	( 8.7 - 9.8 )	22,940
<b>Sex</b>	Male	8.5	( 6.5 - 10.4 )		7.1	( 6.4 - 7.9 )	
	Female	10.2	( 9.2 - 11.2 )		11.1	( 10.4 - 11.8 )	
<b>Age</b>	15 or younger	10.3	( 7.6 - 13.0 )		9.1	( 8.4 - 9.8 )	
	16 or 17	8.8	( 7.7 - 10.0 )		9.1	( 8.4 - 9.8 )	
	18 or older	7.4	( 3.6 - 11.3 )		10.8	( 9.3 - 12.3 )	
<b>Grade</b>	9th	11.7	( 9.6 - 13.7 )		8.9	( 8.1 - 9.7 )	
	10th	5.9	( 3.7 - 8.0 )		8.7	( 7.7 - 9.7 )	
	11th	12.6	( 9.9 - 15.4 )		9.5	( 8.3 - 10.7 )	
	12th	5.4	( 3.1 - 7.7 )		9.4	( 8.6 - 10.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		13.8	( 9.1 - 18.6 )	
	Asian*	.	.		8.6	( 5.3 - 11.9 )	
	Black or African American*	.	.		12.0	( 8.8 - 15.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		21.9	( 8.9 - 34.9 )	
	White*	8.1	( 7.5 - 8.7 )		8.5	( 7.9 - 9.2 )	
	Hispanic Only or Hispanic White	9.3	( 6.9 - 11.8 )		9.2	( 8.3 - 10.0 )	
	Multiple Race or Hispanic Other Race	21.0	( 18.7 - 23.2 )		14.5	( 12.3 - 16.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	7.0	( 6.1 - 7.9 )		7.5	( 7.0 - 8.1 )	
	Gay, Lesbian, or Bisexual	21.6	( 18.9 - 24.2 )		18.2	( 16.4 - 20.0 )	
	Unsure	.	.		17.6	( 14.2 - 20.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 39. Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	8.1	( 7.5 - 8.7 )	1,391	6.3	( 6.0 - 6.7 )	35,396
<b>Sex</b>	Male	4.1	( 3.2 - 5.0 )		3.0	( 2.6 - 3.4 )	
	Female	12.4	( 10.7 - 14.2 )		9.6	( 9.0 - 10.2 )	
<b>Age</b>	15 or younger	7.1	( 6.4 - 7.9 )		4.4	( 4.1 - 4.8 )	
	16 or 17	9.8	( 9.3 - 10.3 )		7.7	( 7.2 - 8.2 )	
	18 or older	4.9	( 2.4 - 7.4 )		9.0	( 7.7 - 10.2 )	
<b>Grade</b>	9th	8.7	( 6.9 - 10.5 )		3.8	( 3.3 - 4.2 )	
	10th	7.2	( 6.5 - 7.9 )		5.8	( 5.2 - 6.3 )	
	11th	12.2	( 11.0 - 13.3 )		7.6	( 6.8 - 8.4 )	
	12th	6.1	( 4.6 - 7.6 )		8.3	( 7.5 - 9.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		6.4	( 4.1 - 8.7 )	
	Asian*	.	.		3.2	( 1.7 - 4.6 )	
	Black or African American*	.	.		3.7	( 2.6 - 4.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		12.1	( 3.8 - 20.4 )	
	White*	7.0	( 5.8 - 8.2 )		6.3	( 5.8 - 6.7 )	
	Hispanic Only or Hispanic White	10.0	( 8.4 - 11.5 )		6.4	( 5.9 - 7.0 )	
	Multiple Race or Hispanic Other Race	20.8	( 18.5 - 23.2 )		11.5	( 9.8 - 13.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	5.7	( 5.1 - 6.3 )		4.5	( 4.2 - 4.9 )	
	Gay, Lesbian, or Bisexual	27.2	( 24.0 - 30.4 )		18.5	( 17.0 - 20.0 )	
	Unsure	.	.		11.8	( 9.6 - 14.1 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 40. Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	36.2	( 34.0 - 38.5 )	1,398	31.4	( 30.2 - 32.6 )	45,594
<b>Sex</b>	Male	24.7	( 21.1 - 28.3 )		22.3	( 21.2 - 23.5 )	
	Female	48.3	( 46.5 - 50.0 )		40.6	( 39.1 - 42.1 )	
<b>Age</b>	15 or younger	30.9	( 28.9 - 33.0 )		29.4	( 28.1 - 30.8 )	
	16 or 17	40.9	( 38.7 - 43.1 )		33.0	( 31.7 - 34.2 )	
	18 or older	40.5	( 35.7 - 45.3 )		33.4	( 30.7 - 36.0 )	
<b>Grade</b>	9th	33.3	( 31.5 - 35.1 )		27.8	( 26.3 - 29.3 )	
	10th	35.9	( 35.0 - 36.9 )		31.2	( 29.8 - 32.6 )	
	11th	43.6	( 39.2 - 48.0 )		32.9	( 31.1 - 34.8 )	
	12th	37.2	( 34.7 - 39.8 )		33.9	( 32.5 - 35.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		37.5	( 30.9 - 44.0 )	
	Asian*	.	.		29.8	( 25.4 - 34.2 )	
	Black or African American*	.	.		27.9	( 24.8 - 31.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		29.3	( 19.1 - 39.6 )	
	White*	35.8	( 32.6 - 39.0 )		29.1	( 27.7 - 30.5 )	
	Hispanic Only or Hispanic White	38.5	( 37.0 - 40.1 )		35.2	( 33.8 - 36.5 )	
	Multiple Race or Hispanic Other Race	48.3	( 44.5 - 52.1 )		38.3	( 36.0 - 40.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	31.9	( 29.7 - 34.2 )		27.0	( 25.7 - 28.2 )	
	Gay, Lesbian, or Bisexual	79.9	( 76.9 - 82.9 )		62.6	( 60.8 - 64.4 )	
	Unsure	38.4	( 35.2 - 41.6 )		42.5	( 39.8 - 45.1 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 41. Percentage of students who seriously considered attempting suicide during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	21.9	( 19.5 - 24.2 )	1,396	17.0	( 16.3 - 17.7 )	45,446
<b>Sex</b>	Male	18.2	( 15.1 - 21.2 )		12.5	( 11.7 - 13.2 )	
	Female	26.0	( 23.5 - 28.4 )		21.5	( 20.6 - 22.3 )	
<b>Age</b>	15 or younger	20.1	( 17.2 - 23.1 )		16.4	( 15.4 - 17.3 )	
	16 or 17	23.9	( 21.6 - 26.2 )		17.7	( 16.8 - 18.5 )	
	18 or older	21.1	( 18.3 - 24.0 )		16.5	( 14.5 - 18.5 )	
<b>Grade</b>	9th	20.9	( 17.5 - 24.3 )		15.5	( 14.6 - 16.5 )	
	10th	21.5	( 19.3 - 23.7 )		16.8	( 15.6 - 18.0 )	
	11th	28.5	( 25.1 - 32.0 )		18.2	( 16.8 - 19.6 )	
	12th	19.6	( 15.9 - 23.2 )		17.5	( 16.7 - 18.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		20.1	( 15.5 - 24.7 )	
	Asian*	.	.		17.3	( 14.4 - 20.2 )	
	Black or African American*	.	.		15.4	( 12.7 - 18.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		23.6	( 13.6 - 33.7 )	
	White*	21.0	( 18.1 - 23.9 )		16.9	( 16.0 - 17.8 )	
	Hispanic Only or Hispanic White	23.8	( 22.5 - 25.2 )		16.4	( 15.4 - 17.4 )	
	Multiple Race or Hispanic Other Race	36.9	( 30.2 - 43.5 )		22.1	( 20.7 - 23.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	17.9	( 15.9 - 19.9 )		13.2	( 12.6 - 13.9 )	
	Gay, Lesbian, or Bisexual	56.1	( 52.5 - 59.7 )		44.8	( 42.2 - 47.4 )	
	Unsure	35.8	( 24.4 - 47.2 )		24.9	( 22.9 - 27.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 42. Percentage of students who made a plan about how they would attempt suicide during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	18.0	( 17.2 - 18.9 )	1,394	13.1	( 12.5 - 13.8 )	45,465
<b>Sex</b>	Male	16.5	( 14.2 - 18.7 )		10.2	( 9.6 - 10.9 )	
	Female	19.9	( 17.8 - 22.0 )		15.9	( 15.0 - 16.8 )	
<b>Age</b>	15 or younger	16.2	( 14.3 - 18.2 )		13.0	( 12.2 - 13.8 )	
	16 or 17	20.6	( 18.5 - 22.7 )		13.2	( 12.4 - 13.9 )	
	18 or older	14.9	( 6.8 - 23.0 )		13.7	( 11.7 - 15.6 )	
<b>Grade</b>	9th	17.8	( 14.8 - 20.9 )		12.2	( 11.4 - 13.0 )	
	10th	16.8	( 16.2 - 17.4 )		13.8	( 12.9 - 14.8 )	
	11th	23.0	( 19.4 - 26.6 )		13.6	( 12.5 - 14.7 )	
	12th	16.4	( 13.0 - 19.8 )		12.8	( 11.8 - 13.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		18.9	( 13.0 - 24.8 )	
	Asian*	.	.		15.0	( 12.8 - 17.1 )	
	Black or African American*	.	.		13.3	( 10.5 - 16.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		18.3	( 12.2 - 24.4 )	
	White*	18.6	( 17.4 - 19.7 )		12.6	( 12.0 - 13.3 )	
	Hispanic Only or Hispanic White	14.9	( 13.6 - 16.3 )		12.9	( 11.9 - 13.9 )	
	Multiple Race or Hispanic Other Race	32.7	( 24.7 - 40.6 )		16.6	( 14.7 - 18.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	14.6	( 13.8 - 15.4 )		10.1	( 9.5 - 10.6 )	
	Gay, Lesbian, or Bisexual	47.0	( 42.2 - 51.8 )		34.4	( 31.8 - 37.0 )	
	Unsure	31.9	( 28.1 - 35.8 )		21.8	( 19.8 - 23.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 43. Percentage of students who attempted suicide one or more times during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	8.4	( 7.7 - 9.1 )	1,399	7.0	( 6.6 - 7.5 )	45,587
<b>Sex</b>	Male	6.9	( 5.7 - 8.1 )		5.2	( 4.8 - 5.7 )	
	Female	10.0	( 9.0 - 11.0 )		8.8	( 8.0 - 9.5 )	
<b>Age</b>	15 or younger	7.9	( 6.7 - 9.0 )		7.4	( 6.7 - 8.1 )	
	16 or 17	9.6	( 6.9 - 12.4 )		6.7	( 6.2 - 7.2 )	
	18 or older	5.1	( 2.4 - 7.8 )		6.8	( 5.5 - 8.2 )	
<b>Grade</b>	9th	10.5	( 8.4 - 12.6 )		7.4	( 6.6 - 8.1 )	
	10th	6.5	( 5.0 - 8.1 )		7.1	( 6.4 - 7.8 )	
	11th	12.1	( 7.1 - 17.1 )		6.7	( 6.0 - 7.5 )	
	12th	6.0	( 4.5 - 7.5 )		6.7	( 6.1 - 7.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		12.6	( 8.9 - 16.2 )	
	Asian*	.	.		7.9	( 5.9 - 9.9 )	
	Black or African American*	.	.		7.7	( 5.7 - 9.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		10.5	( 6.9 - 14.2 )	
	White*	7.7	( 7.1 - 8.3 )		5.9	( 5.4 - 6.4 )	
	Hispanic Only or Hispanic White	8.1	( 5.4 - 10.8 )		8.2	( 7.7 - 8.8 )	
	Multiple Race or Hispanic Other Race	25.0	( 19.1 - 30.9 )		11.3	( 9.9 - 12.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	5.9	( 5.1 - 6.6 )		5.1	( 4.7 - 5.5 )	
	Gay, Lesbian, or Bisexual	31.9	( 28.6 - 35.3 )		19.9	( 17.9 - 21.8 )	
	Unsure	.	.		12.2	( 9.9 - 14.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 44. Percentage of students who have an adult to go to for help with a serious problem**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	75.4	( 73.9 - 76.9 )	1,398	73.5	( 72.2 - 74.7 )	45,362
<b>Sex</b>	Male	78.9	( 76.3 - 81.5 )		74.9	( 73.5 - 76.3 )	
	Female	72.2	( 71.2 - 73.2 )		72.1	( 70.7 - 73.5 )	
<b>Age</b>	15 or younger	74.1	( 71.4 - 76.8 )		72.0	( 70.4 - 73.5 )	
	16 or 17	77.8	( 76.4 - 79.1 )		74.6	( 73.4 - 75.8 )	
	18 or older	71.1	( 69.6 - 72.6 )		75.5	( 73.4 - 77.6 )	
<b>Grade</b>	9th	74.7	( 72.1 - 77.3 )		71.5	( 69.7 - 73.2 )	
	10th	74.4	( 71.0 - 77.8 )		72.9	( 71.2 - 74.6 )	
	11th	76.4	( 73.4 - 79.4 )		73.6	( 72.2 - 75.0 )	
	12th	77.1	( 76.8 - 77.3 )		76.4	( 75.1 - 77.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		67.2	( 61.6 - 72.8 )	
	Asian*	.	.		67.2	( 62.7 - 71.6 )	
	Black or African American*	.	.		70.2	( 67.5 - 72.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		55.4	( 46.8 - 64.0 )	
	White*	77.4	( 75.3 - 79.6 )		76.7	( 75.6 - 77.8 )	
	Hispanic Only or Hispanic White	73.0	( 69.2 - 76.8 )		70.1	( 68.5 - 71.7 )	
	Multiple Race or Hispanic Other Race	53.8	( 46.1 - 61.6 )		67.0	( 64.9 - 69.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	77.4	( 75.9 - 79.0 )		75.6	( 74.3 - 77.0 )	
	Gay, Lesbian, or Bisexual	60.3	( 53.6 - 66.9 )		63.0	( 60.8 - 65.2 )	
	Unsure	64.7	( 59.1 - 70.2 )		58.5	( 55.0 - 62.1 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 45. Percentage of students who have someone to talk to when feeling sad, empty, hopeless, angry, or anxious**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	80.2	( 78.7 - 81.7 )	1,143	83.4	( 82.4 - 84.5 )	36,788
<b>Sex</b>	Male	76.9	( 75.2 - 78.5 )		81.4	( 80.2 - 82.6 )	
	Female	83.7	( 82.0 - 85.4 )		85.3	( 84.2 - 86.4 )	
<b>Age</b>	15 or younger	82.0	( 80.0 - 84.1 )		82.7	( 81.4 - 83.9 )	
	16 or 17	77.1	( 74.3 - 80.0 )		84.1	( 83.1 - 85.1 )	
	18 or older	85.8	( 79.9 - 91.6 )		84.0	( 81.8 - 86.2 )	
<b>Grade</b>	9th	81.6	( 79.7 - 83.4 )		81.6	( 80.5 - 82.8 )	
	10th	83.7	( 81.3 - 86.2 )		83.6	( 82.2 - 85.0 )	
	11th	75.9	( 71.8 - 80.1 )		84.0	( 82.8 - 85.3 )	
	12th	82.3	( 79.6 - 85.0 )		84.6	( 83.4 - 85.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		76.8	( 72.4 - 81.3 )	
	Asian*	.	.		80.9	( 77.6 - 84.3 )	
	Black or African American*	.	.		80.8	( 76.5 - 85.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		71.2	( 60.1 - 82.2 )	
	White*	81.8	( 79.8 - 83.7 )		86.3	( 85.4 - 87.2 )	
	Hispanic Only or Hispanic White	75.8	( 72.2 - 79.3 )		79.8	( 78.7 - 81.0 )	
	Multiple Race or Hispanic Other Race	69.0	( 66.4 - 71.5 )		78.5	( 76.0 - 81.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	81.8	( 80.6 - 82.9 )		84.4	( 83.3 - 85.6 )	
	Gay, Lesbian, or Bisexual	77.5	( 70.5 - 84.5 )		81.9	( 80.3 - 83.5 )	
	Unsure	.	.		73.1	( 70.0 - 76.1 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 46. Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	4.2	( 3.5 - 4.9 )	1,403	5.2	( 4.8 - 5.6 )	35,862
<b>Sex</b>	Male	5.4	( 4.4 - 6.4 )		6.1	( 5.5 - 6.6 )	
	Female	2.9	( 1.8 - 3.9 )		4.1	( 3.6 - 4.5 )	
<b>Age</b>	15 or younger	3.6	( 2.7 - 4.6 )		4.9	( 4.4 - 5.4 )	
	16 or 17	4.1	( 3.6 - 4.6 )		5.2	( 4.7 - 5.7 )	
	18 or older	7.5	( 2.6 - 12.3 )		6.7	( 5.4 - 7.9 )	
<b>Grade</b>	9th	5.2	( 3.4 - 6.9 )		5.0	( 4.4 - 5.6 )	
	10th	4.0	( 3.4 - 4.6 )		5.0	( 4.4 - 5.6 )	
	11th	2.6	( 1.9 - 3.3 )		4.7	( 4.2 - 5.3 )	
	12th	6.7	( 4.5 - 8.8 )		5.6	( 4.9 - 6.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		8.6	( 6.8 - 10.5 )	
	Asian*	.	.		5.0	( 3.5 - 6.5 )	
	Black or African American*	.	.		8.5	( 6.5 - 10.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		16.9	( 8.8 - 24.9 )	
	White*	3.6	( 2.8 - 4.5 )		3.7	( 3.4 - 4.1 )	
	Hispanic Only or Hispanic White	4.1	( 2.9 - 5.3 )		6.8	( 6.0 - 7.6 )	
	Multiple Race or Hispanic Other Race	11.1	( 6.8 - 15.4 )		8.9	( 7.6 - 10.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	3.9	( 3.0 - 4.7 )		4.7	( 4.4 - 5.1 )	
	Gay, Lesbian, or Bisexual	5.6	( 2.3 - 9.0 )		6.0	( 5.1 - 6.8 )	
	Unsure	6.2	( 2.2 - 10.3 )		9.9	( 7.6 - 12.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 47. Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	15.1	( 13.5 - 16.7 )	1,400	15.2	( 14.6 - 15.8 )	35,794
<b>Sex</b>	Male	13.9	( 10.8 - 17.0 )		14.5	( 13.8 - 15.3 )	
	Female	16.6	( 14.5 - 18.7 )		15.8	( 15.1 - 16.6 )	
<b>Age</b>	15 or younger	15.0	( 12.7 - 17.3 )		15.2	( 14.3 - 16.1 )	
	16 or 17	15.0	( 13.7 - 16.2 )		15.1	( 14.3 - 15.9 )	
	18 or older	15.9	( 13.3 - 18.5 )		15.7	( 13.6 - 17.8 )	
<b>Grade</b>	9th	16.9	( 14.1 - 19.7 )		14.8	( 13.6 - 15.9 )	
	10th	14.1	( 10.8 - 17.5 )		15.3	( 14.4 - 16.2 )	
	11th	14.9	( 13.5 - 16.4 )		15.4	( 14.4 - 16.3 )	
	12th	15.5	( 13.2 - 17.8 )		15.0	( 13.8 - 16.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		13.6	( 10.3 - 16.8 )	
	Asian*	.	.		9.7	( 7.2 - 12.2 )	
	Black or African American*	.	.		10.5	( 7.8 - 13.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		28.7	( 16.7 - 40.7 )	
	White*	14.3	( 12.9 - 15.8 )		14.8	( 14.1 - 15.4 )	
	Hispanic Only or Hispanic White	16.8	( 13.9 - 19.6 )		17.3	( 16.1 - 18.6 )	
	Multiple Race or Hispanic Other Race	19.9	( 13.3 - 26.6 )		16.6	( 14.5 - 18.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	14.0	( 12.2 - 15.8 )		14.4	( 13.9 - 15.0 )	
	Gay, Lesbian, or Bisexual	19.2	( 17.2 - 21.2 )		19.6	( 18.1 - 21.1 )	
	Unsure	26.1	( 24.2 - 28.0 )		19.6	( 17.0 - 22.1 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 48. Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	4.9	( 4.3 - 5.6 )	875	5.6	( 5.2 - 6.0 )	21,174
<b>Sex</b>	Male	6.4	( 5.7 - 7.1 )		6.4	( 6.0 - 6.9 )	
	Female	3.3	( 2.5 - 4.1 )		4.6	( 4.1 - 5.1 )	
<b>Age</b>	15 or younger	2.8	( 1.9 - 3.6 )		3.9	( 3.3 - 4.5 )	
	16 or 17	5.5	( 5.2 - 5.9 )		5.9	( 5.4 - 6.4 )	
	18 or older	6.9	( 1.4 - 12.4 )		8.7	( 7.1 - 10.2 )	
<b>Grade</b>	9th	3.9	( 1.7 - 6.0 )		4.0	( 3.1 - 4.9 )	
	10th	3.4	( 3.0 - 3.9 )		3.6	( 3.1 - 4.1 )	
	11th	5.0	( 3.9 - 6.1 )		5.6	( 5.0 - 6.1 )	
	12th	6.5	( 4.2 - 8.8 )		7.3	( 6.4 - 8.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		5.7	( 2.7 - 8.6 )	
	Asian*	.	.		4.9	( 2.4 - 7.3 )	
	Black or African American*	.	.		5.1	( 2.9 - 7.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		30.7	( 16.5 - 44.9 )	
	White*	4.4	( 4.0 - 4.8 )		5.0	( 4.5 - 5.4 )	
	Hispanic Only or Hispanic White	5.5	( 4.5 - 6.5 )		6.5	( 5.6 - 7.5 )	
	Multiple Race or Hispanic Other Race	16.2	( 8.9 - 23.4 )		8.2	( 6.0 - 10.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	4.5	( 4.1 - 4.9 )		5.0	( 4.6 - 5.4 )	
	Gay, Lesbian, or Bisexual	6.2	( 3.3 - 9.1 )		8.6	( 6.9 - 10.3 )	
	Unsure	.	.		11.3	( 7.9 - 14.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 49. Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	42.0	( 39.5 - 44.6 )	878	35.9	( 34.6 - 37.3 )	21,434
<b>Sex</b>	Male	43.3	( 39.3 - 47.2 )		35.6	( 34.2 - 37.1 )	
	Female	40.1	( 34.3 - 46.0 )		36.1	( 34.1 - 38.0 )	
<b>Age</b>	15 or younger	11.8	( 9.2 - 14.5 )		13.1	( 11.7 - 14.5 )	
	16 or 17	52.9	( 49.7 - 56.0 )		43.8	( 42.0 - 45.6 )	
	18 or older	57.4	( 49.3 - 65.4 )		56.1	( 53.3 - 58.9 )	
<b>Grade</b>	9th	9.0	( 6.4 - 11.6 )		13.9	( 11.9 - 15.9 )	
	10th	16.7	( 13.3 - 20.2 )		15.2	( 14.0 - 16.4 )	
	11th	54.7	( 51.2 - 58.2 )		40.6	( 38.4 - 42.7 )	
	12th	59.8	( 54.7 - 64.8 )		55.5	( 52.9 - 58.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		30.8	( 20.8 - 40.8 )	
	Asian*	.	.		31.1	( 25.3 - 36.9 )	
	Black or African American*	.	.		27.6	( 22.3 - 32.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		40.6	( 26.2 - 55.1 )	
	White*	44.5	( 41.8 - 47.2 )		36.7	( 35.0 - 38.4 )	
	Hispanic Only or Hispanic White	34.0	( 28.6 - 39.5 )		35.1	( 33.0 - 37.3 )	
	Multiple Race or Hispanic Other Race	43.7	( 37.8 - 49.7 )		41.9	( 38.1 - 45.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	43.7	( 40.8 - 46.6 )		36.3	( 34.9 - 37.7 )	
	Gay, Lesbian, or Bisexual	20.3	( 12.7 - 27.9 )		32.8	( 29.6 - 36.0 )	
	Unsure	.	.		37.1	( 32.0 - 42.1 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 50. Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been using marijuana**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	20.3	( 17.3 - 23.2 )	693	18.6	( 17.4 - 19.7 )	17,907
<b>Sex</b>	Male	15.1	( 11.1 - 19.0 )		17.2	( 16.1 - 18.4 )	
	Female	25.8	( 23.2 - 28.5 )		19.8	( 18.2 - 21.5 )	
<b>Age</b>	15 or younger	13.1	( 10.5 - 15.7 )		14.0	( 12.7 - 15.2 )	
	16 or 17	27.9	( 22.7 - 33.1 )		21.9	( 20.5 - 23.2 )	
	18 or older	.	.		25.7	( 22.6 - 28.8 )	
<b>Grade</b>	9th	16.1	( 13.4 - 18.8 )		12.7	( 11.3 - 14.1 )	
	10th	16.0	( 14.3 - 17.6 )		16.4	( 14.9 - 17.9 )	
	11th	25.5	( 21.2 - 29.8 )		21.8	( 19.9 - 23.7 )	
	12th	30.5	( 25.6 - 35.4 )		23.8	( 21.9 - 25.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		23.2	( 17.5 - 28.9 )	
	Asian*	.	.		9.5	( 6.8 - 12.3 )	
	Black or African American*	.	.		22.7	( 17.8 - 27.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		21.9	( 10.4 - 33.5 )	
	White*	18.3	( 14.3 - 22.3 )		17.8	( 16.4 - 19.1 )	
	Hispanic Only or Hispanic White	24.5	( 21.3 - 27.7 )		19.7	( 18.1 - 21.2 )	
	Multiple Race or Hispanic Other Race	30.3	( 25.9 - 34.6 )		25.0	( 21.7 - 28.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	19.5	( 16.8 - 22.3 )		17.4	( 16.3 - 18.5 )	
	Gay, Lesbian, or Bisexual	26.6	( 21.2 - 31.9 )		27.2	( 23.8 - 30.6 )	
	Unsure	.	.		22.0	( 18.2 - 25.8 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 51. Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times during the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	8.3	( 6.6 - 10.0 )	473	9.0	( 8.2 - 9.7 )	11,261
<b>Sex</b>	Male	10.5	( 8.1 - 12.9 )		10.4	( 9.3 - 11.6 )	
	Female	6.0	( 4.5 - 7.4 )		7.4	( 6.6 - 8.2 )	
<b>Age</b>	15 or younger	3.2	( 2.4 - 4.0 )		4.0	( 3.3 - 4.8 )	
	16 or 17	11.6	( 9.2 - 14.0 )		10.4	( 9.5 - 11.2 )	
	18 or older	.	.		17.3	( 14.0 - 20.6 )	
<b>Grade</b>	9th	3.6	( 1.7 - 5.5 )		4.5	( 3.4 - 5.6 )	
	10th	2.1	( 1.0 - 3.2 )		4.1	( 3.3 - 4.9 )	
	11th	9.7	( 5.6 - 13.7 )		10.0	( 9.0 - 11.1 )	
	12th	14.2	( 12.4 - 16.0 )		13.4	( 11.9 - 14.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		13.1	( 5.8 - 20.3 )	
	Asian*	.	.		4.8	( 0.7 - 8.9 )	
	Black or African American*	.	.		9.0	( 6.8 - 11.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	8.2	( 5.9 - 10.5 )		8.5	( 7.6 - 9.4 )	
	Hispanic Only or Hispanic White	5.1	( 2.1 - 8.1 )		9.3	( 7.6 - 11.0 )	
	Multiple Race or Hispanic Other Race	21.5	( 14.0 - 29.0 )		15.7	( 11.6 - 19.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	7.6	( 6.3 - 9.0 )		8.5	( 7.7 - 9.3 )	
	Gay, Lesbian, or Bisexual	.	.		12.1	( 9.2 - 15.0 )	
	Unsure	.	.		13.8	( 9.1 - 18.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 52. Percentage of students who have ever smoked a whole cigarette**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	19.4	( 17.8 - 21.0 )	692	15.9	( 14.9 - 17.0 )	17,681
<b>Sex</b>	Male	19.7	( 17.8 - 21.6 )		17.0	( 15.6 - 18.3 )	
	Female	18.3	( 16.9 - 19.8 )		14.5	( 13.5 - 15.6 )	
<b>Age</b>	15 or younger	12.7	( 10.7 - 14.6 )		11.4	( 10.1 - 12.7 )	
	16 or 17	24.4	( 23.1 - 25.7 )		18.6	( 17.4 - 19.7 )	
	18 or older	.	.		27.4	( 24.6 - 30.2 )	
<b>Grade</b>	9th	18.6	( 16.8 - 20.5 )		10.0	( 8.7 - 11.4 )	
	10th	15.5	( 12.8 - 18.2 )		14.2	( 12.6 - 15.7 )	
	11th	22.5	( 20.1 - 24.8 )		18.0	( 16.7 - 19.4 )	
	12th	25.8	( 21.6 - 30.1 )		22.1	( 20.5 - 23.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		19.9	( 13.8 - 26.0 )	
	Asian*	.	.		6.6	( 4.6 - 8.5 )	
	Black or African American*	.	.		10.4	( 7.6 - 13.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		23.9	( 11.0 - 36.8 )	
	White*	19.1	( 17.7 - 20.4 )		15.0	( 13.8 - 16.3 )	
	Hispanic Only or Hispanic White	17.8	( 14.6 - 21.0 )		19.0	( 17.4 - 20.7 )	
	Multiple Race or Hispanic Other Race	25.7	( 19.3 - 32.1 )		20.5	( 17.7 - 23.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	17.8	( 15.6 - 20.0 )		13.9	( 12.8 - 15.0 )	
	Gay, Lesbian, or Bisexual	32.8	( 25.4 - 40.1 )		31.1	( 28.5 - 33.7 )	
	Unsure	.	.		19.2	( 16.3 - 22.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 53. Percentage of students who smoked a whole cigarette for the first time before age 13 years**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	6.9	( 5.8 - 8.0 )	692	4.8	( 4.3 - 5.3 )	17,681
<b>Sex</b>	Male	6.9	( 6.2 - 7.5 )		5.5	( 4.9 - 6.2 )	
	Female	7.1	( 5.4 - 8.7 )		3.9	( 3.4 - 4.5 )	
<b>Age</b>	15 or younger	4.1	( 3.0 - 5.2 )		4.7	( 4.0 - 5.3 )	
	16 or 17	8.9	( 6.3 - 11.4 )		5.0	( 4.5 - 5.6 )	
	18 or older	.	.		4.4	( 3.3 - 5.5 )	
<b>Grade</b>	9th	7.4	( 5.0 - 9.7 )		4.4	( 3.7 - 5.1 )	
	10th	5.7	( 3.4 - 8.0 )		5.2	( 4.3 - 6.1 )	
	11th	9.0	( 5.7 - 12.4 )		4.7	( 3.9 - 5.5 )	
	12th	7.8	( 5.6 - 10.1 )		4.8	( 4.0 - 5.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		8.5	( 5.4 - 11.6 )	
	Asian*	.	.		2.1	( 1.3 - 2.9 )	
	Black or African American*	.	.		4.2	( 3.0 - 5.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		9.7	( 0.1 - 19.3 )	
	White*	5.9	( 4.9 - 6.8 )		3.8	( 3.3 - 4.2 )	
	Hispanic Only or Hispanic White	7.7	( 2.8 - 12.7 )		6.8	( 5.8 - 7.7 )	
	Multiple Race or Hispanic Other Race	18.0	( 12.3 - 23.7 )		9.2	( 7.3 - 11.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	5.3	( 4.4 - 6.3 )		4.0	( 3.5 - 4.4 )	
	Gay, Lesbian, or Bisexual	16.2	( 8.7 - 23.8 )		10.1	( 8.5 - 11.7 )	
	Unsure	.	.		8.2	( 6.0 - 10.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 54. Percentage of students who smoked cigarettes on one or more of the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	8.0	( 6.5 - 9.5 )	1,394	7.2	( 6.7 - 7.6 )	45,904
<b>Sex</b>	Male	9.1	( 6.7 - 11.4 )		7.7	( 7.2 - 8.2 )	
	Female	7.0	( 6.0 - 8.0 )		6.5	( 6.0 - 7.0 )	
<b>Age</b>	15 or younger	6.4	( 4.6 - 8.2 )		4.9	( 4.4 - 5.4 )	
	16 or 17	8.3	( 6.7 - 9.8 )		8.5	( 7.9 - 9.1 )	
	18 or older	15.7	( 13.9 - 17.6 )		13.4	( 11.0 - 15.7 )	
<b>Grade</b>	9th	10.2	( 8.6 - 11.7 )		4.3	( 3.7 - 4.8 )	
	10th	5.5	( 4.2 - 6.8 )		6.0	( 5.4 - 6.6 )	
	11th	9.8	( 7.5 - 12.2 )		7.8	( 7.2 - 8.4 )	
	12th	9.1	( 7.4 - 10.8 )		10.7	( 9.7 - 11.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		10.3	( 7.9 - 12.7 )	
	Asian*	.	.		2.9	( 2.0 - 3.8 )	
	Black or African American*	.	.		5.1	( 3.6 - 6.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		18.7	( 8.8 - 28.5 )	
	White*	8.2	( 6.6 - 9.9 )		7.4	( 6.9 - 8.0 )	
	Hispanic Only or Hispanic White	6.5	( 5.6 - 7.5 )		6.7	( 6.1 - 7.3 )	
	Multiple Race or Hispanic Other Race	11.5	( 9.1 - 14.0 )		11.2	( 9.3 - 13.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	7.3	( 5.8 - 8.8 )		5.9	( 5.5 - 6.3 )	
	Gay, Lesbian, or Bisexual	18.6	( 12.2 - 25.0 )		15.7	( 14.4 - 17.0 )	
	Unsure	.	.		9.6	( 7.9 - 11.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 55. Percentage of students who smoked cigarettes on 20 or more of the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	2.3	( 1.4 - 3.3 )	1,394	1.7	( 1.5 - 2.0 )	45,904
<b>Sex</b>	Male	3.5	( 1.5 - 5.5 )		2.1	( 1.8 - 2.4 )	
	Female	1.1	( 0.6 - 1.6 )		1.2	( 1.0 - 1.4 )	
<b>Age</b>	15 or younger	0.8	( 0.1 - 1.5 )		1.1	( 0.9 - 1.2 )	
	16 or 17	3.4	( 1.4 - 5.5 )		2.0	( 1.7 - 2.3 )	
	18 or older	4.8	( 3.9 - 5.8 )		4.4	( 3.1 - 5.6 )	
<b>Grade</b>	9th	1.1	( 0.2 - 2.0 )		0.7	( 0.6 - 0.9 )	
	10th	1.1	( 0.4 - 1.9 )		1.2	( 1.0 - 1.5 )	
	11th	5.0	( 2.4 - 7.7 )		2.1	( 1.7 - 2.4 )	
	12th	2.7	( 2.2 - 3.1 )		2.8	( 2.2 - 3.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		2.2	( 1.3 - 3.1 )	
	Asian*	.	.		1.7	( 1.0 - 2.5 )	
	Black or African American*	.	.		1.1	( 0.4 - 1.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		4.9	( 0.7 - 9.1 )	
	White*	2.5	( 1.4 - 3.5 )		1.8	( 1.5 - 2.1 )	
	Hispanic Only or Hispanic White	1.2	( 0.6 - 1.9 )		1.3	( 1.0 - 1.5 )	
	Multiple Race or Hispanic Other Race	5.6	( 3.5 - 7.6 )		3.8	( 3.0 - 4.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	2.1	( 1.1 - 3.0 )		1.3	( 1.1 - 1.5 )	
	Gay, Lesbian, or Bisexual	6.3	( 3.8 - 8.9 )		4.2	( 3.4 - 5.1 )	
	Unsure	.	.		3.1	( 1.8 - 4.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 56. Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	60.8	( 57.5 - 64.1 )	1,362	55.5	( 54.5 - 56.6 )	34,550
<b>Sex</b>	Male	63.9	( 61.9 - 65.8 )		57.5	( 56.3 - 58.7 )	
	Female	57.2	( 52.3 - 62.2 )		53.3	( 52.0 - 54.6 )	
<b>Age</b>	15 or younger	48.3	( 44.3 - 52.3 )		44.7	( 43.3 - 46.1 )	
	16 or 17	68.7	( 66.6 - 70.8 )		61.5	( 60.2 - 62.8 )	
	18 or older	87.3	( 84.8 - 89.7 )		83.5	( 81.6 - 85.5 )	
<b>Grade</b>	9th	46.8	( 43.0 - 50.6 )		40.1	( 38.6 - 41.6 )	
	10th	56.3	( 51.1 - 61.4 )		51.6	( 50.0 - 53.2 )	
	11th	70.7	( 69.3 - 72.1 )		59.4	( 57.8 - 61.0 )	
	12th	75.9	( 75.1 - 76.8 )		72.4	( 70.7 - 74.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		55.6	( 48.4 - 62.9 )	
	Asian*	.	.		43.7	( 39.9 - 47.5 )	
	Black or African American*	.	.		44.0	( 38.5 - 49.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		62.6	( 49.5 - 75.6 )	
	White*	62.7	( 58.3 - 67.0 )		57.3	( 56.2 - 58.4 )	
	Hispanic Only or Hispanic White	51.8	( 47.3 - 56.3 )		54.9	( 53.5 - 56.3 )	
	Multiple Race or Hispanic Other Race	67.8	( 63.1 - 72.4 )		58.3	( 55.8 - 60.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	59.4	( 56.2 - 62.7 )		55.0	( 53.9 - 56.1 )	
	Gay, Lesbian, or Bisexual	72.2	( 65.7 - 78.6 )		63.7	( 61.7 - 65.6 )	
	Unsure	.	.		47.9	( 44.0 - 51.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 57. Among students who were less than 18 years of age and who reported current cigarette use and got cigarettes in the past 30 days, the percentage who got their own cigarettes by buying them in a gas station, convenience store, grocery store, or drugstore**  
 Question: During the past 30 days, where did you buy your own cigarettes? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	55.7	( 47.0 - 64.5 )	58	51.2	( 47.5 - 55.0 )	1,512
<b>Sex</b>	Male	.	.		49.8	( 45.0 - 54.6 )	
	Female	.	.		54.0	( 48.1 - 59.9 )	
<b>Age</b>	15 or younger	.	.		35.4	( 29.5 - 41.3 )	
	16 or 17	.	.		60.2	( 56.1 - 64.3 )	
<b>Grade</b>	9th	.	.		25.7	( 18.6 - 32.7 )	
	10th	.	.		44.1	( 36.9 - 51.2 )	
	11th	.	.		59.5	( 52.9 - 66.1 )	
	12th	.	.		66.8	( 61.8 - 71.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		.	.	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		55.2	( 50.6 - 59.9 )	
	Hispanic Only or Hispanic White	.	.		45.7	( 39.2 - 52.1 )	
	Multiple Race or Hispanic Other Race	.	.		41.0	( 30.3 - 51.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	.	.		51.3	( 46.6 - 55.9 )	
	Gay, Lesbian, or Bisexual	.	.		49.7	( 42.8 - 56.6 )	
	Unsure	.	.		50.3	( 36.0 - 64.5 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 58. Among students who got cigarettes in the past 30 days, the percentage who got it from a gas station**

Question: During the past 30 days, where did you buy your own cigarettes? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	59.2	( 53.2 - 65.3 )	89	46.4	( 43.6 - 49.3 )	2,367
<b>Sex</b>	Male	.	.		46.2	( 42.8 - 49.7 )	
	Female	.	.		48.1	( 44.0 - 52.1 )	
<b>Age</b>	15 or younger	.	.		28.5	( 23.2 - 33.7 )	
	16 or 17	.	.		46.1	( 42.0 - 50.1 )	
	18 or older	.	.		76.3	( 70.4 - 82.2 )	
<b>Grade</b>	9th	.	.		19.7	( 13.7 - 25.8 )	
	10th	.	.		34.0	( 27.5 - 40.4 )	
	11th	.	.		46.0	( 40.3 - 51.7 )	
	12th	.	.		64.6	( 60.5 - 68.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		26.8	( 17.9 - 35.8 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		23.8	( 12.3 - 35.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	63.0	( 56.2 - 69.7 )		52.6	( 48.9 - 56.2 )	
	Hispanic Only or Hispanic White	.	.		41.7	( 37.0 - 46.4 )	
	Multiple Race or Hispanic Other Race	.	.		37.3	( 31.9 - 42.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	64.3	( 58.2 - 70.5 )		48.3	( 45.3 - 51.3 )	
	Gay, Lesbian, or Bisexual	.	.		43.5	( 38.3 - 48.8 )	
	Unsure	.	.		36.9	( 24.9 - 48.8 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 59. Among students who got cigarettes in the past 30 days, the percentage who got it from a convenience store**

Question: During the past 30 days, where did you buy your own cigarettes? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	27.4	( 21.8 - 33.1 )	89	15.2	( 13.4 - 17.0 )	2,367
<b>Sex</b>	Male	.	.		17.2	( 14.5 - 19.9 )	
	Female	.	.		12.3	( 9.6 - 14.9 )	
<b>Age</b>	15 or younger	.	.		10.5	( 7.6 - 13.4 )	
	16 or 17	.	.		14.2	( 11.5 - 16.8 )	
	18 or older	.	.		25.1	( 19.9 - 30.2 )	
<b>Grade</b>	9th	.	.		8.1	( 4.8 - 11.3 )	
	10th	.	.		7.1	( 4.3 - 9.8 )	
	11th	.	.		15.9	( 11.8 - 20.0 )	
	12th	.	.		20.8	( 17.1 - 24.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		6.5	( 4.8 - 8.2 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		16.0	( 4.7 - 27.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	29.8	( 23.3 - 36.3 )		17.0	( 14.4 - 19.5 )	
	Hispanic Only or Hispanic White	.	.		10.5	( 7.1 - 13.9 )	
	Multiple Race or Hispanic Other Race	.	.		21.1	( 14.8 - 27.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	27.6	( 23.8 - 31.3 )		14.4	( 12.5 - 16.3 )	
	Gay, Lesbian, or Bisexual	.	.		15.2	( 11.3 - 19.2 )	
	Unsure	.	.		16.2	( 8.4 - 24.1 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 60. Among students who got cigarettes in the past 30 days, the percentage who got it from a grocery store**

Question: During the past 30 days, where did you buy your own cigarettes? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	10.8	( 8.1 - 13.4 )	89	10.9	( 9.3 - 12.4 )	2,367
<b>Sex</b>	Male	.	.		13.2	( 10.7 - 15.8 )	
	Female	.	.		7.5	( 5.5 - 9.5 )	
<b>Age</b>	15 or younger	.	.		8.6	( 4.9 - 12.3 )	
	16 or 17	.	.		10.2	( 8.2 - 12.1 )	
	18 or older	.	.		16.5	( 12.3 - 20.8 )	
<b>Grade</b>	9th	.	.		7.2	( 3.3 - 11.2 )	
	10th	.	.		8.3	( 4.6 - 12.0 )	
	11th	.	.		9.0	( 6.1 - 12.0 )	
	12th	.	.		13.6	( 11.0 - 16.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		7.7	( 0.4 - 15.0 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		11.7	( 1.1 - 22.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	8.1	( 5.6 - 10.6 )		11.0	( 8.8 - 13.2 )	
	Hispanic Only or Hispanic White	.	.		9.8	( 6.4 - 13.1 )	
	Multiple Race or Hispanic Other Race	.	.		13.5	( 9.4 - 17.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	7.3	( 2.4 - 12.2 )		9.5	( 7.7 - 11.4 )	
	Gay, Lesbian, or Bisexual	.	.		7.8	( 5.3 - 10.3 )	
	Unsure	.	.		25.0	( 15.7 - 34.2 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 61. Among students who got cigarettes in the past 30 days, the percentage who got it from a drugstore**

Question: During the past 30 days, where did you buy your own cigarettes? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	6.4	( 3.8 - 9.0 )	89	9.4	( 7.8 - 11.0 )	2,367
<b>Sex</b>	Male	.	.		11.4	( 9.2 - 13.6 )	
	Female	.	.		6.5	( 4.5 - 8.5 )	
<b>Age</b>	15 or younger	.	.		11.4	( 7.6 - 15.1 )	
	16 or 17	.	.		7.7	( 5.8 - 9.7 )	
	18 or older	.	.		10.6	( 7.3 - 14.0 )	
<b>Grade</b>	9th	.	.		9.8	( 5.8 - 13.9 )	
	10th	.	.		8.9	( 4.8 - 13.0 )	
	11th	.	.		11.1	( 7.7 - 14.4 )	
	12th	.	.		7.1	( 5.0 - 9.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		3.5	( 0.3 - 6.8 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		10.6	( 0.0 - 21.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	3.6	( 1.8 - 5.3 )		8.4	( 6.4 - 10.4 )	
	Hispanic Only or Hispanic White	.	.		8.2	( 5.8 - 10.5 )	
	Multiple Race or Hispanic Other Race	.	.		16.9	( 12.5 - 21.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	2.4	( 0.7 - 4.1 )		8.9	( 7.2 - 10.7 )	
	Gay, Lesbian, or Bisexual	.	.		7.6	( 4.3 - 10.8 )	
	Unsure	.	.		12.5	( 6.8 - 18.2 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 62. Among students who got cigarettes in the past 30 days, the percentage who got it from a vending machine**  
 Question: During the past 30 days, where did you buy your own cigarettes? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	1.3	( 0.0 - 2.8 )	89	4.1	( 3.3 - 4.8 )	2,367
<b>Sex</b>	Male	.	.		4.3	( 3.2 - 5.4 )	
	Female	.	.		2.4	( 1.4 - 3.3 )	
<b>Age</b>	15 or younger	.	.		7.5	( 5.1 - 9.9 )	
	16 or 17	.	.		2.7	( 1.7 - 3.7 )	
	18 or older	.	.		2.1	( 1.2 - 3.1 )	
<b>Grade</b>	9th	.	.		6.6	( 2.7 - 10.6 )	
	10th	.	.		4.5	( 1.8 - 7.1 )	
	11th	.	.		3.6	( 1.7 - 5.6 )	
	12th	.	.		1.4	( 0.8 - 1.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		8.8	( 0.0 - 22.4 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		5.0	( 0.8 - 9.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	0.6	( 0.0 - 1.3 )		3.8	( 2.5 - 5.0 )	
	Hispanic Only or Hispanic White	.	.		2.7	( 1.3 - 4.1 )	
	Multiple Race or Hispanic Other Race	.	.		10.1	( 6.6 - 13.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	1.7	( 0.0 - 3.5 )		2.8	( 2.0 - 3.7 )	
	Gay, Lesbian, or Bisexual	.	.		4.2	( 2.8 - 5.6 )	
	Unsure	.	.		10.4	( 3.3 - 17.4 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 63. Among students who got cigarettes in the past 30 days, the percentage who got it on the internet**

Question: During the past 30 days, where did you buy your own cigarettes? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	0.4	( 0.0 - 0.8 )	89	5.3	( 4.2 - 6.5 )	2,367
<b>Sex</b>	Male	.	.		5.8	( 4.4 - 7.3 )	
	Female	.	.		4.3	( 2.7 - 6.0 )	
<b>Age</b>	15 or younger	.	.		10.1	( 7.1 - 13.0 )	
	16 or 17	.	.		3.4	( 2.0 - 4.8 )	
	18 or older	.	.		3.3	( 1.7 - 4.9 )	
<b>Grade</b>	9th	.	.		6.5	( 3.4 - 9.6 )	
	10th	.	.		5.7	( 3.0 - 8.4 )	
	11th	.	.		5.5	( 2.6 - 8.4 )	
	12th	.	.		2.6	( 1.2 - 3.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		7.2	( 0.1 - 14.3 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		6.4	( 0.0 - 13.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	0.0	( 0.0 - 0.0 )		5.2	( 3.6 - 6.7 )	
	Hispanic Only or Hispanic White	.	.		4.0	( 1.5 - 6.5 )	
	Multiple Race or Hispanic Other Race	.	.		9.4	( 6.0 - 12.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	0.5	( 0.0 - 1.0 )		4.9	( 3.5 - 6.2 )	
	Gay, Lesbian, or Bisexual	.	.		4.2	( 2.6 - 5.8 )	
	Unsure	.	.		5.6	( 2.3 - 8.9 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 64. Among students who got cigarettes in the past 30 days, the percentage who got it through the mail**

Question: During the past 30 days, where did you buy your own cigarettes? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	1.7	( 0.6 - 2.7 )	89	4.6	( 3.7 - 5.6 )	2,367
<b>Sex</b>	Male	.	.		5.3	( 3.7 - 6.9 )	
	Female	.	.		3.5	( 2.2 - 4.8 )	
<b>Age</b>	15 or younger	.	.		8.4	( 5.4 - 11.4 )	
	16 or 17	.	.		2.9	( 1.9 - 4.0 )	
	18 or older	.	.		3.3	( 0.8 - 5.7 )	
<b>Grade</b>	9th	.	.		4.6	( 1.7 - 7.6 )	
	10th	.	.		5.8	( 3.0 - 8.5 )	
	11th	.	.		3.9	( 1.7 - 6.2 )	
	12th	.	.		3.3	( 1.9 - 4.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		0.9	( 0.0 - 2.0 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		1.3	( 0.3 - 2.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	1.4	( 0.4 - 2.3 )		4.7	( 3.6 - 5.8 )	
	Hispanic Only or Hispanic White	.	.		4.2	( 2.3 - 6.1 )	
	Multiple Race or Hispanic Other Race	.	.		9.5	( 5.2 - 13.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	1.3	( 0.2 - 2.4 )		3.5	( 2.5 - 4.6 )	
	Gay, Lesbian, or Bisexual	.	.		5.4	( 2.9 - 7.9 )	
	Unsure	.	.		8.1	( 3.7 - 12.4 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 65. Among students who got cigarettes in the past 30 days, the percentage who got it at some other place**

Question: During the past 30 days, where did you buy your own cigarettes? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	34.1	( 24.4 - 43.8 )	89	44.7	( 42.0 - 47.4 )	2,367
<b>Sex</b>	Male	.	.		45.2	( 41.8 - 48.6 )	
	Female	.	.		43.1	( 38.9 - 47.4 )	
<b>Age</b>	15 or younger	.	.		65.4	( 60.5 - 70.2 )	
	16 or 17	.	.		44.4	( 40.7 - 48.1 )	
	18 or older	.	.		12.9	( 9.3 - 16.5 )	
<b>Grade</b>	9th	.	.		69.7	( 64.4 - 75.0 )	
	10th	.	.		63.7	( 56.5 - 70.9 )	
	11th	.	.		45.1	( 39.3 - 51.0 )	
	12th	.	.		24.2	( 20.8 - 27.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		46.2	( 32.8 - 59.6 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		32.2	( 16.7 - 47.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	30.7	( 18.5 - 42.9 )		43.0	( 39.4 - 46.5 )	
	Hispanic Only or Hispanic White	.	.		50.3	( 45.4 - 55.3 )	
	Multiple Race or Hispanic Other Race	.	.		46.9	( 40.7 - 53.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	27.8	( 17.0 - 38.6 )		44.0	( 40.9 - 47.1 )	
	Gay, Lesbian, or Bisexual	.	.		46.7	( 41.6 - 51.8 )	
	Unsure	.	.		46.1	( 36.4 - 55.8 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 66. Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	44.6	( 30.6 - 58.6 )	51	46.1	( 43.0 - 49.2 )	1,404
<b>Sex</b>	Male	.	.		43.1	( 38.4 - 47.8 )	
	Female	.	.		49.9	( 45.3 - 54.4 )	
<b>Age</b>	15 or younger	.	.		48.2	( 42.7 - 53.6 )	
	16 or 17	.	.		44.0	( 38.9 - 49.2 )	
	18 or older	.	.		50.4	( 40.6 - 60.2 )	
<b>Grade</b>	9th	.	.		56.7	( 48.3 - 65.1 )	
	10th	.	.		44.4	( 39.7 - 49.1 )	
	11th	.	.		48.2	( 41.8 - 54.6 )	
	12th	.	.		43.0	( 38.9 - 47.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		.	.	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		41.6	( 37.5 - 45.6 )	
	Hispanic Only or Hispanic White	.	.		54.4	( 47.4 - 61.4 )	
	Multiple Race or Hispanic Other Race	.	.		47.8	( 36.8 - 58.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	.	.		45.5	( 41.3 - 49.7 )	
	Gay, Lesbian, or Bisexual	.	.		48.0	( 40.8 - 55.2 )	
	Unsure	.	.		45.0	( 29.0 - 61.1 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 67. Percentage of students who have used cigars, cigarillos, or little cigars in the past 30 days**

Question: In the past 30 days, which of the following products have you used on at least one day? (You can choose one answer or more than one answer) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	8.0	( 6.4 - 9.5 )	680	5.9	( 5.4 - 6.4 )	17,269
<b>Sex</b>	Male	10.4	( 8.1 - 12.7 )		7.6	( 6.9 - 8.3 )	
	Female	5.5	( 4.3 - 6.6 )		4.1	( 3.4 - 4.9 )	
<b>Age</b>	15 or younger	5.2	( 3.2 - 7.3 )		3.2	( 2.9 - 3.6 )	
	16 or 17	8.9	( 7.4 - 10.3 )		7.2	( 6.3 - 8.1 )	
	18 or older	.	.		14.4	( 11.2 - 17.6 )	
<b>Grade</b>	9th	4.7	( 3.7 - 5.6 )		2.9	( 2.4 - 3.4 )	
	10th	6.5	( 3.1 - 9.9 )		4.0	( 3.3 - 4.7 )	
	11th	11.2	( 10.1 - 12.2 )		6.9	( 5.7 - 8.1 )	
	12th	12.0	( 10.7 - 13.3 )		9.8	( 8.4 - 11.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		10.8	( 6.2 - 15.3 )	
	Asian*	.	.		1.0	( 0.4 - 1.6 )	
	Black or African American*	.	.		3.7	( 2.0 - 5.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		9.1	( 2.9 - 15.4 )	
	White*	8.6	( 6.5 - 10.7 )		6.0	( 5.1 - 6.8 )	
	Hispanic Only or Hispanic White	4.9	( 2.5 - 7.4 )		6.2	( 5.2 - 7.2 )	
	Multiple Race or Hispanic Other Race	11.8	( 9.5 - 14.2 )		8.9	( 7.1 - 10.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	8.1	( 6.4 - 9.8 )		5.5	( 5.0 - 6.0 )	
	Gay, Lesbian, or Bisexual	5.9	( 3.5 - 8.4 )		9.3	( 7.6 - 11.1 )	
	Unsure	.	.		5.5	( 3.1 - 7.9 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 68. Percentage of students who have used chewing tobacco, snuff, or dip such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen in the past 30 days**

Question: In the past 30 days, which of the following products have you used on at least one day? (You can choose one answer or more than one answer) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	4.9	( 4.0 - 5.9 )	680	3.1	( 2.7 - 3.4 )	17,269
<b>Sex</b>	Male	8.8	( 6.9 - 10.7 )		5.3	( 4.7 - 6.0 )	
	Female	0.4	( 0.0 - 0.9 )		0.7	( 0.5 - 0.8 )	
<b>Age</b>	15 or younger	1.6	( 0.8 - 2.5 )		1.8	( 1.5 - 2.1 )	
	16 or 17	8.4	( 6.9 - 10.0 )		4.1	( 3.5 - 4.7 )	
	18 or older	.	.		4.2	( 3.2 - 5.3 )	
<b>Grade</b>	9th	1.2	( 0.2 - 2.2 )		1.6	( 1.2 - 1.9 )	
	10th	3.4	( 2.2 - 4.7 )		2.8	( 2.2 - 3.4 )	
	11th	11.3	( 9.4 - 13.2 )		4.1	( 3.3 - 4.8 )	
	12th	4.8	( 3.1 - 6.6 )		3.8	( 3.0 - 4.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		2.5	( 1.7 - 3.3 )	
	Asian*	.	.		0.8	( 0.0 - 1.6 )	
	Black or African American*	.	.		1.9	( 0.7 - 3.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		13.9	( 3.7 - 24.1 )	
	White*	6.3	( 4.7 - 7.8 )		3.6	( 3.1 - 4.1 )	
	Hispanic Only or Hispanic White	0.8	( 0.0 - 1.5 )		2.4	( 1.9 - 2.9 )	
	Multiple Race or Hispanic Other Race	4.4	( 1.4 - 7.4 )		3.4	( 2.5 - 4.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	5.1	( 4.1 - 6.0 )		3.1	( 2.7 - 3.5 )	
	Gay, Lesbian, or Bisexual	3.5	( 1.4 - 5.7 )		1.6	( 1.2 - 2.0 )	
	Unsure	.	.		4.8	( 2.7 - 6.8 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 69. Percentage of students who have used snus (powdered tobacco in a small pouch) or other spitless tobacco such as Taboka, Revel or Skoal Dry in the past 30 days**

Question: In the past 30 days, which of the following products have you used on at least one day? (You can choose one answer or more than one answer) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	2.4	( 1.8 - 3.1 )	680	1.4	( 1.2 - 1.7 )	17,269
<b>Sex</b>	Male	4.4	( 3.0 - 5.7 )		2.3	( 1.9 - 2.7 )	
	Female	0.3	( 0.0 - 0.7 )		0.5	( 0.3 - 0.7 )	
<b>Age</b>	15 or younger	1.1	( 0.4 - 1.7 )		1.0	( 0.8 - 1.2 )	
	16 or 17	4.4	( 3.3 - 5.4 )		1.7	( 1.2 - 2.1 )	
	18 or older	.	.		2.6	( 1.6 - 3.6 )	
<b>Grade</b>	9th	0.8	( 0.0 - 1.6 )		0.9	( 0.6 - 1.1 )	
	10th	1.4	( 1.0 - 1.9 )		1.2	( 0.8 - 1.6 )	
	11th	6.0	( 3.8 - 8.2 )		1.6	( 1.1 - 2.1 )	
	12th	2.0	( 1.1 - 3.0 )		1.8	( 1.3 - 2.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		0.7	( 0.4 - 1.0 )	
	Asian*	.	.		0.3	( 0.1 - 0.6 )	
	Black or African American*	.	.		1.1	( 0.1 - 2.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		2.4	( 0.0 - 5.7 )	
	White*	2.6	( 1.9 - 3.3 )		1.4	( 1.2 - 1.7 )	
	Hispanic Only or Hispanic White	1.2	( 0.3 - 2.1 )		1.3	( 0.9 - 1.8 )	
	Multiple Race or Hispanic Other Race	3.6	( 1.5 - 5.6 )		2.6	( 1.9 - 3.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	2.2	( 1.5 - 2.8 )		1.4	( 1.1 - 1.6 )	
	Gay, Lesbian, or Bisexual	4.1	( 2.1 - 6.2 )		1.0	( 0.6 - 1.4 )	
	Unsure	.	.		1.9	( 0.9 - 3.0 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 70. Percentage of students who have used smoking tobacco from a hookah, narghile, or other type of waterpipe in the past 30 days**

Question: In the past 30 days, which of the following products have you used on at least one day? (You can choose one answer or more than one answer) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	3.6	( 2.7 - 4.5 )	680	3.7	( 3.3 - 4.1 )	17,269
<b>Sex</b>	Male	4.0	( 3.3 - 4.8 )		3.5	( 3.1 - 4.0 )	
	Female	3.2	( 1.8 - 4.6 )		3.8	( 3.2 - 4.5 )	
<b>Age</b>	15 or younger	1.1	( 0.7 - 1.5 )		2.3	( 1.9 - 2.7 )	
	16 or 17	6.4	( 4.5 - 8.3 )		4.8	( 4.1 - 5.5 )	
	18 or older	.	.		5.6	( 3.9 - 7.3 )	
<b>Grade</b>	9th	1.3	( 0.6 - 2.0 )		2.3	( 1.8 - 2.9 )	
	10th	1.1	( 0.6 - 1.6 )		2.4	( 1.9 - 3.0 )	
	11th	8.0	( 5.7 - 10.4 )		4.7	( 3.9 - 5.5 )	
	12th	5.0	( 2.8 - 7.2 )		5.4	( 4.6 - 6.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		3.4	( 1.6 - 5.2 )	
	Asian*	.	.		1.1	( 0.0 - 2.3 )	
	Black or African American*	.	.		0.9	( 0.0 - 1.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		3.2	( 0.0 - 7.0 )	
	White*	3.2	( 2.0 - 4.4 )		3.7	( 3.2 - 4.2 )	
	Hispanic Only or Hispanic White	4.4	( 3.2 - 5.7 )		4.3	( 3.5 - 5.1 )	
	Multiple Race or Hispanic Other Race	2.6	( 0.0 - 5.2 )		5.8	( 4.3 - 7.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	3.2	( 2.2 - 4.3 )		3.5	( 3.1 - 3.9 )	
	Gay, Lesbian, or Bisexual	8.0	( 3.4 - 12.5 )		5.3	( 3.9 - 6.6 )	
	Unsure	.	.		4.8	( 2.5 - 7.2 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 71. Percentage of students who have used smoking tobacco from a pipe that was not hookah, narghile, or other type of waterpipe in the past 30 days**

Question: In the past 30 days, which of the following products have you used on at least one day? (You can choose one answer or more than one answer) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	1.7	( 1.0 - 2.5 )	680	1.6	( 1.3 - 1.9 )	17,269
<b>Sex</b>	Male	1.5	( 0.9 - 2.2 )		1.7	( 1.4 - 2.1 )	
	Female	2.0	( 0.9 - 3.0 )		1.5	( 1.1 - 1.9 )	
<b>Age</b>	15 or younger	1.5	( 0.9 - 2.1 )		1.1	( 0.8 - 1.3 )	
	16 or 17	2.3	( 0.9 - 3.8 )		2.1	( 1.6 - 2.5 )	
	18 or older	.	.		2.0	( 1.2 - 2.8 )	
<b>Grade</b>	9th	1.8	( 0.9 - 2.7 )		0.8	( 0.5 - 1.0 )	
	10th	1.5	( 0.9 - 2.0 )		1.5	( 1.0 - 2.0 )	
	11th	2.8	( 1.3 - 4.2 )		1.9	( 1.4 - 2.4 )	
	12th	1.6	( 0.3 - 2.9 )		2.1	( 1.5 - 2.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		0.3	( 0.2 - 0.5 )	
	Asian*	.	.		0.3	( 0.0 - 0.6 )	
	Black or African American*	.	.		1.4	( 0.3 - 2.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		2.8	( 0.0 - 6.3 )	
	White*	1.9	( 0.9 - 2.9 )		1.8	( 1.4 - 2.2 )	
	Hispanic Only or Hispanic White	0.0	( 0.0 - 0.0 )		1.3	( 1.0 - 1.6 )	
	Multiple Race or Hispanic Other Race	7.2	( 3.9 - 10.6 )		2.5	( 1.7 - 3.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	1.2	( 0.6 - 1.8 )		1.5	( 1.2 - 1.7 )	
	Gay, Lesbian, or Bisexual	7.5	( 3.6 - 11.4 )		2.4	( 1.5 - 3.3 )	
	Unsure	.	.		1.8	( 0.8 - 2.8 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 72. Percentage of students who have used bidis or small brown cigarettes wrapped in a leaf in the past 30 days**

Question: In the past 30 days, which of the following products have you used on at least one day? (You can choose one answer or more than one answer) – Question not comparable to 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	0.9	( 0.5 - 1.3 )	680	0.9	( 0.8 - 1.1 )	17,269
<b>Sex</b>	Male	0.7	( 0.2 - 1.2 )		1.1	( 0.9 - 1.4 )	
	Female	1.1	( 0.7 - 1.5 )		0.7	( 0.5 - 0.9 )	
<b>Age</b>	15 or younger	0.9	( 0.5 - 1.3 )		0.6	( 0.5 - 0.8 )	
	16 or 17	0.3	( 0.0 - 0.7 )		1.2	( 0.8 - 1.5 )	
	18 or older	.	.		0.9	( 0.6 - 1.2 )	
<b>Grade</b>	9th	1.2	( 0.5 - 1.8 )		0.6	( 0.4 - 0.9 )	
	10th	0.8	( 0.3 - 1.3 )		0.7	( 0.3 - 1.0 )	
	11th	0.3	( 0.0 - 0.6 )		1.0	( 0.7 - 1.3 )	
	12th	1.7	( 0.7 - 2.7 )		1.2	( 0.7 - 1.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		0.1	( 0.0 - 0.3 )	
	Asian*	.	.		0.5	( 0.0 - 1.3 )	
	Black or African American*	.	.		0.3	( 0.1 - 0.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		6.6	( 0.0 - 14.6 )	
	White*	1.0	( 0.6 - 1.3 )		0.9	( 0.6 - 1.1 )	
	Hispanic Only or Hispanic White	0.0	( 0.0 - 0.0 )		0.9	( 0.5 - 1.2 )	
	Multiple Race or Hispanic Other Race	2.0	( 0.0 - 4.1 )		2.9	( 1.8 - 4.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	0.8	( 0.5 - 1.1 )		0.7	( 0.6 - 0.9 )	
	Gay, Lesbian, or Bisexual	0.5	( 0.0 - 1.0 )		1.8	( 1.1 - 2.5 )	
	Unsure	.	.		1.8	( 0.8 - 2.8 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 73. Percentage of students who have ever used an electronic vapor product**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	48.7	( 44.6 - 52.9 )	1,393	44.2	( 42.6 - 45.7 )	45,494
<b>Sex</b>	Male	50.7	( 44.0 - 57.4 )		44.9	( 43.1 - 46.7 )	
	Female	46.4	( 45.0 - 47.8 )		43.2	( 41.6 - 44.7 )	
<b>Age</b>	15 or younger	38.7	( 33.9 - 43.5 )		35.3	( 33.6 - 36.9 )	
	16 or 17	54.4	( 52.2 - 56.7 )		50.7	( 49.1 - 52.4 )	
	18 or older	72.7	( 60.7 - 84.7 )		57.9	( 55.0 - 60.8 )	
<b>Grade</b>	9th	40.8	( 36.6 - 44.9 )		31.4	( 29.5 - 33.4 )	
	10th	46.1	( 43.9 - 48.3 )		41.9	( 39.9 - 43.8 )	
	11th	57.7	( 54.0 - 61.5 )		50.7	( 48.6 - 52.8 )	
	12th	61.0	( 55.0 - 67.0 )		54.2	( 52.2 - 56.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		46.9	( 41.5 - 52.3 )	
	Asian*	.	.		27.2	( 24.3 - 30.0 )	
	Black or African American*	.	.		33.4	( 29.0 - 37.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		51.3	( 37.7 - 64.9 )	
	White*	47.0	( 41.2 - 52.7 )		43.5	( 41.7 - 45.4 )	
	Hispanic Only or Hispanic White	52.8	( 51.1 - 54.6 )		48.3	( 46.3 - 50.3 )	
	Multiple Race or Hispanic Other Race	57.4	( 54.3 - 60.5 )		50.6	( 48.0 - 53.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	48.8	( 44.4 - 53.1 )		43.8	( 42.2 - 45.5 )	
	Gay, Lesbian, or Bisexual	53.5	( 47.8 - 59.2 )		52.2	( 49.7 - 54.7 )	
	Unsure	34.0	( 24.5 - 43.5 )		32.2	( 29.1 - 35.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 74. Percentage of students who used an electronic vapor product in the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	30.7	( 27.5 - 33.8 )	1,388	27.0	( 25.7 - 28.3 )	45,385
<b>Sex</b>	Male	32.7	( 28.6 - 36.7 )		28.0	( 26.6 - 29.3 )	
	Female	28.6	( 25.8 - 31.4 )		25.9	( 24.5 - 27.3 )	
<b>Age</b>	15 or younger	23.7	( 19.1 - 28.3 )		21.1	( 19.9 - 22.4 )	
	16 or 17	34.9	( 31.6 - 38.3 )		31.2	( 29.6 - 32.8 )	
	18 or older	46.3	( 39.2 - 53.4 )		36.7	( 34.1 - 39.3 )	
<b>Grade</b>	9th	21.5	( 18.6 - 24.3 )		18.5	( 17.2 - 19.8 )	
	10th	32.2	( 31.6 - 32.8 )		25.3	( 23.6 - 27.0 )	
	11th	37.8	( 34.2 - 41.4 )		31.7	( 29.7 - 33.6 )	
	12th	37.1	( 35.4 - 38.7 )		33.6	( 31.6 - 35.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		30.5	( 25.2 - 35.8 )	
	Asian*	.	.		16.9	( 14.1 - 19.8 )	
	Black or African American*	.	.		17.2	( 14.5 - 19.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		33.3	( 21.3 - 45.3 )	
	White*	31.0	( 27.0 - 35.0 )		29.0	( 27.5 - 30.6 )	
	Hispanic Only or Hispanic White	27.2	( 23.1 - 31.3 )		25.4	( 23.5 - 27.3 )	
	Multiple Race or Hispanic Other Race	37.4	( 33.6 - 41.2 )		30.3	( 28.6 - 32.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	30.9	( 27.6 - 34.3 )		26.8	( 25.4 - 28.1 )	
	Gay, Lesbian, or Bisexual	30.0	( 28.6 - 31.4 )		31.8	( 29.4 - 34.1 )	
	Unsure	21.5	( 8.4 - 34.6 )		20.6	( 18.1 - 23.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 75. Percentage of students who have used other tobacco products (cigar, chewing tobacco, snus, waterpipe, or bidis) in the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	13.0	( 10.7 - 15.3 )	680	10.8	( 10.2 - 11.4 )	17,269
<b>Sex</b>	Male	15.3	( 11.7 - 18.9 )		13.2	( 12.3 - 14.0 )	
	Female	10.2	( 8.8 - 11.6 )		8.4	( 7.6 - 9.2 )	
<b>Age</b>	15 or younger	7.8	( 5.0 - 10.5 )		6.5	( 5.8 - 7.1 )	
	16 or 17	17.0	( 14.6 - 19.4 )		13.5	( 12.6 - 14.4 )	
	18 or older	.	.		21.1	( 17.7 - 24.5 )	
<b>Grade</b>	9th	8.2	( 5.6 - 10.9 )		5.7	( 5.0 - 6.5 )	
	10th	9.7	( 5.9 - 13.4 )		7.7	( 6.8 - 8.7 )	
	11th	22.1	( 19.4 - 24.9 )		12.9	( 11.8 - 13.9 )	
	12th	15.9	( 13.9 - 17.9 )		17.1	( 15.6 - 18.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		13.2	( 8.6 - 17.8 )	
	Asian*	.	.		3.1	( 1.0 - 5.2 )	
	Black or African American*	.	.		6.1	( 3.5 - 8.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		22.0	( 9.0 - 34.9 )	
	White*	13.8	( 10.8 - 16.8 )		11.2	( 10.4 - 12.0 )	
	Hispanic Only or Hispanic White	9.5	( 6.5 - 12.5 )		11.0	( 9.7 - 12.3 )	
	Multiple Race or Hispanic Other Race	22.2	( 19.7 - 24.7 )		14.9	( 12.8 - 16.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	12.8	( 10.7 - 14.9 )		10.4	( 9.9 - 10.9 )	
	Gay, Lesbian, or Bisexual	17.1	( 13.1 - 21.0 )		13.9	( 11.9 - 15.8 )	
	Unsure	.	.		11.6	( 8.3 - 14.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 76. Percentage of students who smoked cigarettes, e-vapor products, or used other tobacco products on one or more of past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	30.3	( 26.1 - 34.6 )	683	32.6	( 31.2 - 34.0 )	18,751
<b>Sex</b>	Male	30.4	( 25.2 - 35.6 )		34.1	( 32.6 - 35.6 )	
	Female	30.0	( 26.3 - 33.8 )		30.9	( 29.2 - 32.5 )	
<b>Age</b>	15 or younger	23.0	( 16.8 - 29.3 )		25.8	( 24.3 - 27.3 )	
	16 or 17	35.2	( 31.6 - 38.9 )		37.0	( 35.2 - 38.8 )	
	18 or older	.	.		46.1	( 42.7 - 49.5 )	
<b>Grade</b>	9th	18.6	( 14.1 - 23.2 )		23.5	( 21.8 - 25.3 )	
	10th	31.8	( 30.5 - 33.1 )		30.0	( 27.6 - 32.4 )	
	11th	42.6	( 41.0 - 44.3 )		37.4	( 35.2 - 39.5 )	
	12th	35.2	( 29.8 - 40.6 )		39.8	( 37.4 - 42.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		28.5	( 22.3 - 34.7 )	
	Asian*	.	.		20.9	( 16.6 - 25.2 )	
	Black or African American*	.	.		21.9	( 17.1 - 26.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		33.9	( 18.8 - 49.0 )	
	White*	30.3	( 25.1 - 35.6 )		33.3	( 31.5 - 35.0 )	
	Hispanic Only or Hispanic White	29.4	( 26.1 - 32.8 )		33.6	( 31.4 - 35.8 )	
	Multiple Race or Hispanic Other Race	49.6	( 41.7 - 57.4 )		39.3	( 36.1 - 42.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	29.5	( 25.8 - 33.1 )		31.5	( 30.1 - 32.9 )	
	Gay, Lesbian, or Bisexual	32.1	( 23.7 - 40.6 )		38.3	( 35.4 - 41.2 )	
	Unsure	.	.		28.1	( 23.8 - 32.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 77. Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	60.0	( 54.0 - 65.9 )	678	58.4	( 56.6 - 60.1 )	17,294
<b>Sex</b>	Male	61.8	( 56.7 - 66.9 )		60.0	( 58.1 - 61.9 )	
	Female	57.7	( 50.4 - 65.1 )		56.6	( 54.7 - 58.5 )	
<b>Age</b>	15 or younger	44.0	( 36.6 - 51.4 )		48.3	( 46.4 - 50.3 )	
	16 or 17	69.2	( 68.5 - 69.8 )		64.3	( 62.3 - 66.3 )	
	18 or older	.	.		82.6	( 80.2 - 85.0 )	
<b>Grade</b>	9th	33.7	( 28.7 - 38.7 )		44.3	( 42.0 - 46.7 )	
	10th	63.2	( 58.0 - 68.4 )		55.2	( 52.7 - 57.6 )	
	11th	67.8	( 66.7 - 68.8 )		61.7	( 59.0 - 64.3 )	
	12th	83.5	( 79.4 - 87.7 )		73.6	( 71.7 - 75.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		49.7	( 40.3 - 59.2 )	
	Asian*	.	.		44.0	( 37.8 - 50.3 )	
	Black or African American*	.	.		44.4	( 35.9 - 52.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		63.2	( 47.9 - 78.5 )	
	White*	59.6	( 53.4 - 65.9 )		61.7	( 59.9 - 63.4 )	
	Hispanic Only or Hispanic White	60.8	( 54.6 - 67.1 )		55.5	( 53.0 - 58.0 )	
	Multiple Race or Hispanic Other Race	61.7	( 54.7 - 68.7 )		59.2	( 55.6 - 62.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	61.7	( 55.6 - 67.9 )		59.3	( 57.6 - 61.0 )	
	Gay, Lesbian, or Bisexual	58.1	( 49.5 - 66.7 )		58.5	( 56.0 - 61.0 )	
	Unsure	.	.		42.3	( 38.3 - 46.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 78. Percentage of students who definitely or probably will use an electronic vapor product if one of their best friends offers it**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	36.5	( 31.8 - 41.3 )	697	35.8	( 34.6 - 37.1 )	17,746
<b>Sex</b>	Male	32.4	( 28.2 - 36.7 )		35.1	( 33.6 - 36.5 )	
	Female	40.5	( 33.9 - 47.2 )		36.4	( 34.7 - 38.0 )	
<b>Age</b>	15 or younger	33.7	( 28.9 - 38.4 )		29.6	( 28.1 - 31.1 )	
	16 or 17	40.1	( 34.3 - 45.9 )		40.3	( 38.6 - 41.9 )	
	18 or older	.	.		45.9	( 42.5 - 49.4 )	
<b>Grade</b>	9th	35.2	( 29.4 - 41.0 )		27.0	( 25.2 - 28.8 )	
	10th	37.7	( 35.7 - 39.7 )		33.9	( 31.8 - 36.1 )	
	11th	48.5	( 43.2 - 53.9 )		39.8	( 37.5 - 42.1 )	
	12th	31.9	( 23.2 - 40.6 )		43.3	( 41.2 - 45.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		31.5	( 25.4 - 37.6 )	
	Asian*	.	.		19.2	( 16.2 - 22.2 )	
	Black or African American*	.	.		27.6	( 24.5 - 30.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		42.5	( 28.7 - 56.3 )	
	White*	33.9	( 28.4 - 39.5 )		34.8	( 33.2 - 36.4 )	
	Hispanic Only or Hispanic White	43.3	( 41.2 - 45.4 )		40.4	( 38.8 - 42.0 )	
	Multiple Race or Hispanic Other Race	57.1	( 48.4 - 65.8 )		43.4	( 39.8 - 47.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	34.7	( 31.1 - 38.4 )		35.0	( 33.6 - 36.4 )	
	Gay, Lesbian, or Bisexual	44.2	( 34.2 - 54.3 )		47.2	( 43.9 - 50.6 )	
	Unsure	.	.		28.5	( 24.7 - 32.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 79. Percentage of students who definitely or probably will use an electronic vapor product anytime in the next year**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	35.2	( 30.8 - 39.7 )	696	33.8	( 32.5 - 35.1 )	17,740
<b>Sex</b>	Male	34.9	( 30.3 - 39.5 )		34.3	( 32.8 - 35.8 )	
	Female	35.3	( 30.0 - 40.6 )		33.2	( 31.6 - 34.7 )	
<b>Age</b>	15 or younger	29.4	( 26.1 - 32.8 )		28.0	( 26.5 - 29.5 )	
	16 or 17	41.6	( 34.5 - 48.7 )		38.2	( 36.6 - 39.9 )	
	18 or older	.	.		41.3	( 37.2 - 45.5 )	
<b>Grade</b>	9th	27.1	( 22.7 - 31.6 )		25.0	( 23.2 - 26.8 )	
	10th	35.8	( 33.7 - 37.9 )		32.3	( 29.8 - 34.8 )	
	11th	46.6	( 39.6 - 53.5 )		38.2	( 35.9 - 40.4 )	
	12th	36.2	( 26.6 - 45.8 )		40.4	( 38.3 - 42.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		35.1	( 28.0 - 42.2 )	
	Asian*	.	.		18.7	( 14.4 - 22.9 )	
	Black or African American*	.	.		21.3	( 17.2 - 25.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		40.5	( 23.7 - 57.4 )	
	White*	32.8	( 28.4 - 37.2 )		35.0	( 33.3 - 36.8 )	
	Hispanic Only or Hispanic White	41.8	( 38.3 - 45.4 )		34.5	( 32.7 - 36.3 )	
	Multiple Race or Hispanic Other Race	52.5	( 42.3 - 62.6 )		40.2	( 36.8 - 43.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	33.7	( 30.1 - 37.3 )		33.5	( 32.2 - 34.8 )	
	Gay, Lesbian, or Bisexual	43.0	( 34.2 - 51.9 )		41.1	( 37.5 - 44.7 )	
	Unsure	.	.		26.1	( 22.4 - 29.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 80. Among students who were less than 18 years of age and who reported current electronic vapor product use, the percentage who got their own electronic vapor products by buying them in a gas station, convenience store, grocery store, or drugstore**

Question: During the past 30 days, where did you buy your own electronic vapor products? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	5.4	( 3.1 - 7.7 )	61	23.6	( 20.5 - 26.8 )	1,735
<b>Sex</b>	Male	.	.		25.9	( 21.9 - 29.9 )	
	Female	.	.		21.4	( 17.0 - 25.7 )	
<b>Age</b>	15 or younger	.	.		16.0	( 11.5 - 20.5 )	
	16 or 17	.	.		28.0	( 24.5 - 31.4 )	
<b>Grade</b>	9th	.	.		14.1	( 9.9 - 18.3 )	
	10th	.	.		19.6	( 14.4 - 24.9 )	
	11th	.	.		29.4	( 24.8 - 34.1 )	
	12th	.	.		28.2	( 22.8 - 33.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		.	.	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		24.5	( 21.2 - 27.8 )	
	Hispanic Only or Hispanic White	.	.		19.6	( 15.3 - 23.9 )	
	Multiple Race or Hispanic Other Race	.	.		21.1	( 12.9 - 29.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	3.6	( 0.4 - 6.8 )		24.7	( 21.7 - 27.7 )	
	Gay, Lesbian, or Bisexual	.	.		14.9	( 4.9 - 24.8 )	
	Unsure	.	.		28.8	( 16.9 - 40.8 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 81. Among students who got electronic vapor products in the past 30 days, the percentage who got it from a gas station**  
 Question: During the past 30 days, where did you buy your own electronic vapor products? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	6.9	( 4.5 - 9.2 )	78	19.4	( 16.6 - 22.1 )	2,286
<b>Sex</b>	Male	.	.		20.5	( 17.3 - 23.6 )	
	Female	.	.		18.1	( 14.1 - 22.0 )	
<b>Age</b>	15 or younger	.	.		11.8	( 8.3 - 15.3 )	
	16 or 17	.	.		20.2	( 16.7 - 23.6 )	
	18 or older	.	.		35.6	( 27.0 - 44.3 )	
<b>Grade</b>	9th	.	.		12.2	( 7.5 - 16.9 )	
	10th	.	.		12.5	( 9.0 - 16.0 )	
	11th	.	.		20.1	( 16.1 - 24.0 )	
	12th	.	.		27.5	( 23.1 - 31.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		13.8	( 4.0 - 23.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		21.7	( 18.6 - 24.8 )	
	Hispanic Only or Hispanic White	.	.		16.5	( 11.9 - 21.1 )	
	Multiple Race or Hispanic Other Race	.	.		12.4	( 6.4 - 18.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	3.5	( 1.1 - 5.8 )		20.4	( 17.6 - 23.2 )	
	Gay, Lesbian, or Bisexual	.	.		9.9	( 3.6 - 16.2 )	
	Unsure	.	.		25.9	( 17.0 - 34.7 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 82. Among students who got electronic vapor products in the past 30 days, the percentage who got it from a convenience store**  
 Question: During the past 30 days, where did you buy your own electronic vapor products? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	5.4	( 2.7 - 8.0 )	78	8.0	( 6.7 - 9.4 )	2,286
<b>Sex</b>	Male	.	.		9.7	( 7.6 - 11.9 )	
	Female	.	.		6.1	( 4.3 - 7.8 )	
<b>Age</b>	15 or younger	.	.		4.9	( 3.1 - 6.6 )	
	16 or 17	.	.		7.3	( 5.5 - 9.1 )	
	18 or older	.	.		19.1	( 11.5 - 26.7 )	
<b>Grade</b>	9th	.	.		4.8	( 1.8 - 7.8 )	
	10th	.	.		5.3	( 2.8 - 7.8 )	
	11th	.	.		8.0	( 5.4 - 10.5 )	
	12th	.	.		11.7	( 8.4 - 15.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		9.4	( 1.9 - 16.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		7.8	( 6.0 - 9.7 )	
	Hispanic Only or Hispanic White	.	.		7.0	( 4.6 - 9.5 )	
	Multiple Race or Hispanic Other Race	.	.		10.2	( 4.6 - 15.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	1.7	( 0.3 - 3.0 )		7.5	( 6.3 - 8.7 )	
	Gay, Lesbian, or Bisexual	.	.		11.0	( 2.5 - 19.4 )	
	Unsure	.	.		8.5	( 2.9 - 14.2 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 83. Among students who got electronic vapor products in the past 30 days, the percentage who got it from a grocery store**  
 Question: During the past 30 days, where did you buy your own electronic vapor products? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	3.3	( 1.9 - 4.6 )	78	3.2	( 2.2 - 4.2 )	2,286
<b>Sex</b>	Male	.	.		4.6	( 3.0 - 6.3 )	
	Female	.	.		1.3	( 0.5 - 2.1 )	
<b>Age</b>	15 or younger	.	.		2.5	( 1.1 - 4.0 )	
	16 or 17	.	.		2.9	( 1.5 - 4.3 )	
	18 or older	.	.		5.7	( 2.0 - 9.4 )	
<b>Grade</b>	9th	.	.		2.3	( 0.0 - 4.5 )	
	10th	.	.		3.9	( 0.9 - 6.9 )	
	11th	.	.		3.2	( 1.2 - 5.2 )	
	12th	.	.		3.1	( 1.6 - 4.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		1.9	( 0.0 - 4.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		2.9	( 1.5 - 4.3 )	
	Hispanic Only or Hispanic White	.	.		2.8	( 1.0 - 4.6 )	
	Multiple Race or Hispanic Other Race	.	.		3.3	( 1.4 - 5.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	3.9	( 2.0 - 5.9 )		3.1	( 2.1 - 4.1 )	
	Gay, Lesbian, or Bisexual	.	.		3.1	( 0.2 - 6.0 )	
	Unsure	.	.		6.9	( 2.2 - 11.5 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 84. Among students who got electronic vapor products in the past 30 days, the percentage who got it from a drugstore**  
 Question: During the past 30 days, where did you buy your own electronic vapor products? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	2.0	( 0.0 - 4.0 )	78	5.8	( 4.5 - 7.1 )	2,286
<b>Sex</b>	Male	.	.		7.0	( 5.0 - 9.0 )	
	Female	.	.		4.4	( 2.7 - 6.1 )	
<b>Age</b>	15 or younger	.	.		5.1	( 3.2 - 7.0 )	
	16 or 17	.	.		5.1	( 3.9 - 6.4 )	
	18 or older	.	.		10.3	( 5.0 - 15.6 )	
<b>Grade</b>	9th	.	.		3.0	( 0.7 - 5.2 )	
	10th	.	.		4.0	( 2.2 - 5.7 )	
	11th	.	.		7.3	( 5.1 - 9.6 )	
	12th	.	.		7.3	( 4.7 - 9.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		1.8	( 0.1 - 3.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		5.0	( 3.5 - 6.5 )	
	Hispanic Only or Hispanic White	.	.		6.0	( 3.6 - 8.3 )	
	Multiple Race or Hispanic Other Race	.	.		10.6	( 6.0 - 15.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	2.4	( 0.0 - 4.7 )		5.4	( 4.1 - 6.7 )	
	Gay, Lesbian, or Bisexual	.	.		5.9	( 2.0 - 9.8 )	
	Unsure	.	.		9.4	( 3.3 - 15.5 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 85. Among students who got electronic vapor products in the past 30 days, the percentage who got it from a vending machine**  
 Question: During the past 30 days, where did you buy your own electronic vapor products? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	2.3	( 0.8 - 3.9 )	78	2.7	( 1.8 - 3.7 )	2,286
<b>Sex</b>	Male	.	.		4.0	( 2.3 - 5.8 )	
	Female	.	.		1.1	( 0.3 - 2.0 )	
<b>Age</b>	15 or younger	.	.		3.2	( 1.6 - 4.8 )	
	16 or 17	.	.		2.2	( 0.9 - 3.5 )	
	18 or older	.	.		3.6	( 1.6 - 5.5 )	
<b>Grade</b>	9th	.	.		4.2	( 1.4 - 7.1 )	
	10th	.	.		2.4	( 0.7 - 4.1 )	
	11th	.	.		1.5	( 0.6 - 2.5 )	
	12th	.	.		2.9	( 1.0 - 4.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		11.8	( 0.4 - 23.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		2.2	( 1.0 - 3.4 )	
	Hispanic Only or Hispanic White	.	.		1.5	( 0.6 - 2.3 )	
	Multiple Race or Hispanic Other Race	.	.		4.4	( 1.9 - 6.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	1.3	( 0.0 - 2.6 )		2.5	( 1.3 - 3.6 )	
	Gay, Lesbian, or Bisexual	.	.		2.2	( 0.1 - 4.3 )	
	Unsure	.	.		8.6	( 2.3 - 14.8 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 86. Among students who got electronic vapor products in the past 30 days, the percentage who got it on the internet**

Question: During the past 30 days, where did you buy your own electronic vapor products? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	23.8	( 17.2 - 30.3 )	78	16.5	( 14.8 - 18.2 )	2,286
<b>Sex</b>	Male	.	.		19.5	( 16.7 - 22.4 )	
	Female	.	.		12.7	( 10.1 - 15.2 )	
<b>Age</b>	15 or younger	.	.		14.1	( 11.5 - 16.8 )	
	16 or 17	.	.		19.0	( 16.0 - 21.9 )	
	18 or older	.	.		12.5	( 7.4 - 17.6 )	
<b>Grade</b>	9th	.	.		12.8	( 8.6 - 17.0 )	
	10th	.	.		19.6	( 14.7 - 24.5 )	
	11th	.	.		18.1	( 13.3 - 22.8 )	
	12th	.	.		15.6	( 11.6 - 19.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		9.3	( 0.6 - 17.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		17.0	( 14.5 - 19.5 )	
	Hispanic Only or Hispanic White	.	.		15.7	( 12.0 - 19.3 )	
	Multiple Race or Hispanic Other Race	.	.		21.4	( 14.6 - 28.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	20.6	( 14.5 - 26.7 )		16.5	( 14.7 - 18.3 )	
	Gay, Lesbian, or Bisexual	.	.		18.1	( 11.6 - 24.5 )	
	Unsure	.	.		14.7	( 4.8 - 24.6 )	

\* Non-Hispanic.

. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 87. Among students who got electronic vapor products in the past 30 days, the percentage who got it through the mail**  
 Question: During the past 30 days, where did you buy your own electronic vapor products? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	4.7	( 3.3 - 6.1 )	78	4.5	( 3.4 - 5.6 )	2,286
<b>Sex</b>	Male	.	.		5.2	( 3.7 - 6.8 )	
	Female	.	.		3.7	( 2.2 - 5.1 )	
<b>Age</b>	15 or younger	.	.		3.9	( 2.4 - 5.4 )	
	16 or 17	.	.		5.4	( 3.7 - 7.0 )	
	18 or older	.	.		2.6	( 1.1 - 4.1 )	
<b>Grade</b>	9th	.	.		3.2	( 0.9 - 5.4 )	
	10th	.	.		5.4	( 3.0 - 7.9 )	
	11th	.	.		6.2	( 3.3 - 9.1 )	
	12th	.	.		3.2	( 1.6 - 4.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		9.4	( 0.0 - 19.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		4.7	( 3.2 - 6.2 )	
	Hispanic Only or Hispanic White	.	.		3.5	( 1.8 - 5.3 )	
	Multiple Race or Hispanic Other Race	.	.		6.0	( 3.2 - 8.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	5.6	( 3.7 - 7.5 )		4.1	( 2.8 - 5.3 )	
	Gay, Lesbian, or Bisexual	.	.		5.9	( 2.2 - 9.5 )	
	Unsure	.	.		8.8	( 1.2 - 16.5 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 88. Among students who got electronic vapor products in the past 30 days, the percentage who got it at some other place**  
 Question: During the past 30 days, where did you buy your own electronic vapor products? (You can choose one answer or more than one answer)

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	71.3	( 62.6 - 80.0 )	78	62.6	( 59.8 - 65.3 )	2,286
<b>Sex</b>	Male	.	.		58.8	( 55.1 - 62.6 )	
	Female	.	.		67.4	( 63.9 - 71.0 )	
<b>Age</b>	15 or younger	.	.		74.9	( 71.0 - 78.8 )	
	16 or 17	.	.		60.0	( 56.2 - 63.9 )	
	18 or older	.	.		42.1	( 33.9 - 50.3 )	
<b>Grade</b>	9th	.	.		76.6	( 71.9 - 81.3 )	
	10th	.	.		70.4	( 66.8 - 74.1 )	
	11th	.	.		60.4	( 54.4 - 66.4 )	
	12th	.	.		51.3	( 45.7 - 56.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		53.2	( 29.0 - 77.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	.	.		63.8	( 60.1 - 67.6 )	
	Hispanic Only or Hispanic White	.	.		63.8	( 59.6 - 68.0 )	
	Multiple Race or Hispanic Other Race	.	.		57.9	( 51.2 - 64.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	77.6	( 69.2 - 85.9 )		62.5	( 59.8 - 65.1 )	
	Gay, Lesbian, or Bisexual	.	.		69.0	( 61.6 - 76.4 )	
	Unsure	.	.		49.9	( 36.5 - 63.2 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 89. Percentage of students who were inside their home while someone was smoking a cigarette, cigar, or pipe, or using an electronic vapor product for one or more days in the past 7 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	22.0	( 20.9 - 23.1 )	692	20.3	( 19.3 - 21.4 )	17,663
<b>Sex</b>	Male	22.8	( 19.4 - 26.1 )		19.2	( 17.9 - 20.5 )	
	Female	20.8	( 17.5 - 24.1 )		21.4	( 20.1 - 22.7 )	
<b>Age</b>	15 or younger	19.5	( 17.4 - 21.5 )		18.0	( 16.6 - 19.4 )	
	16 or 17	26.2	( 22.2 - 30.2 )		22.0	( 20.6 - 23.4 )	
	18 or older	.	.		24.0	( 21.0 - 27.0 )	
<b>Grade</b>	9th	21.4	( 19.1 - 23.8 )		17.7	( 15.7 - 19.7 )	
	10th	15.9	( 13.8 - 18.1 )		19.3	( 17.8 - 20.8 )	
	11th	31.0	( 27.2 - 34.8 )		21.7	( 20.1 - 23.2 )	
	12th	19.7	( 16.7 - 22.8 )		22.7	( 20.6 - 24.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		21.9	( 14.9 - 29.0 )	
	Asian*	.	.		14.2	( 10.0 - 18.5 )	
	Black or African American*	.	.		20.0	( 15.7 - 24.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		22.4	( 9.8 - 35.0 )	
	White*	20.8	( 18.8 - 22.8 )		21.6	( 20.1 - 23.2 )	
	Hispanic Only or Hispanic White	25.5	( 19.8 - 31.2 )		17.8	( 16.3 - 19.3 )	
	Multiple Race or Hispanic Other Race	36.9	( 29.1 - 44.6 )		26.4	( 24.3 - 28.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	21.4	( 19.8 - 22.9 )		18.6	( 17.6 - 19.7 )	
	Gay, Lesbian, or Bisexual	31.3	( 17.9 - 44.7 )		32.6	( 29.8 - 35.3 )	
	Unsure	.	.		24.3	( 20.8 - 27.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 90. Percentage of students who were inside their car while their parent or guardian was smoking a cigarette, cigar, or pipe, or using an electronic vapor product for one or more days in the past 7 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	16.7	( 15.7 - 17.8 )	686	13.1	( 12.0 - 14.1 )	17,562
<b>Sex</b>	Male	16.2	( 13.8 - 18.7 )		12.2	( 11.1 - 13.2 )	
	Female	17.4	( 15.3 - 19.5 )		13.9	( 12.4 - 15.5 )	
<b>Age</b>	15 or younger	17.8	( 16.3 - 19.3 )		12.4	( 11.0 - 13.7 )	
	16 or 17	17.0	( 14.3 - 19.6 )		13.4	( 12.3 - 14.6 )	
	18 or older	.	.		15.6	( 13.2 - 18.0 )	
<b>Grade</b>	9th	16.1	( 12.4 - 19.9 )		12.8	( 11.2 - 14.5 )	
	10th	18.9	( 14.9 - 22.9 )		13.3	( 11.7 - 14.8 )	
	11th	18.5	( 15.5 - 21.5 )		12.8	( 11.6 - 14.0 )	
	12th	11.6	( 9.9 - 13.3 )		13.1	( 11.7 - 14.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		20.4	( 14.5 - 26.3 )	
	Asian*	.	.		7.1	( 4.1 - 10.0 )	
	Black or African American*	.	.		14.3	( 11.4 - 17.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		13.2	( 4.2 - 22.2 )	
	White*	16.9	( 15.3 - 18.5 )		13.5	( 12.0 - 14.9 )	
	Hispanic Only or Hispanic White	13.9	( 10.4 - 17.4 )		11.7	( 10.5 - 12.9 )	
	Multiple Race or Hispanic Other Race	34.7	( 25.7 - 43.7 )		18.1	( 15.6 - 20.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	15.0	( 13.3 - 16.8 )		11.6	( 10.5 - 12.7 )	
	Gay, Lesbian, or Bisexual	30.5	( 23.8 - 37.2 )		23.9	( 21.2 - 26.5 )	
	Unsure	.	.		14.9	( 12.2 - 17.6 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 91. Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harm**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	87.8	( 86.9 - 88.6 )	690	87.4	( 86.4 - 88.5 )	17,591
<b>Sex</b>	Male	88.3	( 86.2 - 90.4 )		85.7	( 84.4 - 87.1 )	
	Female	87.5	( 86.0 - 89.0 )		89.5	( 88.5 - 90.6 )	
<b>Age</b>	15 or younger	88.4	( 86.6 - 90.2 )		87.8	( 86.6 - 89.0 )	
	16 or 17	88.0	( 86.7 - 89.2 )		87.4	( 86.2 - 88.6 )	
	18 or older	.	.		86.2	( 83.9 - 88.4 )	
<b>Grade</b>	9th	84.7	( 77.5 - 91.8 )		87.0	( 85.7 - 88.3 )	
	10th	86.5	( 83.6 - 89.4 )		88.6	( 87.4 - 89.8 )	
	11th	85.9	( 83.8 - 88.0 )		87.0	( 85.3 - 88.7 )	
	12th	89.7	( 88.7 - 90.6 )		87.2	( 85.4 - 89.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		83.3	( 78.0 - 88.6 )	
	Asian*	.	.		90.0	( 87.5 - 92.5 )	
	Black or African American*	.	.		79.0	( 74.7 - 83.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		85.6	( 76.2 - 95.1 )	
	White*	88.1	( 87.1 - 89.1 )		89.8	( 89.1 - 90.6 )	
	Hispanic Only or Hispanic White	85.7	( 82.1 - 89.4 )		84.1	( 82.3 - 85.9 )	
	Multiple Race or Hispanic Other Race	89.0	( 87.7 - 90.3 )		83.0	( 79.8 - 86.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	88.0	( 87.0 - 89.0 )		87.8	( 86.8 - 88.9 )	
	Gay, Lesbian, or Bisexual	86.9	( 84.5 - 89.3 )		88.8	( 87.1 - 90.5 )	
	Unsure	.	.		78.9	( 75.0 - 82.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 92. Percentage of students who think it is wrong/very wrong for someone same age to smoke cigarettes**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	77.7	( 76.5 - 79.0 )	688	81.7	( 80.8 - 82.7 )	17,579
<b>Sex</b>	Male	72.3	( 68.3 - 76.2 )		79.9	( 78.7 - 81.0 )	
	Female	83.1	( 79.9 - 86.3 )		84.0	( 82.8 - 85.2 )	
<b>Age</b>	15 or younger	82.2	( 79.1 - 85.4 )		86.8	( 85.5 - 88.0 )	
	16 or 17	77.4	( 76.1 - 78.8 )		79.4	( 78.2 - 80.5 )	
	18 or older	.	.		66.1	( 63.3 - 68.9 )	
<b>Grade</b>	9th	79.0	( 76.0 - 81.9 )		88.0	( 86.7 - 89.4 )	
	10th	80.6	( 74.6 - 86.6 )		84.2	( 82.6 - 85.8 )	
	11th	77.5	( 74.4 - 80.6 )		80.4	( 78.9 - 82.0 )	
	12th	72.9	( 69.8 - 75.9 )		73.8	( 72.1 - 75.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		79.2	( 72.1 - 86.2 )	
	Asian*	.	.		85.7	( 81.7 - 89.6 )	
	Black or African American*	.	.		83.6	( 81.3 - 85.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		76.2	( 62.4 - 89.9 )	
	White*	76.9	( 75.0 - 78.8 )		81.3	( 80.1 - 82.5 )	
	Hispanic Only or Hispanic White	79.9	( 76.7 - 83.1 )		82.5	( 81.1 - 83.8 )	
	Multiple Race or Hispanic Other Race	74.9	( 66.7 - 83.1 )		76.6	( 72.4 - 80.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	78.3	( 77.2 - 79.4 )		83.3	( 82.4 - 84.2 )	
	Gay, Lesbian, or Bisexual	78.1	( 68.1 - 88.1 )		71.5	( 68.7 - 74.4 )	
	Unsure	.	.		75.4	( 71.1 - 79.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 93. Percentage of students who think adults in their neighborhood think it is wrong or very wrong for kids to smoke cigarettes**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	87.3	( 85.4 - 89.1 )	683	87.7	( 87.0 - 88.5 )	17,368
<b>Sex</b>	Male	84.6	( 81.2 - 88.0 )		87.0	( 86.0 - 88.0 )	
	Female	90.2	( 89.3 - 91.0 )		88.8	( 87.8 - 89.7 )	
<b>Age</b>	15 or younger	87.9	( 84.9 - 90.9 )		89.8	( 88.9 - 90.7 )	
	16 or 17	86.3	( 84.0 - 88.6 )		86.6	( 85.4 - 87.7 )	
	18 or older	.	.		83.1	( 79.9 - 86.2 )	
<b>Grade</b>	9th	92.1	( 90.8 - 93.4 )		90.2	( 89.0 - 91.4 )	
	10th	80.3	( 77.8 - 82.8 )		88.8	( 87.6 - 89.9 )	
	11th	86.2	( 83.0 - 89.5 )		86.9	( 85.8 - 88.1 )	
	12th	89.6	( 88.4 - 90.9 )		84.9	( 83.1 - 86.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		82.0	( 76.6 - 87.5 )	
	Asian*	.	.		90.1	( 87.0 - 93.2 )	
	Black or African American*	.	.		78.8	( 74.9 - 82.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		83.0	( 72.4 - 93.7 )	
	White*	88.3	( 85.8 - 90.8 )		88.6	( 87.8 - 89.5 )	
	Hispanic Only or Hispanic White	84.7	( 83.2 - 86.3 )		88.0	( 87.0 - 88.9 )	
	Multiple Race or Hispanic Other Race	82.8	( 76.2 - 89.5 )		81.1	( 75.9 - 86.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	88.3	( 85.9 - 90.6 )		88.8	( 88.1 - 89.6 )	
	Gay, Lesbian, or Bisexual	82.7	( 78.8 - 86.6 )		80.4	( 78.0 - 82.7 )	
	Unsure	.	.		84.6	( 81.7 - 87.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 94. Percentage of students who think breathing second hand smoke has a moderate or great risk**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	71.3	( 69.2 - 73.5 )	681	70.6	( 69.7 - 71.5 )	17,258
<b>Sex</b>	Male	72.1	( 70.7 - 73.5 )		68.4	( 67.1 - 69.7 )	
	Female	70.6	( 67.0 - 74.2 )		73.2	( 72.0 - 74.5 )	
<b>Age</b>	15 or younger	70.4	( 67.9 - 72.9 )		71.5	( 70.1 - 72.9 )	
	16 or 17	74.3	( 71.1 - 77.5 )		70.1	( 68.9 - 71.3 )	
	18 or older	.	.		69.2	( 65.1 - 73.3 )	
<b>Grade</b>	9th	77.1	( 72.2 - 82.0 )		71.9	( 70.3 - 73.5 )	
	10th	69.5	( 64.6 - 74.3 )		70.4	( 68.6 - 72.2 )	
	11th	75.1	( 71.1 - 79.1 )		69.7	( 68.1 - 71.3 )	
	12th	69.1	( 63.2 - 75.1 )		70.8	( 68.7 - 73.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		64.8	( 56.9 - 72.7 )	
	Asian*	.	.		77.2	( 72.9 - 81.5 )	
	Black or African American*	.	.		74.5	( 70.3 - 78.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		67.3	( 54.5 - 80.2 )	
	White*	71.2	( 69.6 - 72.7 )		69.9	( 68.5 - 71.2 )	
	Hispanic Only or Hispanic White	72.0	( 64.5 - 79.4 )		71.1	( 69.5 - 72.6 )	
	Multiple Race or Hispanic Other Race	63.6	( 51.8 - 75.3 )		69.6	( 66.1 - 73.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	71.5	( 69.2 - 73.8 )		70.1	( 69.0 - 71.2 )	
	Gay, Lesbian, or Bisexual	72.3	( 68.5 - 76.1 )		74.7	( 72.0 - 77.4 )	
	Unsure	.	.		71.2	( 66.8 - 75.6 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 95. Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	44.5	( 41.6 - 47.4 )	686	49.8	( 48.1 - 51.5 )	17,450
<b>Sex</b>	Male	41.0	( 38.7 - 43.3 )		44.5	( 42.4 - 46.5 )	
	Female	48.3	( 44.3 - 52.3 )		55.7	( 53.7 - 57.6 )	
<b>Age</b>	15 or younger	50.2	( 46.4 - 54.0 )		54.9	( 52.9 - 56.9 )	
	16 or 17	41.6	( 39.0 - 44.2 )		46.0	( 44.0 - 48.0 )	
	18 or older	.	.		44.0	( 40.3 - 47.8 )	
<b>Grade</b>	9th	57.3	( 49.0 - 65.5 )		57.0	( 54.6 - 59.4 )	
	10th	43.6	( 41.9 - 45.4 )		50.9	( 48.3 - 53.5 )	
	11th	37.2	( 32.7 - 41.7 )		46.6	( 44.2 - 48.9 )	
	12th	40.1	( 36.8 - 43.4 )		44.6	( 41.7 - 47.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		50.0	( 41.3 - 58.7 )	
	Asian*	.	.		56.2	( 48.2 - 64.3 )	
	Black or African American*	.	.		50.3	( 40.7 - 59.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		31.1	( 15.0 - 47.3 )	
	White*	46.6	( 41.1 - 52.1 )		52.4	( 50.5 - 54.4 )	
	Hispanic Only or Hispanic White	38.0	( 33.0 - 43.1 )		44.0	( 42.1 - 46.0 )	
	Multiple Race or Hispanic Other Race	35.4	( 26.7 - 44.0 )		43.4	( 40.3 - 46.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	44.2	( 41.0 - 47.4 )		49.5	( 47.6 - 51.4 )	
	Gay, Lesbian, or Bisexual	43.6	( 33.3 - 53.8 )		51.1	( 47.6 - 54.5 )	
	Unsure	.	.		54.0	( 49.0 - 59.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 96. Percentage of students who think breathing second hand vapor has a moderate or great risk**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	39.7	( 38.7 - 40.8 )	676	40.9	( 39.7 - 42.1 )	17,301
<b>Sex</b>	Male	35.1	( 32.3 - 37.9 )		35.4	( 34.0 - 36.9 )	
	Female	44.8	( 41.2 - 48.3 )		46.7	( 45.2 - 48.2 )	
<b>Age</b>	15 or younger	42.3	( 40.7 - 43.8 )		46.0	( 44.2 - 47.9 )	
	16 or 17	39.7	( 38.4 - 40.9 )		36.9	( 35.6 - 38.2 )	
	18 or older	.	.		35.6	( 31.9 - 39.4 )	
<b>Grade</b>	9th	52.4	( 47.2 - 57.5 )		47.5	( 44.9 - 50.1 )	
	10th	37.8	( 34.3 - 41.4 )		43.6	( 41.1 - 46.2 )	
	11th	37.1	( 34.8 - 39.4 )		37.8	( 35.7 - 39.9 )	
	12th	35.8	( 33.3 - 38.4 )		34.3	( 32.7 - 35.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		50.4	( 42.0 - 58.9 )	
	Asian*	.	.		47.3	( 39.8 - 54.7 )	
	Black or African American*	.	.		50.1	( 42.5 - 57.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		31.6	( 13.3 - 49.9 )	
	White*	39.8	( 37.6 - 42.0 )		39.0	( 37.5 - 40.5 )	
	Hispanic Only or Hispanic White	40.5	( 35.9 - 45.2 )		42.8	( 40.5 - 45.0 )	
	Multiple Race or Hispanic Other Race	34.3	( 21.4 - 47.1 )		37.6	( 33.9 - 41.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	39.6	( 38.4 - 40.8 )		40.3	( 39.2 - 41.5 )	
	Gay, Lesbian, or Bisexual	44.8	( 38.2 - 51.5 )		41.4	( 38.2 - 44.7 )	
	Unsure	.	.		48.4	( 42.6 - 54.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 97. Percentage of students who ever had at least one drink of alcohol**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	67.1	( 63.7 - 70.5 )	1,338	59.0	( 57.6 - 60.3 )	43,245
<b>Sex</b>	Male	64.3	( 58.6 - 70.0 )		56.4	( 54.8 - 58.1 )	
	Female	69.9	( 68.0 - 71.8 )		61.5	( 60.1 - 62.9 )	
<b>Age</b>	15 or younger	59.8	( 55.0 - 64.6 )		49.4	( 47.9 - 50.8 )	
	16 or 17	73.6	( 72.3 - 74.9 )		66.3	( 64.7 - 67.9 )	
	18 or older	73.5	( 64.9 - 82.1 )		72.2	( 69.7 - 74.7 )	
<b>Grade</b>	9th	54.5	( 49.2 - 59.8 )		44.2	( 42.5 - 45.9 )	
	10th	69.5	( 66.9 - 72.2 )		57.1	( 55.4 - 58.9 )	
	11th	76.7	( 74.9 - 78.4 )		65.2	( 63.3 - 67.0 )	
	12th	75.3	( 71.5 - 79.1 )		71.2	( 69.5 - 72.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		49.0	( 41.5 - 56.6 )	
	Asian*	.	.		39.4	( 35.8 - 42.9 )	
	Black or African American*	.	.		43.1	( 37.5 - 48.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		64.6	( 51.9 - 77.3 )	
	White*	64.8	( 61.1 - 68.5 )		60.9	( 59.7 - 62.1 )	
	Hispanic Only or Hispanic White	74.1	( 70.4 - 77.9 )		60.0	( 57.9 - 62.1 )	
	Multiple Race or Hispanic Other Race	68.0	( 63.7 - 72.4 )		61.2	( 58.5 - 63.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	66.5	( 62.8 - 70.1 )		57.9	( 56.6 - 59.3 )	
	Gay, Lesbian, or Bisexual	74.6	( 72.0 - 77.2 )		72.8	( 70.6 - 75.0 )	
	Unsure	.	.		52.7	( 49.0 - 56.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 98. Percentage of students who had their first drink of alcohol, other than a few sips, before age 13 years**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	19.2	( 17.5 - 21.0 )	1,323	15.0	( 14.3 - 15.7 )	33,022
<b>Sex</b>	Male	20.6	( 18.4 - 22.9 )		16.7	( 15.9 - 17.6 )	
	Female	18.0	( 14.2 - 21.8 )		13.1	( 12.3 - 13.9 )	
<b>Age</b>	15 or younger	24.0	( 22.1 - 25.8 )		17.3	( 16.1 - 18.5 )	
	16 or 17	15.0	( 14.1 - 16.0 )		13.0	( 12.2 - 13.8 )	
	18 or older	17.0	( 14.7 - 19.3 )		13.5	( 11.4 - 15.5 )	
<b>Grade</b>	9th	28.5	( 24.4 - 32.6 )		18.0	( 16.5 - 19.5 )	
	10th	19.1	( 17.1 - 21.1 )		16.0	( 14.8 - 17.2 )	
	11th	15.1	( 13.8 - 16.4 )		13.4	( 12.2 - 14.6 )	
	12th	16.0	( 13.8 - 18.3 )		11.7	( 10.6 - 12.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		15.2	( 11.7 - 18.8 )	
	Asian*	.	.		11.0	( 8.1 - 13.8 )	
	Black or African American*	.	.		11.0	( 8.5 - 13.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		19.8	( 12.6 - 27.0 )	
	White*	19.3	( 17.4 - 21.2 )		13.7	( 13.0 - 14.4 )	
	Hispanic Only or Hispanic White	17.5	( 16.3 - 18.6 )		18.2	( 17.2 - 19.2 )	
	Multiple Race or Hispanic Other Race	22.8	( 20.7 - 24.9 )		19.6	( 17.9 - 21.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	17.3	( 16.1 - 18.4 )		13.9	( 13.1 - 14.6 )	
	Gay, Lesbian, or Bisexual	33.2	( 28.3 - 38.2 )		22.1	( 20.7 - 23.5 )	
	Unsure	.	.		19.2	( 17.3 - 21.1 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 99. Percentage of students who had at least one drink of alcohol on one or more of the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	31.5	( 27.6 - 35.4 )	1,280	28.7	( 27.6 - 29.9 )	42,373
<b>Sex</b>	Male	29.5	( 25.4 - 33.6 )		26.6	( 25.4 - 27.8 )	
	Female	33.8	( 29.8 - 37.8 )		31.0	( 29.5 - 32.4 )	
<b>Age</b>	15 or younger	25.6	( 20.9 - 30.3 )		20.8	( 19.7 - 21.9 )	
	16 or 17	36.0	( 30.9 - 41.1 )		34.6	( 33.1 - 36.1 )	
	18 or older	39.7	( 36.7 - 42.7 )		41.3	( 38.3 - 44.2 )	
<b>Grade</b>	9th	20.8	( 18.2 - 23.4 )		16.5	( 15.3 - 17.7 )	
	10th	34.6	( 29.1 - 40.0 )		26.5	( 25.1 - 27.9 )	
	11th	40.9	( 34.6 - 47.2 )		33.3	( 31.6 - 35.0 )	
	12th	35.0	( 33.5 - 36.5 )		40.0	( 38.1 - 42.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		25.2	( 16.2 - 34.1 )	
	Asian*	.	.		15.3	( 11.8 - 18.7 )	
	Black or African American*	.	.		16.9	( 14.1 - 19.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		31.8	( 23.6 - 40.0 )	
	White*	29.6	( 25.1 - 34.2 )		30.5	( 29.0 - 31.9 )	
	Hispanic Only or Hispanic White	37.2	( 34.0 - 40.4 )		29.2	( 27.9 - 30.5 )	
	Multiple Race or Hispanic Other Race	33.4	( 29.9 - 36.9 )		27.6	( 24.8 - 30.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	31.5	( 27.6 - 35.4 )		28.0	( 26.9 - 29.1 )	
	Gay, Lesbian, or Bisexual	34.4	( 26.3 - 42.4 )		37.7	( 34.9 - 40.5 )	
	Unsure	.	.		24.0	( 21.0 - 27.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 100. Percentage of students who binge drank (4+ drinks for females, 5+ drinks for males, within a couple of hours) on one or more of the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	17.7	( 15.1 - 20.2 )	1,354	16.0	( 15.2 - 16.8 )	44,472
<b>Sex</b>	Male	15.2	( 13.4 - 17.1 )		15.0	( 14.2 - 15.9 )	
	Female	20.2	( 16.4 - 24.0 )		16.9	( 15.9 - 17.9 )	
<b>Age</b>	15 or younger	12.0	( 10.5 - 13.5 )		10.6	( 9.8 - 11.4 )	
	16 or 17	22.4	( 17.5 - 27.3 )		19.9	( 18.9 - 20.9 )	
	18 or older	23.8	( 22.5 - 25.2 )		24.6	( 21.6 - 27.7 )	
<b>Grade</b>	9th	13.2	( 9.4 - 17.0 )		8.0	( 7.3 - 8.7 )	
	10th	14.4	( 12.1 - 16.7 )		14.2	( 13.1 - 15.2 )	
	11th	26.3	( 19.6 - 33.0 )		19.0	( 17.9 - 20.1 )	
	12th	21.8	( 20.3 - 23.3 )		23.6	( 21.9 - 25.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		15.9	( 11.7 - 20.1 )	
	Asian*	.	.		7.1	( 5.1 - 9.2 )	
	Black or African American*	.	.		8.8	( 6.9 - 10.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		12.6	( 6.9 - 18.3 )	
	White*	16.5	( 13.6 - 19.4 )		16.8	( 15.8 - 17.8 )	
	Hispanic Only or Hispanic White	18.8	( 16.4 - 21.2 )		16.5	( 15.5 - 17.5 )	
	Multiple Race or Hispanic Other Race	26.3	( 21.7 - 30.9 )		16.8	( 14.5 - 19.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	18.0	( 15.0 - 21.0 )		15.7	( 14.9 - 16.5 )	
	Gay, Lesbian, or Bisexual	17.2	( 16.0 - 18.4 )		19.7	( 17.8 - 21.6 )	
	Unsure	.	.		13.2	( 10.8 - 15.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 101. Percentage of students who think a typical student drank one or more days in the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	86.4	( 81.7 - 91.1 )	629	81.6	( 80.2 - 82.9 )	20,881
<b>Sex</b>	Male	78.9	( 70.4 - 87.5 )		75.2	( 73.4 - 77.1 )	
	Female	94.9	( 93.1 - 96.7 )		88.1	( 86.9 - 89.3 )	
<b>Age</b>	15 or younger	79.5	( 71.7 - 87.4 )		79.5	( 77.9 - 81.0 )	
	16 or 17	91.3	( 89.2 - 93.4 )		83.7	( 82.1 - 85.3 )	
	18 or older	.	.		81.4	( 78.6 - 84.2 )	
<b>Grade</b>	9th	82.8	( 79.1 - 86.5 )		77.2	( 75.5 - 79.0 )	
	10th	88.4	( 83.5 - 93.4 )		82.0	( 80.1 - 84.0 )	
	11th	92.9	( 91.4 - 94.3 )		82.1	( 80.3 - 83.8 )	
	12th	93.4	( 89.1 - 97.8 )		85.7	( 84.0 - 87.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		60.6	( 50.6 - 70.5 )	
	Asian*	.	.		78.0	( 72.3 - 83.8 )	
	Black or African American*	.	.		75.0	( 69.8 - 80.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		64.4	( 41.8 - 86.9 )	
	White*	85.8	( 80.8 - 90.7 )		84.6	( 83.3 - 85.9 )	
	Hispanic Only or Hispanic White	87.7	( 83.4 - 92.1 )		78.2	( 76.0 - 80.4 )	
	Multiple Race or Hispanic Other Race	87.9	( 84.0 - 91.8 )		79.6	( 76.7 - 82.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	85.9	( 80.6 - 91.3 )		81.3	( 79.9 - 82.6 )	
	Gay, Lesbian, or Bisexual	93.0	( 87.4 - 98.6 )		89.8	( 88.0 - 91.6 )	
	Unsure	.	.		74.6	( 69.7 - 79.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 102. Percentage of students who think a typical student binge drank one or more days in the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	77.0	( 71.5 - 82.5 )	631	68.9	( 67.5 - 70.4 )	20,857
<b>Sex</b>	Male	70.1	( 61.9 - 78.3 )		60.7	( 58.8 - 62.7 )	
	Female	84.9	( 79.6 - 90.1 )		77.5	( 76.1 - 79.0 )	
<b>Age</b>	15 or younger	65.6	( 58.1 - 73.1 )		63.9	( 62.0 - 65.7 )	
	16 or 17	87.1	( 84.4 - 89.9 )		73.4	( 71.7 - 75.0 )	
	18 or older	.	.		72.5	( 68.7 - 76.2 )	
<b>Grade</b>	9th	70.2	( 65.5 - 74.8 )		59.3	( 57.0 - 61.6 )	
	10th	72.8	( 65.2 - 80.3 )		69.0	( 67.1 - 70.8 )	
	11th	88.4	( 87.1 - 89.6 )		72.3	( 70.5 - 74.1 )	
	12th	87.2	( 82.9 - 91.6 )		76.5	( 74.1 - 78.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		47.2	( 37.6 - 56.8 )	
	Asian*	.	.		63.0	( 56.5 - 69.5 )	
	Black or African American*	.	.		61.5	( 57.1 - 65.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		58.1	( 37.0 - 79.2 )	
	White*	75.7	( 69.8 - 81.5 )		71.2	( 69.4 - 73.0 )	
	Hispanic Only or Hispanic White	79.8	( 73.4 - 86.3 )		67.4	( 65.2 - 69.6 )	
	Multiple Race or Hispanic Other Race	81.7	( 78.6 - 84.8 )		67.8	( 63.0 - 72.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	76.6	( 70.4 - 82.7 )		69.0	( 67.5 - 70.4 )	
	Gay, Lesbian, or Bisexual	80.3	( 74.8 - 85.8 )		75.7	( 72.5 - 78.9 )	
	Unsure	.	.		59.1	( 54.8 - 63.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 103. Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	60.0	( 56.3 - 63.6 )	682	57.5	( 56.1 - 58.9 )	17,347
<b>Sex</b>	Male	58.7	( 54.8 - 62.6 )		54.9	( 53.4 - 56.5 )	
	Female	61.8	( 56.8 - 66.7 )		60.1	( 58.4 - 61.9 )	
<b>Age</b>	15 or younger	57.6	( 54.7 - 60.4 )		51.4	( 49.7 - 53.2 )	
	16 or 17	65.2	( 62.3 - 68.0 )		62.8	( 61.2 - 64.4 )	
	18 or older	.	.		60.0	( 56.4 - 63.6 )	
<b>Grade</b>	9th	56.4	( 49.7 - 63.1 )		47.2	( 45.1 - 49.2 )	
	10th	60.1	( 56.8 - 63.3 )		56.8	( 55.0 - 58.6 )	
	11th	67.8	( 64.8 - 70.9 )		62.6	( 61.2 - 64.0 )	
	12th	60.6	( 50.9 - 70.3 )		64.7	( 62.1 - 67.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		51.4	( 41.4 - 61.4 )	
	Asian*	.	.		50.3	( 46.4 - 54.2 )	
	Black or African American*	.	.		43.3	( 38.8 - 47.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		62.8	( 48.4 - 77.2 )	
	White*	60.1	( 55.6 - 64.6 )		60.4	( 58.7 - 62.1 )	
	Hispanic Only or Hispanic White	60.0	( 55.5 - 64.5 )		54.6	( 52.2 - 57.0 )	
	Multiple Race or Hispanic Other Race	56.4	( 50.8 - 62.0 )		58.8	( 54.3 - 63.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	59.6	( 55.8 - 63.4 )		57.1	( 55.7 - 58.5 )	
	Gay, Lesbian, or Bisexual	59.4	( 43.1 - 75.6 )		63.6	( 60.3 - 66.8 )	
	Unsure	.	.		55.3	( 51.3 - 59.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 104. Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	44.8	( 41.0 - 48.6 )	359	42.6	( 41.3 - 43.9 )	9,415
<b>Sex</b>	Male	41.9	( 38.6 - 45.2 )		36.8	( 35.0 - 38.7 )	
	Female	47.7	( 42.7 - 52.8 )		48.1	( 46.3 - 50.0 )	
<b>Age</b>	15 or younger	50.6	( 40.4 - 60.7 )		43.4	( 41.1 - 45.7 )	
	16 or 17	42.1	( 40.5 - 43.7 )		42.7	( 40.8 - 44.6 )	
	18 or older	.	.		40.5	( 37.0 - 44.1 )	
<b>Grade</b>	9th	.	.		38.6	( 34.8 - 42.3 )	
	10th	63.1	( 55.3 - 70.8 )		46.4	( 44.1 - 48.7 )	
	11th	39.1	( 36.5 - 41.6 )		43.7	( 40.9 - 46.6 )	
	12th	40.4	( 35.6 - 45.1 )		41.1	( 39.2 - 42.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		38.8	( 28.1 - 49.5 )	
	Asian*	.	.		43.4	( 33.6 - 53.2 )	
	Black or African American*	.	.		40.4	( 31.3 - 49.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	40.2	( 36.1 - 44.2 )		44.3	( 42.7 - 45.9 )	
	Hispanic Only or Hispanic White	62.0	( 50.0 - 73.9 )		40.4	( 37.9 - 43.0 )	
	Multiple Race or Hispanic Other Race	.	.		36.7	( 31.9 - 41.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	44.8	( 41.6 - 48.1 )		42.7	( 41.1 - 44.2 )	
	Gay, Lesbian, or Bisexual	.	.		42.5	( 39.2 - 45.8 )	
	Unsure	.	.		43.4	( 36.2 - 50.6 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 105. Among students who reported current alcohol use, the percentage who usually drank in a public setting, on school property, or riding in a car**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	5.7	( 4.8 - 6.5 )	424	11.3	( 10.1 - 12.5 )	10,699
<b>Sex</b>	Male	9.5	( 7.6 - 11.4 )		12.7	( 11.3 - 14.1 )	
	Female	2.4	( 1.1 - 3.7 )		9.9	( 8.3 - 11.5 )	
<b>Age</b>	15 or younger	4.0	( 2.2 - 5.7 )		12.5	( 10.9 - 14.1 )	
	16 or 17	5.1	( 3.5 - 6.7 )		10.8	( 9.6 - 12.0 )	
	18 or older	.	.		9.6	( 6.9 - 12.4 )	
<b>Grade</b>	9th	2.6	( 0.0 - 5.5 )		11.7	( 9.8 - 13.6 )	
	10th	4.6	( 3.3 - 5.9 )		11.6	( 9.8 - 13.3 )	
	11th	6.3	( 3.7 - 8.9 )		10.8	( 8.9 - 12.6 )	
	12th	8.5	( 6.2 - 10.9 )		10.8	( 9.5 - 12.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		21.0	( 12.9 - 29.1 )	
	Asian*	.	.		11.0	( 2.3 - 19.6 )	
	Black or African American*	.	.		16.8	( 9.4 - 24.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	6.0	( 5.2 - 6.8 )		9.3	( 7.9 - 10.8 )	
	Hispanic Only or Hispanic White	2.8	( 1.1 - 4.5 )		12.8	( 11.0 - 14.6 )	
	Multiple Race or Hispanic Other Race	.	.		20.1	( 16.9 - 23.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	5.4	( 4.7 - 6.1 )		10.6	( 9.5 - 11.8 )	
	Gay, Lesbian, or Bisexual	.	.		13.2	( 10.6 - 15.7 )	
	Unsure	.	.		16.9	( 11.0 - 22.9 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 106. Percentage of students who think people who have one or two drinks nearly every day have moderate or great risk of harming themselves**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	70.5	( 68.8 - 72.1 )	687	72.2	( 71.2 - 73.1 )	17,536
<b>Sex</b>	Male	64.8	( 63.9 - 65.6 )		66.7	( 65.2 - 68.1 )	
	Female	76.9	( 72.8 - 81.0 )		77.8	( 76.7 - 79.0 )	
<b>Age</b>	15 or younger	69.5	( 66.7 - 72.3 )		71.9	( 70.5 - 73.3 )	
	16 or 17	71.2	( 69.8 - 72.6 )		72.9	( 71.7 - 74.0 )	
	18 or older	.	.		68.6	( 65.3 - 71.8 )	
<b>Grade</b>	9th	68.5	( 61.1 - 76.0 )		72.0	( 70.1 - 73.8 )	
	10th	68.9	( 67.1 - 70.7 )		72.7	( 71.3 - 74.2 )	
	11th	72.1	( 66.8 - 77.3 )		72.2	( 70.4 - 74.0 )	
	12th	72.1	( 66.6 - 77.5 )		71.9	( 70.0 - 73.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		65.9	( 51.5 - 80.3 )	
	Asian*	.	.		77.8	( 73.3 - 82.3 )	
	Black or African American*	.	.		75.3	( 68.8 - 81.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		62.4	( 48.3 - 76.5 )	
	White*	70.6	( 69.4 - 71.7 )		72.9	( 71.8 - 74.0 )	
	Hispanic Only or Hispanic White	68.6	( 62.2 - 75.1 )		69.8	( 68.1 - 71.6 )	
	Multiple Race or Hispanic Other Race	72.8	( 65.4 - 80.1 )		70.7	( 67.5 - 73.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	71.4	( 69.6 - 73.1 )		72.0	( 71.0 - 73.0 )	
	Gay, Lesbian, or Bisexual	67.0	( 60.7 - 73.2 )		74.8	( 72.4 - 77.3 )	
	Unsure	.	.		69.0	( 64.5 - 73.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 107. Percentage of students who think it is wrong or very wrong for someone same age to drink alcohol regularly (once or twice per month)**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	56.8	( 53.5 - 60.2 )	686	62.3	( 61.2 - 63.5 )	17,499
<b>Sex</b>	Male	52.6	( 48.0 - 57.3 )		61.2	( 59.4 - 62.9 )	
	Female	60.5	( 57.4 - 63.6 )		63.6	( 62.2 - 65.0 )	
<b>Age</b>	15 or younger	62.6	( 58.0 - 67.1 )		70.5	( 68.9 - 72.1 )	
	16 or 17	53.9	( 48.4 - 59.4 )		56.7	( 55.5 - 58.0 )	
	18 or older	.	.		48.6	( 45.0 - 52.1 )	
<b>Grade</b>	9th	64.6	( 59.8 - 69.4 )		74.4	( 72.4 - 76.3 )	
	10th	50.7	( 46.9 - 54.5 )		64.4	( 62.3 - 66.5 )	
	11th	56.5	( 53.2 - 59.8 )		57.5	( 55.8 - 59.2 )	
	12th	45.9	( 40.7 - 51.1 )		51.4	( 49.4 - 53.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		50.3	( 38.8 - 61.8 )	
	Asian*	.	.		73.3	( 69.8 - 76.8 )	
	Black or African American*	.	.		75.1	( 71.7 - 78.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		53.4	( 41.5 - 65.2 )	
	White*	54.8	( 51.1 - 58.6 )		59.8	( 58.1 - 61.4 )	
	Hispanic Only or Hispanic White	62.0	( 57.2 - 66.7 )		64.2	( 62.5 - 65.9 )	
	Multiple Race or Hispanic Other Race	59.9	( 47.0 - 72.9 )		63.2	( 59.1 - 67.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	58.1	( 53.7 - 62.4 )		63.2	( 62.2 - 64.3 )	
	Gay, Lesbian, or Bisexual	52.1	( 46.1 - 58.0 )		53.4	( 50.1 - 56.7 )	
	Unsure	.	.		64.1	( 60.0 - 68.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 108. Percentage of students who think their parents would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	82.5	( 79.4 - 85.5 )	688	84.0	( 83.4 - 84.7 )	17,484
<b>Sex</b>	Male	83.7	( 81.7 - 85.8 )		82.1	( 81.1 - 83.1 )	
	Female	80.9	( 76.2 - 85.7 )		85.9	( 85.0 - 86.9 )	
<b>Age</b>	15 or younger	84.8	( 80.0 - 89.5 )		88.8	( 88.0 - 89.7 )	
	16 or 17	82.1	( 75.5 - 88.7 )		81.0	( 80.1 - 82.0 )	
	18 or older	.	.		74.3	( 71.6 - 77.0 )	
<b>Grade</b>	9th	84.2	( 79.9 - 88.4 )		90.3	( 89.2 - 91.4 )	
	10th	81.8	( 80.7 - 82.8 )		87.1	( 85.6 - 88.5 )	
	11th	81.5	( 74.5 - 88.5 )		81.6	( 80.5 - 82.7 )	
	12th	77.0	( 74.2 - 79.8 )		76.2	( 74.3 - 78.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		80.2	( 74.4 - 85.9 )	
	Asian*	.	.		88.4	( 84.9 - 91.8 )	
	Black or African American*	.	.		88.6	( 85.3 - 92.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		75.1	( 53.1 - 97.1 )	
	White*	82.2	( 79.0 - 85.4 )		82.5	( 81.5 - 83.4 )	
	Hispanic Only or Hispanic White	82.8	( 78.2 - 87.5 )		85.7	( 84.4 - 87.0 )	
	Multiple Race or Hispanic Other Race	79.9	( 73.0 - 86.7 )		85.3	( 82.6 - 88.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	84.8	( 82.0 - 87.7 )		84.6	( 83.9 - 85.4 )	
	Gay, Lesbian, or Bisexual	65.0	( 59.8 - 70.3 )		79.1	( 76.9 - 81.2 )	
	Unsure	.	.		83.5	( 80.2 - 86.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 109. Percentage of students who think adults (over 21) in their neighborhood think it is wrong/very wrong for kids to drink alcohol**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	79.6	( 77.8 - 81.3 )	689	79.6	( 78.7 - 80.5 )	17,415
<b>Sex</b>	Male	79.3	( 77.1 - 81.6 )		77.8	( 76.7 - 79.0 )	
	Female	79.4	( 77.6 - 81.2 )		81.4	( 80.3 - 82.4 )	
<b>Age</b>	15 or younger	82.0	( 79.4 - 84.5 )		84.5	( 83.4 - 85.7 )	
	16 or 17	78.8	( 73.7 - 83.9 )		75.8	( 74.6 - 77.0 )	
	18 or older	.	.		74.1	( 71.4 - 76.9 )	
<b>Grade</b>	9th	84.9	( 83.1 - 86.7 )		86.7	( 85.3 - 88.1 )	
	10th	76.8	( 75.0 - 78.7 )		82.1	( 80.6 - 83.6 )	
	11th	77.9	( 69.7 - 86.1 )		76.7	( 75.4 - 78.0 )	
	12th	75.9	( 73.5 - 78.3 )		72.2	( 70.0 - 74.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		66.2	( 57.4 - 75.0 )	
	Asian*	.	.		79.3	( 75.0 - 83.5 )	
	Black or African American*	.	.		80.6	( 77.0 - 84.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		83.9	( 74.4 - 93.4 )	
	White*	80.2	( 77.5 - 83.0 )		79.4	( 78.3 - 80.4 )	
	Hispanic Only or Hispanic White	77.5	( 74.2 - 80.8 )		80.1	( 78.7 - 81.4 )	
	Multiple Race or Hispanic Other Race	82.5	( 80.1 - 85.0 )		79.0	( 75.8 - 82.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	79.9	( 77.1 - 82.6 )		80.0	( 79.1 - 80.8 )	
	Gay, Lesbian, or Bisexual	75.9	( 69.5 - 82.4 )		76.3	( 73.8 - 78.7 )	
	Unsure	.	.		81.6	( 78.8 - 84.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 110. Percentage of students who think police would catch kids drinking alcohol in the neighborhood**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	28.1	( 26.4 - 29.8 )	678	28.0	( 26.7 - 29.2 )	17,208
<b>Sex</b>	Male	28.2	( 25.7 - 30.7 )		28.1	( 26.8 - 29.4 )	
	Female	28.5	( 26.3 - 30.8 )		27.9	( 26.4 - 29.5 )	
<b>Age</b>	15 or younger	29.0	( 26.3 - 31.8 )		31.6	( 30.1 - 33.0 )	
	16 or 17	23.6	( 22.3 - 24.9 )		24.9	( 23.3 - 26.5 )	
	18 or older	.	.		26.1	( 22.9 - 29.3 )	
<b>Grade</b>	9th	26.9	( 23.8 - 30.0 )		35.2	( 33.3 - 37.1 )	
	10th	28.1	( 25.6 - 30.5 )		27.8	( 26.1 - 29.4 )	
	11th	20.1	( 17.4 - 22.8 )		23.5	( 21.6 - 25.5 )	
	12th	30.5	( 26.5 - 34.6 )		24.4	( 22.7 - 26.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		36.3	( 31.4 - 41.2 )	
	Asian*	.	.		39.8	( 34.2 - 45.4 )	
	Black or African American*	.	.		32.7	( 27.7 - 37.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		40.6	( 27.1 - 54.1 )	
	White*	25.1	( 23.5 - 26.7 )		26.2	( 24.9 - 27.6 )	
	Hispanic Only or Hispanic White	32.3	( 29.6 - 35.0 )		28.5	( 26.4 - 30.7 )	
	Multiple Race or Hispanic Other Race	35.0	( 26.8 - 43.2 )		28.9	( 26.4 - 31.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	30.2	( 28.0 - 32.3 )		28.3	( 27.1 - 29.5 )	
	Gay, Lesbian, or Bisexual	18.5	( 14.5 - 22.5 )		23.0	( 20.5 - 25.5 )	
	Unsure	.	.		30.6	( 26.1 - 35.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 111. Percentage of students who said parents would catch them if they drank beer, wine or hard liquor without permission**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	49.9	( 47.9 - 51.8 )	674	50.3	( 48.9 - 51.8 )	17,008
<b>Sex</b>	Male	51.6	( 47.7 - 55.6 )		49.2	( 47.4 - 50.9 )	
	Female	47.2	( 46.1 - 48.3 )		51.5	( 49.7 - 53.3 )	
<b>Age</b>	15 or younger	57.5	( 55.4 - 59.5 )		57.8	( 55.8 - 59.7 )	
	16 or 17	42.6	( 38.4 - 46.7 )		45.2	( 43.4 - 46.9 )	
	18 or older	.	.		38.6	( 35.0 - 42.2 )	
<b>Grade</b>	9th	58.5	( 48.4 - 68.5 )		62.3	( 60.2 - 64.4 )	
	10th	49.9	( 47.6 - 52.2 )		51.9	( 49.9 - 53.8 )	
	11th	43.8	( 35.5 - 52.1 )		45.7	( 44.1 - 47.3 )	
	12th	40.7	( 39.1 - 42.3 )		40.0	( 37.4 - 42.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		51.8	( 44.8 - 58.8 )	
	Asian*	.	.		55.9	( 50.9 - 61.0 )	
	Black or African American*	.	.		56.5	( 51.6 - 61.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		36.8	( 18.9 - 54.8 )	
	White*	49.1	( 45.1 - 53.0 )		49.9	( 48.2 - 51.6 )	
	Hispanic Only or Hispanic White	49.3	( 42.8 - 55.8 )		49.3	( 47.7 - 50.9 )	
	Multiple Race or Hispanic Other Race	52.5	( 47.8 - 57.1 )		50.2	( 46.4 - 54.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	49.2	( 46.3 - 52.2 )		51.4	( 50.0 - 52.9 )	
	Gay, Lesbian, or Bisexual	50.6	( 43.4 - 57.7 )		40.2	( 37.1 - 43.3 )	
	Unsure	.	.		50.8	( 45.4 - 56.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 112. Percentage of students who used marijuana one or more times during their life**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	37.1	( 34.3 - 39.9 )	1,370	35.2	( 33.8 - 36.6 )	44,790
<b>Sex</b>	Male	35.3	( 30.9 - 39.7 )		33.7	( 32.3 - 35.1 )	
	Female	38.6	( 36.9 - 40.2 )		36.5	( 34.7 - 38.3 )	
<b>Age</b>	15 or younger	26.0	( 22.7 - 29.3 )		25.0	( 23.4 - 26.6 )	
	16 or 17	45.9	( 43.1 - 48.6 )		42.8	( 41.3 - 44.3 )	
	18 or older	50.9	( 45.4 - 56.3 )		49.8	( 47.4 - 52.3 )	
<b>Grade</b>	9th	30.4	( 25.2 - 35.6 )		21.3	( 19.6 - 23.0 )	
	10th	30.3	( 25.9 - 34.7 )		31.4	( 29.6 - 33.3 )	
	11th	47.1	( 45.8 - 48.5 )		42.0	( 40.2 - 43.8 )	
	12th	49.7	( 43.2 - 56.1 )		47.9	( 45.8 - 49.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		38.6	( 33.3 - 43.9 )	
	Asian*	.	.		15.4	( 13.0 - 17.9 )	
	Black or African American*	.	.		35.8	( 31.0 - 40.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		44.9	( 29.0 - 60.8 )	
	White*	35.7	( 31.9 - 39.5 )		32.7	( 31.1 - 34.2 )	
	Hispanic Only or Hispanic White	37.3	( 36.2 - 38.5 )		41.4	( 39.9 - 43.0 )	
	Multiple Race or Hispanic Other Race	48.3	( 44.5 - 52.2 )		42.9	( 40.0 - 45.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	35.2	( 32.0 - 38.4 )		34.1	( 32.6 - 35.6 )	
	Gay, Lesbian, or Bisexual	55.1	( 48.0 - 62.2 )		49.2	( 47.0 - 51.3 )	
	Unsure	33.5	( 19.5 - 47.6 )		28.0	( 24.5 - 31.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 113. Percentage of students who tried marijuana for the first time before age 13 years**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	9.0	( 8.2 - 9.8 )	1,367	6.5	( 5.9 - 7.1 )	34,655
<b>Sex</b>	Male	10.9	( 9.1 - 12.8 )		7.3	( 6.7 - 7.9 )	
	Female	7.1	( 5.7 - 8.5 )		5.6	( 4.9 - 6.4 )	
<b>Age</b>	15 or younger	9.8	( 8.4 - 11.2 )		7.1	( 6.2 - 7.9 )	
	16 or 17	7.7	( 6.6 - 8.9 )		6.0	( 5.5 - 6.5 )	
	18 or older	11.3	( 8.7 - 13.9 )		6.6	( 5.3 - 7.9 )	
<b>Grade</b>	9th	12.0	( 10.4 - 13.7 )		7.3	( 6.2 - 8.4 )	
	10th	8.9	( 7.3 - 10.5 )		6.6	( 5.9 - 7.2 )	
	11th	7.5	( 5.2 - 9.7 )		5.7	( 5.1 - 6.4 )	
	12th	9.0	( 6.4 - 11.6 )		6.1	( 5.2 - 7.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		12.6	( 9.2 - 15.9 )	
	Asian*	.	.		2.1	( 0.9 - 3.3 )	
	Black or African American*	.	.		8.6	( 6.4 - 10.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		19.8	( 10.0 - 29.6 )	
	White*	8.2	( 6.4 - 10.0 )		4.8	( 4.3 - 5.3 )	
	Hispanic Only or Hispanic White	6.8	( 5.3 - 8.4 )		9.3	( 8.4 - 10.2 )	
	Multiple Race or Hispanic Other Race	21.4	( 12.7 - 30.0 )		12.8	( 11.0 - 14.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	7.4	( 6.2 - 8.6 )		5.8	( 5.3 - 6.4 )	
	Gay, Lesbian, or Bisexual	24.0	( 18.7 - 29.2 )		11.5	( 10.1 - 12.9 )	
	Unsure	.	.		7.4	( 6.0 - 8.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 114. Percentage of students who used marijuana one or more times during the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	19.7	( 17.2 - 22.2 )	1,375	19.4	( 18.4 - 20.4 )	34,908
<b>Sex</b>	Male	19.4	( 16.4 - 22.5 )		18.9	( 17.8 - 19.9 )	
	Female	20.2	( 18.1 - 22.2 )		19.7	( 18.5 - 21.0 )	
<b>Age</b>	15 or younger	12.9	( 10.1 - 15.7 )		13.5	( 12.6 - 14.5 )	
	16 or 17	23.9	( 21.3 - 26.5 )		23.7	( 22.5 - 25.0 )	
	18 or older	34.7	( 30.4 - 39.1 )		27.0	( 24.0 - 30.0 )	
<b>Grade</b>	9th	13.0	( 10.7 - 15.4 )		11.0	( 9.9 - 12.1 )	
	10th	15.9	( 14.6 - 17.2 )		17.7	( 16.6 - 18.9 )	
	11th	23.4	( 20.5 - 26.4 )		23.7	( 22.4 - 24.9 )	
	12th	31.8	( 28.8 - 34.8 )		25.7	( 23.7 - 27.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		20.5	( 16.6 - 24.4 )	
	Asian*	.	.		9.3	( 7.2 - 11.5 )	
	Black or African American*	.	.		19.1	( 15.4 - 22.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		23.1	( 11.5 - 34.6 )	
	White*	19.4	( 16.6 - 22.2 )		18.3	( 17.0 - 19.7 )	
	Hispanic Only or Hispanic White	16.8	( 15.3 - 18.4 )		21.9	( 20.6 - 23.1 )	
	Multiple Race or Hispanic Other Race	32.4	( 27.3 - 37.4 )		27.1	( 23.6 - 30.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	18.4	( 16.1 - 20.8 )		18.2	( 17.3 - 19.2 )	
	Gay, Lesbian, or Bisexual	34.8	( 28.6 - 40.9 )		30.9	( 28.4 - 33.5 )	
	Unsure	.	.		16.5	( 13.7 - 19.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 115. Among students who used marijuana in the past 30 days, the percentage who smoked it**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	82.0	( 72.4 - 91.6 )	129	88.4	( 86.9 - 90.0 )	3,556
<b>Sex</b>	Male	80.3	( 68.6 - 92.0 )		88.3	( 86.3 - 90.4 )	
	Female	83.7	( 75.3 - 92.1 )		88.7	( 86.4 - 91.1 )	
<b>Age</b>	15 or younger	.	.		86.7	( 83.8 - 89.5 )	
	16 or 17	88.7	( 80.9 - 96.5 )		89.7	( 87.8 - 91.7 )	
	18 or older	.	.		85.6	( 81.0 - 90.1 )	
<b>Grade</b>	9th	.	.		90.7	( 88.0 - 93.5 )	
	10th	.	.		86.0	( 83.0 - 89.0 )	
	11th	.	.		91.4	( 88.9 - 93.9 )	
	12th	.	.		87.0	( 84.2 - 89.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		75.1	( 57.6 - 92.7 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		92.0	( 86.6 - 97.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	76.2	( 62.3 - 90.2 )		88.4	( 86.1 - 90.6 )	
	Hispanic Only or Hispanic White	.	.		89.8	( 87.6 - 92.0 )	
	Multiple Race or Hispanic Other Race	.	.		89.4	( 84.5 - 94.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	79.7	( 67.8 - 91.6 )		88.3	( 86.4 - 90.3 )	
	Gay, Lesbian, or Bisexual	.	.		91.7	( 89.2 - 94.3 )	
	Unsure	.	.		82.6	( 75.1 - 90.0 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 116. Among students who used marijuana in the past 30 days, the percentage who ate it**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	31.6	( 26.8 - 36.4 )	129	35.6	( 32.7 - 38.5 )	3,556
<b>Sex</b>	Male	29.2	( 16.4 - 42.1 )		36.0	( 32.2 - 39.7 )	
	Female	33.7	( 31.3 - 36.0 )		35.1	( 32.1 - 38.1 )	
<b>Age</b>	15 or younger	.	.		37.3	( 33.7 - 40.8 )	
	16 or 17	29.6	( 17.2 - 42.0 )		35.8	( 32.2 - 39.3 )	
	18 or older	.	.		29.0	( 24.0 - 34.0 )	
<b>Grade</b>	9th	.	.		36.5	( 31.6 - 41.5 )	
	10th	.	.		39.2	( 33.8 - 44.5 )	
	11th	.	.		34.9	( 30.3 - 39.4 )	
	12th	.	.		33.4	( 29.6 - 37.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		26.7	( 15.9 - 37.6 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		20.7	( 12.0 - 29.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	37.2	( 31.3 - 43.1 )		38.2	( 34.5 - 41.9 )	
	Hispanic Only or Hispanic White	.	.		32.6	( 28.7 - 36.4 )	
	Multiple Race or Hispanic Other Race	.	.		32.0	( 25.7 - 38.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	35.0	( 29.4 - 40.6 )		34.1	( 31.1 - 37.1 )	
	Gay, Lesbian, or Bisexual	.	.		39.7	( 35.5 - 43.9 )	
	Unsure	.	.		51.2	( 37.6 - 64.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 117. Among students who used marijuana in the past 30 days, the percentage who vaporized it**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	14.3	( 9.7 - 19.0 )	129	20.3	( 18.1 - 22.4 )	3,556
<b>Sex</b>	Male	20.0	( 13.3 - 26.8 )		24.6	( 21.6 - 27.5 )	
	Female	10.0	( 5.5 - 14.4 )		16.1	( 13.9 - 18.3 )	
<b>Age</b>	15 or younger	.	.		21.1	( 17.5 - 24.7 )	
	16 or 17	10.7	( 5.4 - 16.0 )		20.4	( 18.0 - 22.9 )	
	18 or older	.	.		16.7	( 11.7 - 21.6 )	
<b>Grade</b>	9th	.	.		22.3	( 17.9 - 26.7 )	
	10th	.	.		19.6	( 15.8 - 23.4 )	
	11th	.	.		20.7	( 17.5 - 23.8 )	
	12th	.	.		19.4	( 16.3 - 22.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		27.8	( 10.7 - 45.0 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		16.7	( 6.6 - 26.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	13.3	( 9.2 - 17.3 )		22.9	( 20.1 - 25.7 )	
	Hispanic Only or Hispanic White	.	.		16.3	( 13.1 - 19.4 )	
	Multiple Race or Hispanic Other Race	.	.		17.0	( 13.5 - 20.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	12.7	( 8.5 - 16.9 )		19.5	( 17.4 - 21.6 )	
	Gay, Lesbian, or Bisexual	.	.		20.6	( 15.0 - 26.2 )	
	Unsure	.	.		34.7	( 19.0 - 50.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 118. Among students who used marijuana in the past 30 days, the percentage who dabbled it**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	32.9	( 26.2 - 39.6 )	129	34.4	( 32.0 - 36.8 )	3,556
<b>Sex</b>	Male	49.9	( 43.3 - 56.5 )		40.5	( 37.4 - 43.6 )	
	Female	19.5	( 11.1 - 27.9 )		28.5	( 25.5 - 31.5 )	
<b>Age</b>	15 or younger	.	.		28.4	( 24.4 - 32.5 )	
	16 or 17	45.0	( 36.0 - 54.0 )		37.7	( 34.5 - 41.0 )	
	18 or older	.	.		32.5	( 26.7 - 38.3 )	
<b>Grade</b>	9th	.	.		33.0	( 28.1 - 37.9 )	
	10th	.	.		28.9	( 24.6 - 33.3 )	
	11th	.	.		36.3	( 31.8 - 40.9 )	
	12th	.	.		37.1	( 33.5 - 40.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		37.6	( 23.4 - 51.8 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		25.9	( 18.8 - 33.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	34.8	( 28.6 - 40.9 )		36.6	( 33.6 - 39.5 )	
	Hispanic Only or Hispanic White	.	.		31.7	( 27.4 - 36.1 )	
	Multiple Race or Hispanic Other Race	.	.		35.9	( 30.3 - 41.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	32.2	( 26.8 - 37.5 )		33.9	( 31.9 - 36.0 )	
	Gay, Lesbian, or Bisexual	.	.		30.5	( 26.5 - 34.4 )	
	Unsure	.	.		57.4	( 42.9 - 71.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 119. Among students who used marijuana in the past 30 days, the percentage who used it some other way**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	7.6	( 3.7 - 11.5 )	129	7.3	( 6.2 - 8.3 )	3,556
<b>Sex</b>	Male	8.4	( 4.5 - 12.3 )		8.3	( 6.9 - 9.8 )	
	Female	7.1	( 2.3 - 11.9 )		6.0	( 4.8 - 7.3 )	
<b>Age</b>	15 or younger	.	.		8.9	( 7.0 - 10.8 )	
	16 or 17	6.9	( 3.0 - 10.8 )		6.8	( 5.6 - 8.0 )	
	18 or older	.	.		5.2	( 2.2 - 8.2 )	
<b>Grade</b>	9th	.	.		11.5	( 8.7 - 14.4 )	
	10th	.	.		6.7	( 4.1 - 9.2 )	
	11th	.	.		6.9	( 5.2 - 8.7 )	
	12th	.	.		5.5	( 3.9 - 7.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		14.8	( 7.8 - 21.9 )	
	Asian*	.	.		.	.	
	Black or African American*	.	.		7.4	( 2.9 - 12.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	6.7	( 3.1 - 10.2 )		7.3	( 5.8 - 8.8 )	
	Hispanic Only or Hispanic White	.	.		6.0	( 3.7 - 8.4 )	
	Multiple Race or Hispanic Other Race	.	.		10.1	( 7.4 - 12.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	5.3	( 2.0 - 8.6 )		6.9	( 5.8 - 8.0 )	
	Gay, Lesbian, or Bisexual	.	.		7.8	( 4.9 - 10.7 )	
	Unsure	.	.		13.0	( 7.5 - 18.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 120. Among students who used marijuana in past 30 days, the percentage that usually smoked it**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	75.7	( 66.7 - 84.7 )	117	77.8	( 75.2 - 80.4 )	3,177
<b>Sex</b>	Male	.	.		77.5	( 74.8 - 80.1 )	
	Female	76.7	( 68.9 - 84.4 )		78.5	( 74.9 - 82.0 )	
<b>Age</b>	15 or younger	.	.		77.2	( 73.9 - 80.5 )	
	16 or 17	80.0	( 73.0 - 87.0 )		78.3	( 75.0 - 81.6 )	
	18 or older	.	.		76.7	( 70.3 - 83.2 )	
<b>Grade</b>	9th	.	.		84.1	( 80.3 - 87.9 )	
	10th	.	.		75.6	( 72.3 - 78.9 )	
	11th	.	.		80.8	( 77.2 - 84.4 )	
	12th	.	.		74.6	( 69.3 - 79.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		.	.	
	Asian*	.	.		.	.	
	Black or African American*	.	.		85.6	( 79.3 - 91.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	67.3	( 54.8 - 79.8 )		76.9	( 72.8 - 81.0 )	
	Hispanic Only or Hispanic White	.	.		79.4	( 75.8 - 83.0 )	
	Multiple Race or Hispanic Other Race	.	.		80.4	( 74.8 - 85.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	72.3	( 61.3 - 83.2 )		78.1	( 75.2 - 81.0 )	
	Gay, Lesbian, or Bisexual	.	.		80.2	( 76.1 - 84.4 )	
	Unsure	.	.		66.1	( 57.1 - 75.1 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 121. Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	58.4	( 53.7 - 63.0 )	672	53.5	( 51.8 - 55.3 )	17,135
<b>Sex</b>	Male	59.3	( 53.6 - 65.1 )		53.5	( 51.9 - 55.0 )	
	Female	56.8	( 53.2 - 60.3 )		53.3	( 51.1 - 55.6 )	
<b>Age</b>	15 or younger	48.8	( 42.8 - 54.8 )		43.4	( 41.3 - 45.5 )	
	16 or 17	67.4	( 64.9 - 69.8 )		61.0	( 59.3 - 62.8 )	
	18 or older	.	.		65.4	( 61.7 - 69.2 )	
<b>Grade</b>	9th	44.6	( 41.0 - 48.3 )		38.6	( 36.4 - 40.8 )	
	10th	62.6	( 61.1 - 64.2 )		50.8	( 48.5 - 53.1 )	
	11th	66.8	( 62.8 - 70.9 )		60.7	( 58.4 - 63.0 )	
	12th	69.2	( 65.0 - 73.4 )		65.4	( 63.2 - 67.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		56.2	( 50.3 - 62.2 )	
	Asian*	.	.		37.9	( 34.2 - 41.6 )	
	Black or African American*	.	.		56.0	( 51.2 - 60.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		62.9	( 47.3 - 78.4 )	
	White*	58.3	( 51.8 - 64.8 )		52.6	( 50.6 - 54.6 )	
	Hispanic Only or Hispanic White	55.4	( 46.1 - 64.6 )		56.5	( 54.5 - 58.6 )	
	Multiple Race or Hispanic Other Race	57.5	( 49.3 - 65.7 )		57.5	( 51.9 - 63.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	57.0	( 52.0 - 61.9 )		53.0	( 51.1 - 54.8 )	
	Gay, Lesbian, or Bisexual	74.3	( 66.8 - 81.8 )		63.2	( 59.9 - 66.5 )	
	Unsure	.	.		45.4	( 41.0 - 49.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 122. Among students who used marijuana in past 30 days, the percentage that usually got it from an adult**  
 Question modified since 2015

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	16.0	( 13.0 - 19.0 )	247	19.3	( 18.2 - 20.5 )	6,312
<b>Sex</b>	Male	13.1	( 10.2 - 16.1 )		18.3	( 16.6 - 20.1 )	
	Female	18.6	( 15.4 - 21.8 )		20.4	( 18.6 - 22.1 )	
<b>Age</b>	15 or younger	13.6	( 9.9 - 17.3 )		17.4	( 15.5 - 19.3 )	
	16 or 17	13.4	( 6.2 - 20.6 )		20.1	( 18.3 - 21.9 )	
	18 or older	.	.		21.0	( 17.4 - 24.5 )	
<b>Grade</b>	9th	.	.		17.7	( 14.1 - 21.3 )	
	10th	10.0	( 7.0 - 12.9 )		17.5	( 14.9 - 20.1 )	
	11th	10.0	( 3.3 - 16.7 )		20.3	( 17.6 - 23.1 )	
	12th	25.3	( 19.6 - 31.0 )		20.3	( 18.0 - 22.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		22.9	( 12.6 - 33.2 )	
	Asian*	.	.		21.7	( 8.5 - 35.0 )	
	Black or African American*	.	.		17.3	( 10.6 - 24.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	18.5	( 14.1 - 22.9 )		18.9	( 17.5 - 20.3 )	
	Hispanic Only or Hispanic White	.	.		20.6	( 18.2 - 23.0 )	
	Multiple Race or Hispanic Other Race	.	.		17.5	( 14.6 - 20.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	17.0	( 13.2 - 20.9 )		18.4	( 17.1 - 19.7 )	
	Gay, Lesbian, or Bisexual	.	.		22.4	( 18.8 - 26.0 )	
	Unsure	.	.		25.7	( 19.1 - 32.2 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 123. Percentage of students who used marijuana on school property during the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	4.2	( 1.9 - 6.4 )	677	3.8	( 3.4 - 4.3 )	17,176
<b>Sex</b>	Male	4.1	( 1.2 - 7.0 )		4.2	( 3.7 - 4.8 )	
	Female	4.3	( 2.4 - 6.1 )		3.4	( 2.8 - 3.9 )	
<b>Age</b>	15 or younger	3.0	( 1.8 - 4.1 )		2.7	( 2.1 - 3.3 )	
	16 or 17	5.1	( 2.0 - 8.1 )		4.7	( 4.0 - 5.3 )	
	18 or older	.	.		5.2	( 3.9 - 6.5 )	
<b>Grade</b>	9th	3.1	( 1.5 - 4.6 )		2.6	( 2.0 - 3.3 )	
	10th	2.2	( 0.9 - 3.5 )		2.8	( 2.2 - 3.4 )	
	11th	5.7	( 3.2 - 8.3 )		4.2	( 3.4 - 5.0 )	
	12th	6.0	( 1.2 - 10.9 )		5.4	( 4.7 - 6.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		4.7	( 0.6 - 8.8 )	
	Asian*	.	.		1.7	( 0.4 - 2.9 )	
	Black or African American*	.	.		3.3	( 1.2 - 5.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		2.1	( 0.0 - 4.4 )	
	White*	4.4	( 1.7 - 7.0 )		3.4	( 2.8 - 3.9 )	
	Hispanic Only or Hispanic White	2.5	( 1.3 - 3.7 )		4.5	( 3.9 - 5.1 )	
	Multiple Race or Hispanic Other Race	13.0	( 7.5 - 18.4 )		7.9	( 5.9 - 10.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	3.1	( 1.5 - 4.8 )		3.4	( 3.0 - 3.9 )	
	Gay, Lesbian, or Bisexual	5.5	( 3.0 - 8.0 )		6.9	( 5.5 - 8.4 )	
	Unsure	.	.		4.1	( 2.8 - 5.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 124. Percentage of students who think a typical student used marijuana during the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	85.6	( 81.3 - 89.9 )	676	78.9	( 77.5 - 80.3 )	20,320
<b>Sex</b>	Male	80.6	( 73.1 - 88.2 )		72.4	( 70.7 - 74.1 )	
	Female	91.2	( 88.3 - 94.1 )		85.6	( 84.2 - 87.0 )	
<b>Age</b>	15 or younger	78.5	( 72.5 - 84.5 )		77.4	( 75.6 - 79.2 )	
	16 or 17	92.0	( 89.8 - 94.2 )		80.3	( 78.8 - 81.7 )	
	18 or older	.	.		80.6	( 78.5 - 82.7 )	
<b>Grade</b>	9th	77.8	( 73.0 - 82.5 )		74.7	( 72.8 - 76.6 )	
	10th	86.2	( 82.9 - 89.5 )		79.9	( 77.6 - 82.2 )	
	11th	93.9	( 91.6 - 96.2 )		79.2	( 77.6 - 80.9 )	
	12th	91.5	( 88.6 - 94.3 )		82.3	( 80.8 - 83.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		68.1	( 60.8 - 75.5 )	
	Asian*	.	.		73.4	( 68.8 - 78.0 )	
	Black or African American*	.	.		72.0	( 67.3 - 76.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		68.6	( 52.5 - 84.8 )	
	White*	84.4	( 79.5 - 89.2 )		80.9	( 79.4 - 82.4 )	
	Hispanic Only or Hispanic White	87.8	( 83.2 - 92.4 )		77.6	( 75.3 - 79.8 )	
	Multiple Race or Hispanic Other Race	90.2	( 86.5 - 93.9 )		75.7	( 72.3 - 79.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	84.5	( 79.3 - 89.8 )		78.6	( 77.2 - 80.0 )	
	Gay, Lesbian, or Bisexual	97.1	( 95.1 - 99.0 )		87.1	( 84.6 - 89.7 )	
	Unsure	.	.		73.4	( 69.5 - 77.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 125. Percentage of students who think people who use marijuana regularly have moderate or great risk of harm**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	52.0	( 49.6 - 54.3 )	1,366	51.8	( 50.3 - 53.4 )	34,642
<b>Sex</b>	Male	50.8	( 47.2 - 54.4 )		47.2	( 45.8 - 48.6 )	
	Female	53.4	( 51.8 - 54.9 )		56.8	( 54.7 - 58.9 )	
<b>Age</b>	15 or younger	57.2	( 53.9 - 60.4 )		58.9	( 57.0 - 60.9 )	
	16 or 17	49.6	( 48.3 - 50.9 )		46.4	( 45.0 - 47.8 )	
	18 or older	37.5	( 32.6 - 42.5 )		44.3	( 41.1 - 47.5 )	
<b>Grade</b>	9th	54.4	( 50.9 - 57.8 )		61.4	( 59.0 - 63.9 )	
	10th	51.7	( 49.9 - 53.6 )		54.0	( 51.8 - 56.3 )	
	11th	52.3	( 48.1 - 56.4 )		46.2	( 44.7 - 47.8 )	
	12th	42.6	( 37.5 - 47.8 )		44.7	( 42.5 - 47.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		33.5	( 27.1 - 39.9 )	
	Asian*	.	.		63.9	( 59.7 - 68.0 )	
	Black or African American*	.	.		46.3	( 40.8 - 51.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		34.0	( 26.4 - 41.6 )	
	White*	52.7	( 49.1 - 56.3 )		54.5	( 52.9 - 56.1 )	
	Hispanic Only or Hispanic White	50.9	( 48.3 - 53.4 )		47.5	( 45.7 - 49.2 )	
	Multiple Race or Hispanic Other Race	46.7	( 41.6 - 51.9 )		41.6	( 38.6 - 44.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	53.2	( 50.9 - 55.6 )		53.2	( 51.5 - 54.8 )	
	Gay, Lesbian, or Bisexual	34.5	( 26.5 - 42.4 )		41.2	( 38.9 - 43.5 )	
	Unsure	.	.		50.5	( 46.1 - 54.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 126. Percentage of students who think it is wrong or very wrong for someone same age to use marijuana**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	57.6	( 55.7 - 59.5 )	1,375	57.4	( 55.9 - 58.9 )	34,740
<b>Sex</b>	Male	58.3	( 55.4 - 61.2 )		57.1	( 55.5 - 58.6 )	
	Female	56.7	( 54.4 - 58.9 )		58.0	( 56.2 - 59.8 )	
<b>Age</b>	15 or younger	61.9	( 59.4 - 64.3 )		67.0	( 65.3 - 68.8 )	
	16 or 17	54.6	( 53.4 - 55.8 )		50.1	( 48.7 - 51.4 )	
	18 or older	50.3	( 48.0 - 52.5 )		46.6	( 43.7 - 49.5 )	
<b>Grade</b>	9th	63.9	( 57.9 - 69.9 )		71.3	( 69.0 - 73.6 )	
	10th	54.5	( 52.2 - 56.9 )		59.9	( 58.3 - 61.4 )	
	11th	57.8	( 55.4 - 60.1 )		52.3	( 50.6 - 53.9 )	
	12th	48.5	( 44.5 - 52.5 )		44.9	( 42.6 - 47.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		48.5	( 40.7 - 56.4 )	
	Asian*	.	.		69.5	( 65.5 - 73.6 )	
	Black or African American*	.	.		56.0	( 50.7 - 61.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		47.0	( 35.2 - 58.8 )	
	White*	58.0	( 55.7 - 60.2 )		58.2	( 56.5 - 59.9 )	
	Hispanic Only or Hispanic White	55.6	( 53.7 - 57.6 )		55.4	( 53.8 - 57.0 )	
	Multiple Race or Hispanic Other Race	57.9	( 52.6 - 63.3 )		49.7	( 47.1 - 52.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	59.3	( 57.3 - 61.4 )		59.4	( 57.8 - 61.0 )	
	Gay, Lesbian, or Bisexual	41.0	( 34.3 - 47.7 )		38.4	( 36.1 - 40.8 )	
	Unsure	.	.		60.9	( 57.3 - 64.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 127. Percentage of students who think their parents feel it is wrong or very wrong if they used marijuana**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	84.4	( 82.4 - 86.3 )	1,370	86.6	( 85.7 - 87.5 )	34,641
<b>Sex</b>	Male	85.0	( 81.7 - 88.3 )		86.3	( 85.3 - 87.4 )	
	Female	83.7	( 82.7 - 84.8 )		86.9	( 85.9 - 87.8 )	
<b>Age</b>	15 or younger	87.7	( 86.2 - 89.3 )		90.4	( 89.5 - 91.3 )	
	16 or 17	82.7	( 81.2 - 84.3 )		84.3	( 83.3 - 85.2 )	
	18 or older	74.7	( 70.6 - 78.8 )		77.8	( 74.7 - 80.8 )	
<b>Grade</b>	9th	89.8	( 87.5 - 92.2 )		91.4	( 90.2 - 92.6 )	
	10th	86.3	( 82.5 - 90.1 )		88.7	( 87.7 - 89.6 )	
	11th	87.6	( 86.7 - 88.5 )		85.1	( 84.0 - 86.2 )	
	12th	72.1	( 67.6 - 76.6 )		80.8	( 78.9 - 82.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		82.9	( 79.9 - 86.0 )	
	Asian*	.	.		93.3	( 91.0 - 95.7 )	
	Black or African American*	.	.		87.1	( 84.6 - 89.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		82.5	( 73.6 - 91.4 )	
	White*	82.7	( 80.1 - 85.2 )		85.7	( 84.6 - 86.8 )	
	Hispanic Only or Hispanic White	88.6	( 87.8 - 89.3 )		88.3	( 87.3 - 89.3 )	
	Multiple Race or Hispanic Other Race	81.4	( 75.4 - 87.3 )		80.3	( 77.6 - 82.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	85.5	( 82.8 - 88.2 )		88.0	( 87.1 - 88.9 )	
	Gay, Lesbian, or Bisexual	72.6	( 64.2 - 80.9 )		75.1	( 73.3 - 76.8 )	
	Unsure	.	.		85.9	( 83.8 - 87.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 128. Percentage of students who think adults in their neighborhood think it is wrong or very wrong for kids to use marijuana**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	81.2	( 78.6 - 83.8 )	685	78.2	( 76.7 - 79.7 )	17,349
<b>Sex</b>	Male	77.4	( 74.7 - 80.1 )		77.5	( 75.9 - 79.1 )	
	Female	84.8	( 82.3 - 87.3 )		79.1	( 77.3 - 80.8 )	
<b>Age</b>	15 or younger	85.3	( 81.2 - 89.5 )		83.2	( 81.9 - 84.6 )	
	16 or 17	75.5	( 73.1 - 78.0 )		74.4	( 72.4 - 76.3 )	
	18 or older	.	.		72.5	( 69.3 - 75.7 )	
<b>Grade</b>	9th	88.6	( 84.4 - 92.9 )		85.2	( 83.7 - 86.8 )	
	10th	77.9	( 74.8 - 81.0 )		80.4	( 78.8 - 82.0 )	
	11th	75.6	( 74.0 - 77.2 )		75.3	( 73.2 - 77.4 )	
	12th	79.7	( 76.5 - 82.8 )		71.2	( 68.3 - 74.0 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		69.1	( 60.8 - 77.3 )	
	Asian*	.	.		82.5	( 79.0 - 85.9 )	
	Black or African American*	.	.		68.9	( 65.0 - 72.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		77.5	( 67.4 - 87.6 )	
	White*	81.2	( 77.8 - 84.6 )		80.6	( 79.0 - 82.3 )	
	Hispanic Only or Hispanic White	83.9	( 83.0 - 84.7 )		75.2	( 72.9 - 77.5 )	
	Multiple Race or Hispanic Other Race	74.7	( 69.9 - 79.5 )		69.7	( 66.2 - 73.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	82.2	( 79.7 - 84.7 )		79.8	( 78.2 - 81.3 )	
	Gay, Lesbian, or Bisexual	81.3	( 78.7 - 84.0 )		67.3	( 64.2 - 70.5 )	
	Unsure	.	.		73.6	( 70.5 - 76.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 129. Percentage of students who think police would catch kids using marijuana in the neighborhood**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	33.0	( 28.3 - 37.6 )	678	33.9	( 32.4 - 35.4 )	17,208
<b>Sex</b>	Male	33.4	( 26.5 - 40.3 )		33.7	( 31.9 - 35.5 )	
	Female	33.1	( 30.4 - 35.8 )		34.3	( 32.3 - 36.2 )	
<b>Age</b>	15 or younger	41.3	( 35.8 - 46.8 )		38.9	( 36.8 - 40.9 )	
	16 or 17	22.4	( 19.7 - 25.1 )		29.9	( 28.6 - 31.2 )	
	18 or older	.	.		29.8	( 27.2 - 32.4 )	
<b>Grade</b>	9th	45.8	( 41.1 - 50.4 )		42.4	( 39.8 - 44.9 )	
	10th	31.0	( 26.9 - 35.1 )		35.3	( 33.0 - 37.6 )	
	11th	18.1	( 14.2 - 22.0 )		29.2	( 27.6 - 30.9 )	
	12th	30.5	( 27.7 - 33.2 )		27.6	( 25.9 - 29.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		38.7	( 29.5 - 47.9 )	
	Asian*	.	.		48.3	( 42.4 - 54.1 )	
	Black or African American*	.	.		36.0	( 29.9 - 42.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		30.5	( 18.1 - 42.9 )	
	White*	32.1	( 25.9 - 38.2 )		32.9	( 31.3 - 34.6 )	
	Hispanic Only or Hispanic White	35.4	( 32.8 - 37.9 )		33.8	( 31.6 - 36.0 )	
	Multiple Race or Hispanic Other Race	33.0	( 25.4 - 40.7 )		30.9	( 27.2 - 34.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	35.9	( 30.9 - 40.9 )		34.5	( 32.9 - 36.2 )	
	Gay, Lesbian, or Bisexual	11.5	( 7.8 - 15.2 )		25.1	( 22.4 - 27.8 )	
	Unsure	.	.		38.8	( 34.8 - 42.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 130. Percentage of students who used any form of cocaine one or more times during their life**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	4.4	( 3.4 - 5.3 )	1,382	5.0	( 4.5 - 5.4 )	35,035
<b>Sex</b>	Male	5.0	( 3.6 - 6.5 )		5.6	( 5.1 - 6.2 )	
	Female	3.8	( 2.5 - 5.0 )		4.2	( 3.7 - 4.6 )	
<b>Age</b>	15 or younger	3.8	( 3.2 - 4.5 )		2.8	( 2.4 - 3.2 )	
	16 or 17	4.9	( 3.3 - 6.4 )		6.3	( 5.7 - 7.0 )	
	18 or older	4.9	( 1.5 - 8.2 )		9.4	( 7.9 - 10.8 )	
<b>Grade</b>	9th	5.2	( 3.4 - 6.9 )		2.3	( 1.9 - 2.7 )	
	10th	3.1	( 1.9 - 4.3 )		3.6	( 3.1 - 4.1 )	
	11th	4.0	( 2.5 - 5.5 )		5.6	( 5.0 - 6.3 )	
	12th	6.4	( 3.4 - 9.4 )		8.3	( 7.3 - 9.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		6.3	( 3.9 - 8.7 )	
	Asian*	.	.		3.8	( 2.1 - 5.5 )	
	Black or African American*	.	.		4.3	( 2.6 - 6.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		15.5	( 5.6 - 25.5 )	
	White*	3.8	( 2.4 - 5.2 )		4.4	( 4.0 - 4.8 )	
	Hispanic Only or Hispanic White	4.1	( 2.4 - 5.8 )		5.7	( 5.1 - 6.4 )	
	Multiple Race or Hispanic Other Race	14.5	( 11.1 - 17.9 )		8.8	( 6.9 - 10.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	3.9	( 2.9 - 4.8 )		4.4	( 3.9 - 4.8 )	
	Gay, Lesbian, or Bisexual	8.9	( 4.6 - 13.2 )		9.0	( 7.9 - 10.1 )	
	Unsure	.	.		6.8	( 4.9 - 8.6 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 131. Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	7.0	( 6.8 - 7.1 )	1,378	5.8	( 5.5 - 6.1 )	34,966
<b>Sex</b>	Male	5.8	( 4.7 - 6.9 )		5.8	( 5.3 - 6.3 )	
	Female	7.8	( 6.8 - 8.7 )		5.6	( 5.2 - 6.0 )	
<b>Age</b>	15 or younger	7.5	( 6.9 - 8.1 )		6.0	( 5.6 - 6.5 )	
	16 or 17	5.4	( 5.1 - 5.7 )		5.4	( 5.0 - 5.8 )	
	18 or older	11.0	( 9.2 - 12.7 )		6.6	( 5.0 - 8.2 )	
<b>Grade</b>	9th	10.3	( 7.3 - 13.4 )		6.0	( 5.4 - 6.6 )	
	10th	5.1	( 3.3 - 6.8 )		5.6	( 4.9 - 6.2 )	
	11th	7.5	( 5.9 - 9.2 )		5.5	( 4.9 - 6.1 )	
	12th	6.1	( 4.8 - 7.4 )		5.7	( 4.9 - 6.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		5.9	( 3.6 - 8.2 )	
	Asian*	.	.		4.8	( 2.9 - 6.7 )	
	Black or African American*	.	.		4.0	( 3.0 - 5.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		11.9	( 3.1 - 20.7 )	
	White*	7.4	( 7.0 - 7.9 )		5.8	( 5.4 - 6.2 )	
	Hispanic Only or Hispanic White	4.6	( 3.5 - 5.8 )		5.8	( 5.2 - 6.4 )	
	Multiple Race or Hispanic Other Race	11.8	( 7.8 - 15.7 )		9.3	( 7.4 - 11.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	5.6	( 4.8 - 6.3 )		5.0	( 4.6 - 5.3 )	
	Gay, Lesbian, or Bisexual	17.2	( 11.2 - 23.2 )		10.9	( 9.6 - 12.2 )	
	Unsure	.	.		9.1	( 7.3 - 10.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 132. Percentage of students who used heroin one or more times during their life**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	0.9	( 0.5 - 1.2 )	1,380	1.5	( 1.3 - 1.7 )	45,038
<b>Sex</b>	Male	1.2	( 0.6 - 1.8 )		2.1	( 1.7 - 2.4 )	
	Female	0.5	( 0.1 - 1.0 )		0.8	( 0.7 - 0.9 )	
<b>Age</b>	15 or younger	0.6	( 0.1 - 1.0 )		1.2	( 1.0 - 1.4 )	
	16 or 17	1.3	( 0.8 - 1.8 )		1.7	( 1.5 - 1.9 )	
	18 or older	0.4	( 0.0 - 0.8 )		2.3	( 1.4 - 3.1 )	
<b>Grade</b>	9th	0.4	( 0.0 - 0.8 )		1.0	( 0.8 - 1.2 )	
	10th	1.0	( 0.4 - 1.6 )		1.1	( 0.9 - 1.4 )	
	11th	0.8	( 0.2 - 1.4 )		1.5	( 1.2 - 1.8 )	
	12th	1.4	( 0.4 - 2.3 )		2.1	( 1.7 - 2.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		2.6	( 1.0 - 4.2 )	
	Asian*	.	.		2.1	( 1.3 - 3.0 )	
	Black or African American*	.	.		2.4	( 1.4 - 3.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		8.9	( 0.8 - 16.9 )	
	White*	0.7	( 0.3 - 1.0 )		1.1	( 0.9 - 1.3 )	
	Hispanic Only or Hispanic White	0.4	( 0.0 - 0.8 )		1.4	( 1.2 - 1.7 )	
	Multiple Race or Hispanic Other Race	7.3	( 3.8 - 10.8 )		4.8	( 3.6 - 5.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	0.5	( 0.2 - 0.9 )		1.1	( 1.0 - 1.3 )	
	Gay, Lesbian, or Bisexual	2.3	( 1.1 - 3.5 )		2.6	( 1.9 - 3.4 )	
	Unsure	.	.		4.6	( 3.4 - 5.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 133. Percentage of students who used methamphetamines one or more times during their life**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	2.7	( 2.3 - 3.1 )	1,380	2.0	( 1.8 - 2.2 )	34,945
<b>Sex</b>	Male	3.3	( 2.3 - 4.2 )		2.6	( 2.3 - 2.9 )	
	Female	2.2	( 1.2 - 3.1 )		1.3	( 1.1 - 1.5 )	
<b>Age</b>	15 or younger	2.4	( 1.7 - 3.0 )		1.5	( 1.3 - 1.7 )	
	16 or 17	2.6	( 1.8 - 3.5 )		2.3	( 2.1 - 2.6 )	
	18 or older	4.7	( 2.4 - 7.0 )		3.0	( 2.1 - 4.0 )	
<b>Grade</b>	9th	2.0	( 1.1 - 2.9 )		1.3	( 1.1 - 1.5 )	
	10th	1.9	( 1.2 - 2.5 )		1.5	( 1.2 - 1.9 )	
	11th	2.7	( 1.7 - 3.7 )		2.1	( 1.7 - 2.4 )	
	12th	4.1	( 2.4 - 5.8 )		3.0	( 2.3 - 3.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		2.9	( 1.2 - 4.6 )	
	Asian*	.	.		2.1	( 1.1 - 3.1 )	
	Black or African American*	.	.		2.1	( 1.1 - 3.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		12.6	( 3.3 - 22.0 )	
	White*	2.5	( 1.7 - 3.4 )		1.8	( 1.6 - 2.1 )	
	Hispanic Only or Hispanic White	1.7	( 1.0 - 2.5 )		1.7	( 1.5 - 1.9 )	
	Multiple Race or Hispanic Other Race	10.9	( 8.8 - 13.1 )		5.7	( 4.3 - 7.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	1.8	( 1.6 - 2.0 )		1.5	( 1.4 - 1.7 )	
	Gay, Lesbian, or Bisexual	7.5	( 4.1 - 10.8 )		4.0	( 3.3 - 4.7 )	
	Unsure	.	.		5.6	( 4.0 - 7.1 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 134. Percentage of students who used ecstasy one or more times during their life**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	3.2	( 2.3 - 4.1 )	1,382	4.1	( 3.7 - 4.4 )	34,894
<b>Sex</b>	Male	3.8	( 2.8 - 4.9 )		4.9	( 4.4 - 5.4 )	
	Female	2.6	( 1.8 - 3.5 )		3.1	( 2.7 - 3.5 )	
<b>Age</b>	15 or younger	2.4	( 1.8 - 3.0 )		2.3	( 2.1 - 2.6 )	
	16 or 17	3.4	( 2.0 - 4.8 )		5.2	( 4.7 - 5.8 )	
	18 or older	6.8	( 3.1 - 10.5 )		7.2	( 5.8 - 8.6 )	
<b>Grade</b>	9th	3.7	( 2.8 - 4.7 )		1.9	( 1.6 - 2.3 )	
	10th	1.7	( 0.9 - 2.5 )		2.9	( 2.6 - 3.3 )	
	11th	2.1	( 1.1 - 3.0 )		4.6	( 4.1 - 5.2 )	
	12th	6.7	( 3.7 - 9.6 )		6.7	( 5.8 - 7.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		7.3	( 4.9 - 9.8 )	
	Asian*	.	.		3.8	( 2.2 - 5.4 )	
	Black or African American*	.	.		4.2	( 2.8 - 5.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		14.0	( 4.8 - 23.2 )	
	White*	2.9	( 1.9 - 3.9 )		3.7	( 3.2 - 4.2 )	
	Hispanic Only or Hispanic White	1.8	( 1.0 - 2.7 )		4.0	( 3.4 - 4.6 )	
	Multiple Race or Hispanic Other Race	14.5	( 11.1 - 17.9 )		8.4	( 7.0 - 9.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	2.6	( 1.8 - 3.4 )		3.4	( 3.1 - 3.8 )	
	Gay, Lesbian, or Bisexual	7.0	( 3.7 - 10.3 )		7.9	( 6.7 - 9.2 )	
	Unsure	.	.		6.7	( 4.8 - 8.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 135. Percentage of students who have taken a prescription pain medicine (such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet) without a doctor's prescription one or more times during their life**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	16.4	( 15.2 - 17.7 )	1,380	12.4	( 11.8 - 12.9 )	44,896
<b>Sex</b>	Male	15.8	( 13.7 - 17.9 )		12.7	( 12.1 - 13.3 )	
	Female	17.3	( 16.2 - 18.4 )		11.9	( 11.2 - 12.6 )	
<b>Age</b>	15 or younger	12.1	( 11.0 - 13.2 )		10.1	( 9.6 - 10.7 )	
	16 or 17	18.0	( 16.4 - 19.6 )		13.8	( 12.9 - 14.7 )	
	18 or older	31.3	( 26.1 - 36.5 )		17.1	( 15.3 - 19.0 )	
<b>Grade</b>	9th	14.8	( 13.1 - 16.5 )		9.5	( 8.8 - 10.3 )	
	10th	10.1	( 8.5 - 11.6 )		11.0	( 10.3 - 11.7 )	
	11th	19.9	( 17.8 - 22.1 )		13.7	( 12.6 - 14.8 )	
	12th	22.1	( 17.0 - 27.1 )		15.3	( 14.2 - 16.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		10.8	( 8.0 - 13.6 )	
	Asian*	.	.		7.7	( 6.0 - 9.4 )	
	Black or African American*	.	.		12.6	( 10.1 - 15.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		25.4	( 16.9 - 33.9 )	
	White*	16.5	( 14.3 - 18.6 )		12.5	( 11.8 - 13.2 )	
	Hispanic Only or Hispanic White	15.0	( 13.1 - 16.8 )		12.0	( 11.2 - 12.9 )	
	Multiple Race or Hispanic Other Race	25.2	( 20.8 - 29.6 )		16.1	( 14.4 - 17.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	14.7	( 13.0 - 16.4 )		11.1	( 10.5 - 11.6 )	
	Gay, Lesbian, or Bisexual	28.1	( 19.3 - 36.8 )		19.6	( 18.1 - 21.1 )	
	Unsure	.	.		18.3	( 16.2 - 20.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 136. Percentage of students who used prescription drugs (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax), without a doctor's prescription, in the last 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	6.0	( 5.5 - 6.6 )	1,339	5.1	( 4.8 - 5.4 )	43,532
<b>Sex</b>	Male	5.7	( 4.5 - 6.8 )		5.6	( 5.1 - 6.0 )	
	Female	6.5	( 5.5 - 7.5 )		4.5	( 4.1 - 4.9 )	
<b>Age</b>	15 or younger	5.7	( 4.9 - 6.4 )		4.1	( 3.7 - 4.5 )	
	16 or 17	6.1	( 5.0 - 7.1 )		5.7	( 5.3 - 6.2 )	
	18 or older	7.7	( 6.6 - 8.9 )		7.5	( 6.4 - 8.7 )	
<b>Grade</b>	9th	8.6	( 7.6 - 9.7 )		3.7	( 3.2 - 4.3 )	
	10th	3.5	( 2.7 - 4.2 )		4.3	( 3.9 - 4.7 )	
	11th	7.5	( 7.1 - 7.9 )		5.8	( 5.3 - 6.3 )	
	12th	6.3	( 4.7 - 8.0 )		6.6	( 5.9 - 7.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		6.5	( 4.3 - 8.6 )	
	Asian*	.	.		3.7	( 2.6 - 4.9 )	
	Black or African American*	.	.		5.6	( 3.7 - 7.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		12.2	( 4.4 - 20.0 )	
	White*	5.6	( 4.3 - 6.8 )		4.9	( 4.5 - 5.4 )	
	Hispanic Only or Hispanic White	6.6	( 4.5 - 8.6 )		5.0	( 4.5 - 5.5 )	
	Multiple Race or Hispanic Other Race	16.6	( 14.4 - 18.9 )		8.6	( 7.2 - 10.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	5.4	( 4.7 - 6.0 )		4.5	( 4.1 - 4.8 )	
	Gay, Lesbian, or Bisexual	11.6	( 7.5 - 15.7 )		8.6	( 7.5 - 9.7 )	
	Unsure	.	.		8.8	( 7.0 - 10.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 137. Percentage of students who think it is sort of or very easy to get prescription drugs without a prescription**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	30.5	( 29.1 - 31.8 )	1,348	25.3	( 24.5 - 26.2 )	34,006
<b>Sex</b>	Male	28.7	( 27.9 - 29.4 )		24.9	( 24.0 - 25.8 )	
	Female	32.4	( 29.6 - 35.2 )		25.7	( 24.5 - 27.0 )	
<b>Age</b>	15 or younger	26.1	( 24.3 - 27.9 )		24.0	( 23.1 - 25.0 )	
	16 or 17	32.5	( 30.3 - 34.7 )		26.5	( 25.2 - 27.8 )	
	18 or older	42.7	( 33.1 - 52.2 )		25.7	( 23.5 - 27.9 )	
<b>Grade</b>	9th	26.7	( 22.9 - 30.6 )		22.3	( 21.2 - 23.3 )	
	10th	26.4	( 25.3 - 27.5 )		25.7	( 24.4 - 27.0 )	
	11th	33.7	( 31.2 - 36.2 )		25.7	( 24.1 - 27.2 )	
	12th	36.2	( 32.4 - 40.1 )		27.8	( 26.6 - 29.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		21.3	( 17.3 - 25.2 )	
	Asian*	.	.		22.3	( 19.3 - 25.3 )	
	Black or African American*	.	.		26.8	( 22.6 - 31.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		24.4	( 15.9 - 33.0 )	
	White*	32.0	( 29.7 - 34.3 )		26.4	( 25.5 - 27.2 )	
	Hispanic Only or Hispanic White	25.6	( 22.9 - 28.3 )		23.0	( 21.6 - 24.3 )	
	Multiple Race or Hispanic Other Race	36.0	( 28.2 - 43.9 )		27.6	( 25.6 - 29.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	29.3	( 27.6 - 31.0 )		24.5	( 23.7 - 25.3 )	
	Gay, Lesbian, or Bisexual	36.8	( 32.2 - 41.3 )		31.7	( 30.0 - 33.4 )	
	Unsure	.	.		28.4	( 25.4 - 31.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 138. Percentage of students who think it is wrong or very wrong to use prescription drugs without a prescription**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	88.6	( 88.2 - 89.0 )	1,377	88.7	( 88.1 - 89.3 )	34,568
<b>Sex</b>	Male	88.1	( 87.4 - 88.8 )		87.1	( 86.3 - 87.9 )	
	Female	89.3	( 88.1 - 90.4 )		90.6	( 89.8 - 91.4 )	
<b>Age</b>	15 or younger	89.9	( 88.6 - 91.2 )		89.8	( 89.3 - 90.4 )	
	16 or 17	88.2	( 86.5 - 89.8 )		88.0	( 87.1 - 88.8 )	
	18 or older	84.7	( 83.2 - 86.1 )		87.5	( 85.3 - 89.6 )	
<b>Grade</b>	9th	91.9	( 90.1 - 93.7 )		90.1	( 89.5 - 90.8 )	
	10th	91.7	( 90.5 - 92.9 )		89.5	( 88.7 - 90.3 )	
	11th	85.9	( 85.1 - 86.7 )		87.2	( 86.0 - 88.4 )	
	12th	87.1	( 84.7 - 89.5 )		88.2	( 87.0 - 89.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		88.7	( 84.3 - 93.2 )	
	Asian*	.	.		86.3	( 84.2 - 88.4 )	
	Black or African American*	.	.		87.0	( 84.6 - 89.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		78.1	( 66.9 - 89.2 )	
	White*	89.4	( 89.0 - 89.9 )		89.1	( 88.4 - 89.9 )	
	Hispanic Only or Hispanic White	85.0	( 82.3 - 87.7 )		89.2	( 88.4 - 90.1 )	
	Multiple Race or Hispanic Other Race	86.2	( 82.2 - 90.2 )		85.1	( 83.3 - 86.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	89.9	( 89.5 - 90.2 )		89.3	( 88.7 - 89.9 )	
	Gay, Lesbian, or Bisexual	81.6	( 79.0 - 84.2 )		86.0	( 84.8 - 87.3 )	
	Unsure	.	.		84.2	( 82.0 - 86.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 139. Percentage of students who feel it would be sort of easy or very easy to get drugs like cocaine, LSD, amphetamines if they wanted**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	22.4	( 20.0 - 24.9 )	675	18.2	( 17.2 - 19.1 )	17,066
<b>Sex</b>	Male	24.9	( 20.8 - 29.0 )		18.9	( 17.7 - 20.0 )	
	Female	19.8	( 18.0 - 21.6 )		17.4	( 16.2 - 18.6 )	
<b>Age</b>	15 or younger	11.5	( 9.2 - 13.8 )		12.8	( 11.5 - 14.0 )	
	16 or 17	31.1	( 26.7 - 35.6 )		21.8	( 20.6 - 23.0 )	
	18 or older	.	.		27.0	( 23.8 - 30.3 )	
<b>Grade</b>	9th	19.0	( 14.2 - 23.8 )		10.7	( 9.5 - 11.9 )	
	10th	10.8	( 8.0 - 13.7 )		15.8	( 14.5 - 17.1 )	
	11th	34.8	( 26.4 - 43.1 )		22.2	( 20.6 - 23.8 )	
	12th	31.2	( 26.6 - 35.7 )		24.4	( 23.0 - 25.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		16.5	( 11.0 - 22.0 )	
	Asian*	.	.		12.6	( 9.6 - 15.6 )	
	Black or African American*	.	.		15.0	( 10.2 - 19.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		29.2	( 6.3 - 52.1 )	
	White*	22.8	( 19.9 - 25.7 )		17.3	( 16.0 - 18.5 )	
	Hispanic Only or Hispanic White	19.3	( 15.9 - 22.8 )		20.6	( 19.3 - 22.0 )	
	Multiple Race or Hispanic Other Race	31.5	( 24.6 - 38.4 )		22.5	( 19.4 - 25.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	22.0	( 19.2 - 24.7 )		17.5	( 16.5 - 18.4 )	
	Gay, Lesbian, or Bisexual	20.3	( 12.8 - 27.8 )		25.0	( 22.9 - 27.2 )	
	Unsure	.	.		16.6	( 13.5 - 19.6 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 140. Percentage of students who were offered, sold, or given drugs at school during the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	20.9	( 16.7 - 25.0 )	1,378	16.3	( 15.5 - 17.2 )	34,640
<b>Sex</b>	Male	23.4	( 18.5 - 28.2 )		17.5	( 16.4 - 18.5 )	
	Female	18.2	( 14.9 - 21.5 )		15.1	( 14.2 - 15.9 )	
<b>Age</b>	15 or younger	18.6	( 13.6 - 23.7 )		16.1	( 15.0 - 17.2 )	
	16 or 17	23.4	( 19.3 - 27.4 )		16.8	( 15.8 - 17.9 )	
	18 or older	19.3	( 13.9 - 24.7 )		14.2	( 12.6 - 15.8 )	
<b>Grade</b>	9th	16.4	( 14.1 - 18.7 )		13.7	( 12.7 - 14.8 )	
	10th	23.8	( 17.7 - 29.9 )		18.7	( 17.4 - 20.1 )	
	11th	24.5	( 19.5 - 29.5 )		17.4	( 16.0 - 18.9 )	
	12th	22.8	( 18.3 - 27.2 )		15.4	( 14.4 - 16.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		11.7	( 8.7 - 14.6 )	
	Asian*	.	.		13.2	( 10.4 - 16.0 )	
	Black or African American*	.	.		13.7	( 10.9 - 16.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		18.6	( 10.3 - 26.9 )	
	White*	20.1	( 14.3 - 25.9 )		16.8	( 15.7 - 17.9 )	
	Hispanic Only or Hispanic White	21.9	( 20.2 - 23.6 )		15.9	( 14.6 - 17.1 )	
	Multiple Race or Hispanic Other Race	27.4	( 23.5 - 31.2 )		19.7	( 17.8 - 21.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	20.9	( 17.3 - 24.6 )		15.9	( 15.1 - 16.7 )	
	Gay, Lesbian, or Bisexual	21.0	( 13.9 - 28.0 )		20.3	( 18.1 - 22.6 )	
	Unsure	.	.		15.8	( 13.4 - 18.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 141. Percentage of students who think their family has clear rules about alcohol and drug use**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	92.3	( 91.6 - 93.0 )	689	90.6	( 90.0 - 91.2 )	22,213
<b>Sex</b>	Male	94.8	( 93.3 - 96.3 )		90.5	( 89.7 - 91.3 )	
	Female	89.7	( 86.8 - 92.7 )		90.9	( 90.0 - 91.7 )	
<b>Age</b>	15 or younger	93.4	( 92.7 - 94.0 )		91.7	( 91.0 - 92.5 )	
	16 or 17	90.4	( 89.2 - 91.6 )		89.7	( 88.9 - 90.5 )	
	18 or older	.	.		89.9	( 88.1 - 91.7 )	
<b>Grade</b>	9th	91.5	( 90.0 - 92.9 )		91.8	( 90.8 - 92.8 )	
	10th	94.9	( 93.9 - 95.9 )		91.5	( 90.4 - 92.6 )	
	11th	89.6	( 85.2 - 94.0 )		90.1	( 89.2 - 91.1 )	
	12th	92.3	( 89.4 - 95.2 )		88.9	( 87.5 - 90.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		89.5	( 85.1 - 94.0 )	
	Asian*	.	.		90.8	( 88.2 - 93.4 )	
	Black or African American*	.	.		88.2	( 85.5 - 90.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		83.9	( 73.0 - 94.7 )	
	White*	91.7	( 90.9 - 92.6 )		90.6	( 89.7 - 91.5 )	
	Hispanic Only or Hispanic White	95.6	( 93.9 - 97.3 )		91.7	( 90.6 - 92.7 )	
	Multiple Race or Hispanic Other Race	85.6	( 81.8 - 89.5 )		85.5	( 83.2 - 87.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	92.7	( 91.8 - 93.5 )		91.7	( 91.0 - 92.4 )	
	Gay, Lesbian, or Bisexual	85.0	( 79.1 - 91.0 )		85.0	( 82.7 - 87.4 )	
	Unsure	.	.		84.8	( 81.8 - 87.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 142. Percentage of students who ever had sexual intercourse**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	37.1	( 32.6 - 41.7 )	1,333	32.7	( 31.6 - 33.9 )	32,531
<b>Sex</b>	Male	41.5	( 37.0 - 46.1 )		35.0	( 33.6 - 36.3 )	
	Female	32.3	( 28.0 - 36.6 )		30.3	( 29.0 - 31.5 )	
<b>Age</b>	15 or younger	21.4	( 17.0 - 25.8 )		17.5	( 16.5 - 18.6 )	
	16 or 17	49.0	( 45.5 - 52.5 )		43.9	( 42.6 - 45.3 )	
	18 or older	60.6	( 55.8 - 65.5 )		56.6	( 54.4 - 58.9 )	
<b>Grade</b>	9th	18.7	( 15.3 - 22.1 )		13.7	( 12.5 - 14.9 )	
	10th	32.2	( 29.6 - 34.8 )		26.4	( 25.1 - 27.6 )	
	11th	49.5	( 45.8 - 53.3 )		40.9	( 39.2 - 42.5 )	
	12th	56.7	( 51.8 - 61.5 )		52.6	( 51.0 - 54.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		34.6	( 27.1 - 42.1 )	
	Asian*	.	.		17.5	( 14.4 - 20.6 )	
	Black or African American*	.	.		27.6	( 22.8 - 32.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		35.6	( 25.3 - 45.8 )	
	White*	36.8	( 31.2 - 42.4 )		31.2	( 29.8 - 32.7 )	
	Hispanic Only or Hispanic White	35.9	( 32.2 - 39.6 )		38.0	( 36.7 - 39.2 )	
	Multiple Race or Hispanic Other Race	42.9	( 39.2 - 46.6 )		39.5	( 36.9 - 42.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	36.6	( 31.6 - 41.5 )		31.6	( 30.4 - 32.8 )	
	Gay, Lesbian, or Bisexual	51.6	( 48.9 - 54.4 )		45.9	( 42.6 - 49.1 )	
	Unsure	.	.		22.7	( 19.1 - 26.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 143. Percentage of students who had sexual intercourse for the first time before age 13 years**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	3.6	( 3.3 - 4.0 )	1,348	2.5	( 2.3 - 2.7 )	32,986
<b>Sex</b>	Male	4.9	( 4.4 - 5.3 )		3.2	( 2.9 - 3.5 )	
	Female	2.4	( 1.6 - 3.2 )		1.7	( 1.4 - 2.0 )	
<b>Age</b>	15 or younger	3.5	( 2.8 - 4.1 )		2.5	( 2.2 - 2.9 )	
	16 or 17	4.0	( 3.5 - 4.5 )		2.5	( 2.2 - 2.9 )	
	18 or older	2.9	( 1.0 - 4.7 )		2.1	( 1.5 - 2.7 )	
<b>Grade</b>	9th	4.6	( 3.0 - 6.2 )		2.5	( 2.1 - 2.9 )	
	10th	3.4	( 3.0 - 3.7 )		2.7	( 2.3 - 3.0 )	
	11th	4.2	( 3.6 - 4.7 )		2.4	( 2.0 - 2.9 )	
	12th	3.0	( 1.6 - 4.4 )		2.2	( 1.8 - 2.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		3.4	( 2.3 - 4.5 )	
	Asian*	.	.		1.7	( 0.9 - 2.5 )	
	Black or African American*	.	.		2.7	( 1.5 - 3.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		7.4	( 3.0 - 11.9 )	
	White*	3.1	( 2.6 - 3.5 )		2.2	( 1.9 - 2.5 )	
	Hispanic Only or Hispanic White	3.3	( 2.5 - 4.0 )		2.6	( 2.2 - 3.0 )	
	Multiple Race or Hispanic Other Race	9.9	( 5.9 - 13.8 )		7.2	( 5.9 - 8.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	3.0	( 2.7 - 3.4 )		1.9	( 1.7 - 2.1 )	
	Gay, Lesbian, or Bisexual	8.6	( 5.5 - 11.7 )		6.6	( 5.5 - 7.7 )	
	Unsure	.	.		4.2	( 3.0 - 5.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 144. Percentage of students who had sexual intercourse with four or more people during their life**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	9.1	( 8.0 - 10.3 )	1,351	7.9	( 7.4 - 8.4 )	32,975
<b>Sex</b>	Male	11.6	( 10.1 - 13.1 )		9.3	( 8.7 - 10.0 )	
	Female	6.8	( 6.0 - 7.6 )		6.3	( 5.7 - 6.8 )	
<b>Age</b>	15 or younger	4.2	( 3.4 - 5.1 )		3.0	( 2.6 - 3.4 )	
	16 or 17	11.5	( 9.1 - 13.9 )		11.2	( 10.3 - 12.1 )	
	18 or older	23.3	( 19.9 - 26.8 )		17.5	( 15.8 - 19.2 )	
<b>Grade</b>	9th	3.3	( 1.8 - 4.7 )		2.0	( 1.7 - 2.4 )	
	10th	7.2	( 5.7 - 8.7 )		5.5	( 4.9 - 6.1 )	
	11th	10.4	( 7.4 - 13.4 )		9.5	( 8.5 - 10.6 )	
	12th	17.3	( 14.4 - 20.3 )		15.0	( 13.9 - 16.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		8.1	( 6.1 - 10.1 )	
	Asian*	.	.		3.7	( 2.4 - 5.0 )	
	Black or African American*	.	.		8.1	( 5.1 - 11.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		11.5	( 5.9 - 17.0 )	
	White*	9.0	( 7.1 - 10.9 )		7.5	( 6.9 - 8.1 )	
	Hispanic Only or Hispanic White	7.0	( 3.9 - 10.2 )		8.2	( 7.7 - 8.8 )	
	Multiple Race or Hispanic Other Race	21.3	( 18.5 - 24.2 )		14.2	( 12.0 - 16.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	8.7	( 7.5 - 10.0 )		7.0	( 6.6 - 7.5 )	
	Gay, Lesbian, or Bisexual	11.4	( 7.7 - 15.1 )		14.2	( 12.5 - 15.8 )	
	Unsure	.	.		9.3	( 7.8 - 10.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 145. Percentage of students who had sexual intercourse with one or more people during the past three months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	26.0	( 23.0 - 29.1 )	1,358	22.9	( 21.9 - 24.0 )	32,996
<b>Sex</b>	Male	27.4	( 24.1 - 30.7 )		23.2	( 21.9 - 24.4 )	
	Female	24.4	( 21.2 - 27.6 )		22.5	( 21.3 - 23.6 )	
<b>Age</b>	15 or younger	14.1	( 12.0 - 16.2 )		11.2	( 10.4 - 12.1 )	
	16 or 17	34.0	( 31.3 - 36.7 )		31.3	( 30.2 - 32.5 )	
	18 or older	47.9	( 41.5 - 54.3 )		42.9	( 40.9 - 45.0 )	
<b>Grade</b>	9th	12.8	( 9.8 - 15.8 )		8.0	( 7.1 - 8.9 )	
	10th	20.0	( 18.9 - 21.2 )		17.7	( 16.6 - 18.7 )	
	11th	34.9	( 33.1 - 36.7 )		28.9	( 27.3 - 30.5 )	
	12th	41.5	( 38.1 - 44.8 )		39.2	( 37.6 - 40.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		20.5	( 15.3 - 25.8 )	
	Asian*	.	.		12.7	( 10.3 - 15.2 )	
	Black or African American*	.	.		16.4	( 12.3 - 20.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		17.9	( 11.9 - 23.9 )	
	White*	26.1	( 22.1 - 30.1 )		22.5	( 21.2 - 23.9 )	
	Hispanic Only or Hispanic White	24.0	( 21.5 - 26.6 )		25.6	( 24.5 - 26.8 )	
	Multiple Race or Hispanic Other Race	33.4	( 31.0 - 35.8 )		28.4	( 25.9 - 30.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	26.7	( 23.1 - 30.4 )		22.3	( 21.2 - 23.4 )	
	Gay, Lesbian, or Bisexual	24.3	( 18.8 - 29.8 )		30.7	( 28.1 - 33.4 )	
	Unsure	.	.		16.3	( 13.6 - 19.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 146. Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	20.1	( 19.4 - 20.7 )	364	19.3	( 17.9 - 20.7 )	8,331
<b>Sex</b>	Male	26.2	( 23.8 - 28.6 )		21.1	( 19.2 - 22.9 )	
	Female	13.2	( 11.2 - 15.3 )		17.2	( 15.6 - 18.9 )	
<b>Age</b>	15 or younger	18.3	( 11.1 - 25.4 )		18.9	( 16.3 - 21.5 )	
	16 or 17	24.0	( 20.4 - 27.7 )		19.7	( 18.0 - 21.4 )	
	18 or older	.	.		18.4	( 15.7 - 21.1 )	
<b>Grade</b>	9th	.	.		19.9	( 16.9 - 22.9 )	
	10th	18.9	( 11.8 - 26.1 )		19.3	( 16.9 - 21.8 )	
	11th	25.5	( 22.9 - 28.0 )		19.6	( 17.3 - 21.9 )	
	12th	17.0	( 13.5 - 20.5 )		18.5	( 16.6 - 20.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		16.0	( 10.0 - 22.0 )	
	Asian*	.	.		24.1	( 10.4 - 37.9 )	
	Black or African American*	.	.		22.0	( 13.0 - 30.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	19.6	( 16.8 - 22.4 )		20.2	( 18.4 - 22.1 )	
	Hispanic Only or Hispanic White	18.6	( 10.2 - 26.9 )		16.6	( 14.5 - 18.8 )	
	Multiple Race or Hispanic Other Race	.	.		23.0	( 18.1 - 27.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	17.5	( 16.6 - 18.4 )		18.2	( 16.6 - 19.7 )	
	Gay, Lesbian, or Bisexual	.	.		21.8	( 19.4 - 24.3 )	
	Unsure	.	.		39.5	( 30.8 - 48.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 147. Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	63.7	( 62.0 - 65.4 )	357	58.9	( 57.4 - 60.4 )	8,206
<b>Sex</b>	Male	63.4	( 62.7 - 64.2 )		64.3	( 62.2 - 66.3 )	
	Female	65.2	( 61.0 - 69.4 )		53.9	( 51.4 - 56.5 )	
<b>Age</b>	15 or younger	67.0	( 63.6 - 70.5 )		64.5	( 61.6 - 67.4 )	
	16 or 17	63.6	( 61.5 - 65.6 )		57.6	( 55.7 - 59.4 )	
	18 or older	.	.		55.3	( 51.6 - 59.0 )	
<b>Grade</b>	9th	.	.		67.2	( 63.6 - 70.8 )	
	10th	70.3	( 68.7 - 71.8 )		64.7	( 62.0 - 67.3 )	
	11th	63.5	( 59.8 - 67.2 )		60.5	( 58.0 - 62.9 )	
	12th	62.3	( 55.0 - 69.5 )		53.4	( 51.3 - 55.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		62.6	( 52.3 - 72.9 )	
	Asian*	.	.		65.8	( 51.3 - 80.3 )	
	Black or African American*	.	.		65.8	( 59.1 - 72.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	58.9	( 55.8 - 62.0 )		59.9	( 57.9 - 62.0 )	
	Hispanic Only or Hispanic White	78.5	( 71.1 - 86.0 )		56.2	( 53.5 - 59.0 )	
	Multiple Race or Hispanic Other Race	.	.		55.6	( 49.9 - 61.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	65.3	( 63.7 - 67.0 )		61.2	( 59.6 - 62.9 )	
	Gay, Lesbian, or Bisexual	.	.		46.5	( 41.8 - 51.3 )	
	Unsure	.	.		48.5	( 39.5 - 57.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 148. Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	24.7	( 21.6 - 27.8 )	326	22.2	( 20.6 - 23.9 )	7,650
<b>Sex</b>	Male	25.3	( 20.4 - 30.2 )		18.9	( 17.6 - 20.2 )	
	Female	22.4	( 19.7 - 25.2 )		25.6	( 23.2 - 28.1 )	
<b>Age</b>	15 or younger	19.7	( 15.9 - 23.5 )		15.4	( 12.4 - 18.5 )	
	16 or 17	24.2	( 23.2 - 25.2 )		24.0	( 22.3 - 25.8 )	
	18 or older	.	.		25.0	( 21.5 - 28.5 )	
<b>Grade</b>	9th	.	.		11.0	( 7.8 - 14.2 )	
	10th	23.6	( 18.3 - 28.9 )		19.1	( 15.3 - 22.8 )	
	11th	20.3	( 16.0 - 24.5 )		22.4	( 20.1 - 24.6 )	
	12th	32.4	( 20.4 - 44.3 )		26.2	( 23.7 - 28.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		39.4	( 18.0 - 60.8 )	
	Asian*	.	.		7.1	( 2.1 - 12.2 )	
	Black or African American*	.	.		16.7	( 8.0 - 25.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	27.7	( 22.9 - 32.5 )		25.8	( 24.2 - 27.4 )	
	Hispanic Only or Hispanic White	15.8	( 11.2 - 20.4 )		18.0	( 14.7 - 21.2 )	
	Multiple Race or Hispanic Other Race	.	.		16.3	( 13.1 - 19.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	27.1	( 23.6 - 30.5 )		23.1	( 21.4 - 24.8 )	
	Gay, Lesbian, or Bisexual	.	.		17.9	( 14.8 - 21.0 )	
	Unsure	.	.		21.3	( 13.8 - 28.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 149. Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	6.9	( 4.4 - 9.3 )	326	9.2	( 8.3 - 10.1 )	7,650
<b>Sex</b>	Male	6.2	( 4.4 - 8.1 )		8.4	( 6.9 - 9.9 )	
	Female	7.7	( 4.1 - 11.3 )		9.6	( 8.4 - 10.8 )	
<b>Age</b>	15 or younger	13.1	( 8.0 - 18.3 )		12.2	( 10.2 - 14.2 )	
	16 or 17	3.7	( 2.2 - 5.1 )		8.1	( 6.8 - 9.4 )	
	18 or older	.	.		9.7	( 7.1 - 12.4 )	
<b>Grade</b>	9th	.	.		15.4	( 12.3 - 18.5 )	
	10th	7.0	( 4.0 - 10.0 )		10.0	( 8.0 - 12.0 )	
	11th	5.6	( 3.1 - 8.2 )		8.5	( 6.7 - 10.3 )	
	12th	4.3	( 2.0 - 6.5 )		7.9	( 6.3 - 9.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		9.6	( 5.7 - 13.5 )	
	Asian*	.	.		6.3	( 1.7 - 10.8 )	
	Black or African American*	.	.		13.3	( 7.7 - 18.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		.	.	
	White*	6.0	( 3.6 - 8.5 )		7.4	( 6.4 - 8.4 )	
	Hispanic Only or Hispanic White	7.8	( 2.0 - 13.7 )		11.8	( 9.8 - 13.8 )	
	Multiple Race or Hispanic Other Race	.	.		11.5	( 7.8 - 15.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	4.8	( 2.5 - 7.0 )		7.3	( 6.5 - 8.2 )	
	Gay, Lesbian, or Bisexual	.	.		18.8	( 15.9 - 21.7 )	
	Unsure	.	.		17.0	( 11.4 - 22.5 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 150. Percent of students who had a dental exam within the past 24 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	85.9	( 83.8 - 88.0 )	685	87.7	( 86.8 - 88.6 )	17,135
<b>Sex</b>	Male	84.3	( 81.8 - 86.9 )		85.8	( 84.5 - 87.1 )	
	Female	87.6	( 85.5 - 89.8 )		89.7	( 88.8 - 90.6 )	
<b>Age</b>	15 or younger	81.7	( 79.8 - 83.6 )		88.1	( 87.0 - 89.2 )	
	16 or 17	89.2	( 86.4 - 92.0 )		87.7	( 86.7 - 88.8 )	
	18 or older	.	.		85.1	( 82.6 - 87.6 )	
<b>Grade</b>	9th	86.0	( 82.6 - 89.4 )		88.0	( 86.5 - 89.5 )	
	10th	83.7	( 81.0 - 86.4 )		87.8	( 86.5 - 89.0 )	
	11th	88.9	( 85.3 - 92.4 )		88.2	( 86.9 - 89.5 )	
	12th	88.9	( 87.0 - 90.7 )		87.2	( 86.0 - 88.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		76.3	( 67.8 - 84.9 )	
	Asian*	.	.		80.9	( 76.8 - 85.1 )	
	Black or African American*	.	.		85.5	( 81.2 - 89.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		64.5	( 49.1 - 79.9 )	
	White*	87.2	( 85.8 - 88.5 )		90.8	( 89.9 - 91.7 )	
	Hispanic Only or Hispanic White	83.1	( 78.2 - 88.1 )		84.0	( 82.7 - 85.4 )	
	Multiple Race or Hispanic Other Race	71.0	( 65.5 - 76.4 )		81.6	( 79.2 - 84.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	87.0	( 84.2 - 89.8 )		88.5	( 87.6 - 89.4 )	
	Gay, Lesbian, or Bisexual	79.1	( 74.5 - 83.7 )		84.7	( 82.3 - 87.1 )	
	Unsure	.	.		80.9	( 77.9 - 84.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 151. Percent of students who had a dental exam within the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	76.1	( 73.2 - 79.1 )	685	77.9	( 76.4 - 79.3 )	17,135
<b>Sex</b>	Male	73.8	( 69.4 - 78.1 )		76.1	( 73.9 - 78.2 )	
	Female	78.6	( 76.9 - 80.4 )		79.9	( 78.6 - 81.2 )	
<b>Age</b>	15 or younger	72.9	( 69.3 - 76.5 )		79.6	( 78.0 - 81.3 )	
	16 or 17	79.9	( 75.2 - 84.7 )		76.9	( 75.3 - 78.5 )	
	18 or older	.	.		73.6	( 70.8 - 76.5 )	
<b>Grade</b>	9th	74.4	( 65.9 - 82.9 )		79.4	( 77.4 - 81.4 )	
	10th	73.5	( 69.4 - 77.6 )		78.5	( 76.5 - 80.5 )	
	11th	82.1	( 78.2 - 85.9 )		78.1	( 76.2 - 79.9 )	
	12th	75.9	( 72.3 - 79.5 )		75.7	( 73.6 - 77.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		53.5	( 43.7 - 63.4 )	
	Asian*	.	.		71.9	( 66.2 - 77.6 )	
	Black or African American*	.	.		71.9	( 66.8 - 77.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		60.0	( 45.1 - 74.9 )	
	White*	79.6	( 77.3 - 82.0 )		82.3	( 80.7 - 83.9 )	
	Hispanic Only or Hispanic White	67.8	( 62.9 - 72.8 )		72.1	( 70.7 - 73.6 )	
	Multiple Race or Hispanic Other Race	64.5	( 59.5 - 69.5 )		70.7	( 67.8 - 73.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	77.8	( 74.3 - 81.2 )		79.0	( 77.4 - 80.5 )	
	Gay, Lesbian, or Bisexual	65.0	( 55.8 - 74.2 )		73.6	( 71.4 - 75.9 )	
	Unsure	.	.		68.9	( 64.6 - 73.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 152. Percent of students who saw a doctor or nurse for a physical exam or check-up within the past 24 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	81.9	( 79.3 - 84.5 )	686	81.1	( 79.9 - 82.3 )	17,125
<b>Sex</b>	Male	78.0	( 74.9 - 81.1 )		79.4	( 77.4 - 81.3 )	
	Female	86.0	( 83.6 - 88.4 )		83.0	( 81.8 - 84.3 )	
<b>Age</b>	15 or younger	77.7	( 74.4 - 80.9 )		81.1	( 79.4 - 82.7 )	
	16 or 17	86.2	( 83.8 - 88.5 )		81.7	( 80.4 - 82.9 )	
	18 or older	.	.		77.7	( 74.4 - 81.0 )	
<b>Grade</b>	9th	76.2	( 72.7 - 79.7 )		80.3	( 78.4 - 82.2 )	
	10th	82.4	( 79.5 - 85.2 )		82.1	( 80.6 - 83.6 )	
	11th	89.4	( 85.6 - 93.2 )		81.8	( 80.2 - 83.4 )	
	12th	82.6	( 79.1 - 86.1 )		80.8	( 78.8 - 82.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		63.9	( 54.6 - 73.2 )	
	Asian*	.	.		71.8	( 66.9 - 76.6 )	
	Black or African American*	.	.		79.8	( 75.6 - 84.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		53.9	( 36.1 - 71.8 )	
	White*	84.2	( 80.7 - 87.7 )		84.7	( 83.7 - 85.7 )	
	Hispanic Only or Hispanic White	78.0	( 75.1 - 80.9 )		76.5	( 74.6 - 78.5 )	
	Multiple Race or Hispanic Other Race	64.4	( 60.5 - 68.4 )		78.0	( 75.1 - 80.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	82.4	( 79.3 - 85.4 )		81.7	( 80.4 - 83.0 )	
	Gay, Lesbian, or Bisexual	81.6	( 75.0 - 88.3 )		80.2	( 77.5 - 82.9 )	
	Unsure	.	.		73.6	( 70.0 - 77.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 153. Percent of students who saw a doctor or nurse for a physical exam or check-up within the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	70.8	( 66.9 - 74.6 )	686	69.0	( 67.6 - 70.4 )	17,125
<b>Sex</b>	Male	67.3	( 63.7 - 71.0 )		67.8	( 65.6 - 70.1 )	
	Female	74.3	( 68.6 - 80.1 )		70.3	( 69.0 - 71.6 )	
<b>Age</b>	15 or younger	64.3	( 59.7 - 69.0 )		69.7	( 68.1 - 71.4 )	
	16 or 17	78.2	( 75.4 - 81.0 )		68.9	( 67.3 - 70.5 )	
	18 or older	.	.		65.6	( 62.4 - 68.7 )	
<b>Grade</b>	9th	66.5	( 59.9 - 73.0 )		69.9	( 68.0 - 71.8 )	
	10th	67.5	( 66.2 - 68.7 )		69.6	( 67.6 - 71.7 )	
	11th	82.1	( 77.5 - 86.6 )		69.6	( 67.3 - 71.9 )	
	12th	72.4	( 68.4 - 76.4 )		67.3	( 65.8 - 68.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		49.2	( 39.8 - 58.6 )	
	Asian*	.	.		62.2	( 55.9 - 68.5 )	
	Black or African American*	.	.		68.0	( 63.4 - 72.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		51.5	( 34.0 - 69.0 )	
	White*	74.2	( 69.7 - 78.8 )		72.5	( 71.0 - 74.1 )	
	Hispanic Only or Hispanic White	63.8	( 60.2 - 67.5 )		64.4	( 62.4 - 66.3 )	
	Multiple Race or Hispanic Other Race	54.5	( 49.9 - 59.1 )		64.4	( 61.7 - 67.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	72.2	( 68.0 - 76.4 )		70.0	( 68.5 - 71.6 )	
	Gay, Lesbian, or Bisexual	62.1	( 57.5 - 66.8 )		64.9	( 62.3 - 67.6 )	
	Unsure	.	.		61.9	( 57.7 - 66.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 154. Percentage of student who had ever been told by a doctor or nurse that they had asthma**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	16.5	( 14.9 - 18.1 )	688	20.8	( 19.7 - 21.9 )	17,212
<b>Sex</b>	Male	18.1	( 16.5 - 19.7 )		20.3	( 18.6 - 21.9 )	
	Female	15.1	( 12.9 - 17.3 )		21.2	( 20.1 - 22.2 )	
<b>Age</b>	15 or younger	15.7	( 14.2 - 17.3 )		20.6	( 19.3 - 21.9 )	
	16 or 17	16.6	( 13.0 - 20.2 )		20.8	( 19.3 - 22.3 )	
	18 or older	.	.		21.7	( 19.0 - 24.4 )	
<b>Grade</b>	9th	16.6	( 14.4 - 18.8 )		20.2	( 18.2 - 22.2 )	
	10th	16.1	( 12.9 - 19.3 )		21.5	( 19.5 - 23.4 )	
	11th	17.0	( 12.5 - 21.6 )		20.2	( 18.6 - 21.8 )	
	12th	18.7	( 16.6 - 20.7 )		21.3	( 19.5 - 23.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		24.9	( 16.7 - 33.0 )	
	Asian*	.	.		16.6	( 13.4 - 19.8 )	
	Black or African American*	.	.		27.9	( 21.8 - 34.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		17.0	( 3.4 - 30.6 )	
	White*	17.3	( 15.5 - 19.1 )		21.0	( 19.9 - 22.1 )	
	Hispanic Only or Hispanic White	12.5	( 10.2 - 14.7 )		18.2	( 16.8 - 19.5 )	
	Multiple Race or Hispanic Other Race	38.7	( 29.6 - 47.7 )		30.7	( 26.6 - 34.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	17.3	( 15.9 - 18.6 )		20.3	( 19.2 - 21.4 )	
	Gay, Lesbian, or Bisexual	14.4	( 8.3 - 20.6 )		24.8	( 21.4 - 28.2 )	
	Unsure	.	.		21.7	( 17.5 - 25.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 155. Percentage of students who described their grades as mostly A's or B's over the past 12 months**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	82.1	( 80.5 - 83.7 )	1,329	77.5	( 75.9 - 79.1 )	33,299
<b>Sex</b>	Male	78.6	( 76.5 - 80.7 )		73.4	( 71.5 - 75.3 )	
	Female	86.3	( 84.7 - 88.0 )		82.0	( 80.6 - 83.5 )	
<b>Age</b>	15 or younger	81.0	( 77.6 - 84.4 )		78.6	( 76.8 - 80.5 )	
	16 or 17	83.8	( 82.6 - 85.0 )		76.6	( 74.8 - 78.4 )	
	18 or older	79.8	( 74.9 - 84.6 )		77.1	( 75.0 - 79.3 )	
<b>Grade</b>	9th	77.9	( 73.2 - 82.6 )		78.9	( 76.9 - 81.0 )	
	10th	79.4	( 75.9 - 82.9 )		76.9	( 74.4 - 79.4 )	
	11th	86.5	( 84.4 - 88.6 )		75.9	( 73.7 - 78.0 )	
	12th	82.0	( 79.4 - 84.5 )		78.3	( 76.4 - 80.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		64.4	( 57.2 - 71.6 )	
	Asian*	.	.		88.6	( 86.4 - 90.7 )	
	Black or African American*	.	.		71.0	( 68.5 - 73.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		66.2	( 56.4 - 76.0 )	
	White*	84.1	( 82.5 - 85.7 )		82.5	( 81.3 - 83.8 )	
	Hispanic Only or Hispanic White	78.8	( 76.5 - 81.1 )		68.5	( 66.3 - 70.8 )	
	Multiple Race or Hispanic Other Race	69.4	( 65.6 - 73.3 )		68.6	( 64.2 - 73.0 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	82.7	( 81.4 - 84.1 )		78.3	( 76.6 - 80.0 )	
	Gay, Lesbian, or Bisexual	78.2	( 71.8 - 84.7 )		73.5	( 71.6 - 75.5 )	
	Unsure	.	.		73.8	( 70.3 - 77.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 156. Percentage of students who think their grades are better than most students in class**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	68.1	( 65.9 - 70.3 )	667	64.0	( 62.8 - 65.2 )	16,939
<b>Sex</b>	Male	64.2	( 59.3 - 69.1 )		62.6	( 60.9 - 64.4 )	
	Female	72.7	( 68.8 - 76.6 )		65.6	( 64.5 - 66.7 )	
<b>Age</b>	15 or younger	68.4	( 64.1 - 72.7 )		65.7	( 64.2 - 67.1 )	
	16 or 17	69.0	( 66.2 - 71.7 )		62.8	( 61.2 - 64.4 )	
	18 or older	.	.		61.7	( 58.4 - 65.1 )	
<b>Grade</b>	9th	68.4	( 64.8 - 72.1 )		65.5	( 63.8 - 67.3 )	
	10th	62.9	( 57.4 - 68.4 )		64.1	( 61.5 - 66.8 )	
	11th	71.8	( 67.0 - 76.6 )		63.0	( 60.9 - 65.0 )	
	12th	66.1	( 62.2 - 70.1 )		63.0	( 60.9 - 65.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		56.9	( 48.2 - 65.5 )	
	Asian*	.	.		78.5	( 73.2 - 83.7 )	
	Black or African American*	.	.		52.1	( 45.7 - 58.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		58.4	( 46.0 - 70.9 )	
	White*	70.2	( 66.8 - 73.6 )		68.9	( 67.5 - 70.3 )	
	Hispanic Only or Hispanic White	65.2	( 62.5 - 67.8 )		54.6	( 52.3 - 56.9 )	
	Multiple Race or Hispanic Other Race	48.4	( 38.7 - 58.2 )		58.5	( 55.2 - 61.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	70.1	( 67.5 - 72.8 )		64.9	( 63.5 - 66.2 )	
	Gay, Lesbian, or Bisexual	57.8	( 50.9 - 64.7 )		58.8	( 55.8 - 61.7 )	
	Unsure	.	.		60.0	( 55.7 - 64.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 157. Percentage of students who participate in extracurricular activities at school**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	69.6	( 68.1 - 71.0 )	1,363	68.2	( 66.7 - 69.7 )	43,965
<b>Sex</b>	Male	67.7	( 65.7 - 69.7 )		66.6	( 65.0 - 68.2 )	
	Female	71.7	( 69.3 - 74.1 )		69.9	( 68.1 - 71.6 )	
<b>Age</b>	15 or younger	67.6	( 65.9 - 69.3 )		68.7	( 66.8 - 70.5 )	
	16 or 17	73.2	( 71.6 - 74.8 )		68.3	( 66.7 - 70.0 )	
	18 or older	62.1	( 53.3 - 71.0 )		63.7	( 61.7 - 65.8 )	
<b>Grade</b>	9th	71.0	( 65.7 - 76.4 )		68.6	( 66.6 - 70.7 )	
	10th	69.5	( 67.1 - 71.9 )		68.9	( 66.7 - 71.1 )	
	11th	75.2	( 73.3 - 77.1 )		69.0	( 67.1 - 70.9 )	
	12th	67.3	( 61.8 - 72.8 )		66.4	( 64.6 - 68.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		66.0	( 60.2 - 71.8 )	
	Asian*	.	.		70.2	( 66.4 - 74.1 )	
	Black or African American*	.	.		66.1	( 62.4 - 69.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		63.0	( 49.0 - 77.0 )	
	White*	71.9	( 69.7 - 74.1 )		73.2	( 71.8 - 74.6 )	
	Hispanic Only or Hispanic White	62.5	( 60.7 - 64.3 )		58.8	( 56.5 - 61.1 )	
	Multiple Race or Hispanic Other Race	64.3	( 56.9 - 71.7 )		67.9	( 65.4 - 70.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	71.1	( 69.0 - 73.2 )		68.8	( 67.3 - 70.4 )	
	Gay, Lesbian, or Bisexual	60.3	( 55.7 - 64.9 )		66.3	( 62.9 - 69.7 )	
	Unsure	.	.		66.1	( 62.7 - 69.6 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 158. Percentage of students who skipped 1+ whole days of school during last 4 weeks**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	26.1	( 24.2 - 28.0 )	1,367	22.8	( 21.5 - 24.1 )	44,011
<b>Sex</b>	Male	22.3	( 20.3 - 24.3 )		21.1	( 19.7 - 22.5 )	
	Female	29.9	( 27.4 - 32.4 )		24.4	( 23.0 - 25.7 )	
<b>Age</b>	15 or younger	22.8	( 20.4 - 25.3 )		17.8	( 16.3 - 19.4 )	
	16 or 17	26.9	( 24.7 - 29.1 )		26.1	( 24.8 - 27.5 )	
	18 or older	39.3	( 31.1 - 47.5 )		31.9	( 29.4 - 34.3 )	
<b>Grade</b>	9th	22.9	( 20.1 - 25.6 )		16.0	( 14.3 - 17.8 )	
	10th	27.1	( 24.7 - 29.4 )		20.5	( 18.8 - 22.2 )	
	11th	23.3	( 21.4 - 25.2 )		24.4	( 22.8 - 26.1 )	
	12th	35.5	( 31.9 - 39.0 )		30.8	( 29.0 - 32.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		37.4	( 31.0 - 43.7 )	
	Asian*	.	.		17.3	( 14.9 - 19.7 )	
	Black or African American*	.	.		24.1	( 20.8 - 27.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		23.2	( 7.2 - 39.2 )	
	White*	24.3	( 22.2 - 26.5 )		19.3	( 18.1 - 20.5 )	
	Hispanic Only or Hispanic White	29.7	( 26.8 - 32.5 )		29.0	( 27.0 - 31.0 )	
	Multiple Race or Hispanic Other Race	38.0	( 31.0 - 45.0 )		28.4	( 25.5 - 31.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	24.9	( 22.4 - 27.3 )		22.0	( 20.6 - 23.3 )	
	Gay, Lesbian, or Bisexual	35.4	( 29.3 - 41.5 )		28.5	( 26.5 - 30.4 )	
	Unsure	.	.		23.6	( 19.7 - 27.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 159. Percentage of students who feel safe at school**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	87.9	( 86.5 - 89.3 )	1,358	90.0	( 89.1 - 90.8 )	44,755
<b>Sex</b>	Male	86.6	( 84.9 - 88.3 )		90.1	( 89.2 - 91.1 )	
	Female	89.4	( 88.1 - 90.7 )		90.0	( 89.2 - 90.9 )	
<b>Age</b>	15 or younger	90.6	( 88.8 - 92.3 )		89.6	( 88.8 - 90.4 )	
	16 or 17	85.0	( 83.8 - 86.2 )		90.3	( 89.4 - 91.2 )	
	18 or older	88.4	( 85.7 - 91.1 )		90.4	( 88.1 - 92.7 )	
<b>Grade</b>	9th	90.6	( 88.8 - 92.5 )		90.1	( 89.2 - 90.9 )	
	10th	87.7	( 87.0 - 88.4 )		88.8	( 87.7 - 89.8 )	
	11th	86.0	( 84.2 - 87.8 )		89.9	( 88.6 - 91.3 )	
	12th	86.5	( 84.4 - 88.5 )		91.5	( 90.4 - 92.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		88.3	( 85.8 - 90.7 )	
	Asian*	.	.		90.4	( 88.2 - 92.6 )	
	Black or African American*	.	.		85.5	( 82.0 - 88.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		82.1	( 72.8 - 91.5 )	
	White*	87.9	( 86.3 - 89.5 )		91.1	( 90.1 - 92.1 )	
	Hispanic Only or Hispanic White	90.1	( 88.9 - 91.3 )		89.2	( 88.3 - 90.1 )	
	Multiple Race or Hispanic Other Race	74.3	( 68.1 - 80.4 )		86.5	( 84.8 - 88.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	89.2	( 87.4 - 91.1 )		91.5	( 90.6 - 92.3 )	
	Gay, Lesbian, or Bisexual	82.0	( 77.5 - 86.6 )		82.7	( 80.9 - 84.5 )	
	Unsure	.	.		82.4	( 80.4 - 84.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 160. Percentage of students who feel school work/assignments are often/almost always important and meaningful**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	34.7	( 32.6 - 36.7 )	678	32.0	( 30.8 - 33.3 )	17,085
<b>Sex</b>	Male	38.5	( 35.3 - 41.7 )		32.4	( 30.8 - 33.9 )	
	Female	31.4	( 29.7 - 33.1 )		31.8	( 30.3 - 33.3 )	
<b>Age</b>	15 or younger	36.2	( 33.5 - 39.0 )		35.3	( 33.6 - 37.0 )	
	16 or 17	31.6	( 30.1 - 33.1 )		29.5	( 28.0 - 31.0 )	
	18 or older	.	.		28.8	( 25.1 - 32.5 )	
<b>Grade</b>	9th	30.6	( 27.1 - 34.1 )		38.3	( 36.2 - 40.3 )	
	10th	34.9	( 30.5 - 39.4 )		30.4	( 28.5 - 32.2 )	
	11th	33.9	( 31.0 - 36.8 )		29.8	( 28.1 - 31.5 )	
	12th	35.8	( 31.8 - 39.9 )		29.2	( 26.7 - 31.7 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		19.1	( 13.6 - 24.7 )	
	Asian*	.	.		39.5	( 33.0 - 46.0 )	
	Black or African American*	.	.		35.4	( 30.8 - 40.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		37.9	( 23.6 - 52.2 )	
	White*	33.8	( 31.9 - 35.8 )		31.3	( 29.9 - 32.6 )	
	Hispanic Only or Hispanic White	37.3	( 34.3 - 40.3 )		32.9	( 30.6 - 35.2 )	
	Multiple Race or Hispanic Other Race	38.5	( 30.9 - 46.1 )		29.6	( 26.5 - 32.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	37.7	( 35.4 - 39.9 )		32.7	( 31.4 - 33.9 )	
	Gay, Lesbian, or Bisexual	16.4	( 12.5 - 20.4 )		27.1	( 24.7 - 29.6 )	
	Unsure	.	.		30.0	( 26.1 - 33.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 161. Percentage of students who think their teacher notices when doing a good job and lets them know about it**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	65.3	( 62.2 - 68.5 )	1,360	62.0	( 60.8 - 63.1 )	34,157
<b>Sex</b>	Male	69.0	( 66.1 - 72.0 )		64.1	( 62.6 - 65.6 )	
	Female	61.4	( 56.8 - 66.1 )		59.8	( 58.6 - 61.0 )	
<b>Age</b>	15 or younger	64.4	( 57.6 - 71.3 )		61.4	( 60.0 - 62.9 )	
	16 or 17	66.6	( 66.1 - 67.0 )		62.0	( 60.7 - 63.3 )	
	18 or older	65.5	( 62.2 - 68.7 )		65.3	( 62.2 - 68.5 )	
<b>Grade</b>	9th	61.1	( 50.1 - 72.1 )		61.9	( 60.2 - 63.6 )	
	10th	68.7	( 64.9 - 72.5 )		61.0	( 59.1 - 62.9 )	
	11th	67.8	( 64.7 - 70.9 )		61.5	( 59.7 - 63.3 )	
	12th	64.5	( 61.7 - 67.2 )		63.6	( 61.8 - 65.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		54.3	( 47.7 - 60.9 )	
	Asian*	.	.		60.6	( 55.0 - 66.2 )	
	Black or African American*	.	.		62.6	( 58.2 - 66.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		61.9	( 54.0 - 69.8 )	
	White*	66.1	( 63.5 - 68.7 )		61.6	( 60.1 - 63.0 )	
	Hispanic Only or Hispanic White	65.6	( 60.7 - 70.6 )		63.8	( 61.9 - 65.7 )	
	Multiple Race or Hispanic Other Race	53.9	( 47.7 - 60.1 )		56.9	( 54.0 - 59.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	66.1	( 63.3 - 68.9 )		63.0	( 61.8 - 64.2 )	
	Gay, Lesbian, or Bisexual	64.5	( 56.9 - 72.1 )		55.0	( 53.1 - 56.9 )	
	Unsure	.	.		58.4	( 55.1 - 61.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 162. Percentage of students who think their teacher will praise them when they work hard in school**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	50.3	( 47.7 - 52.8 )	1,363	49.7	( 48.6 - 50.9 )	34,074
<b>Sex</b>	Male	51.7	( 48.5 - 54.9 )		52.3	( 50.8 - 53.8 )	
	Female	48.4	( 44.4 - 52.4 )		47.2	( 46.1 - 48.3 )	
<b>Age</b>	15 or younger	52.4	( 46.7 - 58.1 )		48.9	( 47.4 - 50.4 )	
	16 or 17	46.2	( 44.9 - 47.4 )		50.2	( 48.8 - 51.5 )	
	18 or older	61.1	( 60.1 - 62.0 )		51.9	( 48.6 - 55.2 )	
<b>Grade</b>	9th	48.5	( 40.5 - 56.5 )		50.5	( 48.7 - 52.3 )	
	10th	54.0	( 49.4 - 58.6 )		47.1	( 45.6 - 48.6 )	
	11th	45.6	( 43.4 - 47.9 )		49.1	( 47.1 - 51.1 )	
	12th	54.0	( 52.5 - 55.5 )		52.3	( 50.7 - 53.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		42.7	( 36.6 - 48.7 )	
	Asian*	.	.		52.4	( 47.5 - 57.3 )	
	Black or African American*	.	.		49.8	( 46.0 - 53.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		50.4	( 39.5 - 61.2 )	
	White*	53.5	( 51.1 - 55.8 )		49.7	( 48.3 - 51.2 )	
	Hispanic Only or Hispanic White	43.8	( 37.6 - 49.9 )		50.0	( 47.8 - 52.1 )	
	Multiple Race or Hispanic Other Race	40.4	( 35.2 - 45.6 )		46.6	( 43.8 - 49.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	52.0	( 49.1 - 54.8 )		50.0	( 48.8 - 51.3 )	
	Gay, Lesbian, or Bisexual	42.4	( 38.0 - 46.8 )		46.1	( 44.0 - 48.1 )	
	Unsure	.	.		49.9	( 46.5 - 53.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 163. Percentage of students who think their school lets their parents/guardians know when they have done something well**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	42.2	( 41.0 - 43.4 )	675	42.3	( 40.6 - 44.0 )	16,960
<b>Sex</b>	Male	44.9	( 43.2 - 46.6 )		43.8	( 41.8 - 45.9 )	
	Female	40.5	( 38.4 - 42.6 )		40.9	( 39.2 - 42.6 )	
<b>Age</b>	15 or younger	47.9	( 43.5 - 52.4 )		45.7	( 43.8 - 47.6 )	
	16 or 17	36.8	( 34.4 - 39.2 )		39.5	( 37.7 - 41.3 )	
	18 or older	.	.		40.3	( 36.3 - 44.4 )	
<b>Grade</b>	9th	47.3	( 40.7 - 53.9 )		47.5	( 45.1 - 49.9 )	
	10th	48.3	( 44.7 - 52.0 )		42.9	( 40.8 - 45.0 )	
	11th	32.9	( 28.7 - 37.1 )		39.1	( 36.7 - 41.4 )	
	12th	38.5	( 37.3 - 39.8 )		39.3	( 36.8 - 41.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		37.5	( 31.2 - 43.8 )	
	Asian*	.	.		49.5	( 42.0 - 57.0 )	
	Black or African American*	.	.		46.8	( 42.4 - 51.2 )	
	Native Hawaiian or Other Pacific Islander*	.	.		49.3	( 30.8 - 67.8 )	
	White*	41.4	( 39.9 - 42.9 )		41.8	( 39.7 - 44.0 )	
	Hispanic Only or Hispanic White	47.9	( 44.7 - 51.1 )		42.1	( 39.7 - 44.6 )	
	Multiple Race or Hispanic Other Race	28.5	( 23.1 - 33.9 )		38.7	( 34.5 - 42.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	44.3	( 42.3 - 46.2 )		43.0	( 41.2 - 44.7 )	
	Gay, Lesbian, or Bisexual	29.7	( 20.9 - 38.4 )		36.1	( 33.0 - 39.3 )	
	Unsure	.	.		42.8	( 38.7 - 46.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 164. Percentage of students who think most of their classes are fairly/quite/very interesting and stimulating**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	68.5	( 67.3 - 69.6 )	675	70.5	( 69.2 - 71.8 )	17,047
<b>Sex</b>	Male	64.8	( 61.7 - 67.9 )		69.2	( 67.7 - 70.7 )	
	Female	72.1	( 71.0 - 73.2 )		71.9	( 70.4 - 73.5 )	
<b>Age</b>	15 or younger	74.4	( 72.2 - 76.7 )		69.9	( 67.6 - 72.1 )	
	16 or 17	63.6	( 60.6 - 66.6 )		71.2	( 69.8 - 72.5 )	
	18 or older	.	.		69.7	( 65.6 - 73.9 )	
<b>Grade</b>	9th	66.5	( 63.4 - 69.5 )		71.4	( 68.5 - 74.3 )	
	10th	72.4	( 68.4 - 76.4 )		67.6	( 65.6 - 69.6 )	
	11th	66.5	( 62.5 - 70.5 )		69.9	( 67.9 - 71.9 )	
	12th	63.3	( 58.9 - 67.6 )		72.9	( 71.0 - 74.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		67.3	( 56.6 - 77.9 )	
	Asian*	.	.		75.9	( 70.0 - 81.8 )	
	Black or African American*	.	.		67.4	( 60.5 - 74.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		76.0	( 63.5 - 88.6 )	
	White*	68.4	( 66.1 - 70.6 )		69.4	( 67.9 - 70.8 )	
	Hispanic Only or Hispanic White	68.4	( 67.1 - 69.7 )		72.9	( 70.8 - 75.1 )	
	Multiple Race or Hispanic Other Race	80.5	( 75.0 - 86.0 )		68.9	( 65.2 - 72.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	69.2	( 67.0 - 71.4 )		71.3	( 70.0 - 72.6 )	
	Gay, Lesbian, or Bisexual	60.4	( 52.6 - 68.3 )		63.3	( 60.3 - 66.3 )	
	Unsure	.	.		69.3	( 65.8 - 72.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 165. Percentage of students who think the things they are learning in school are going to be important for later in life**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	58.8	( 56.2 - 61.4 )	674	59.8	( 58.4 - 61.2 )	17,026
<b>Sex</b>	Male	55.1	( 52.0 - 58.2 )		60.1	( 58.6 - 61.6 )	
	Female	62.0	( 59.2 - 64.8 )		59.6	( 57.8 - 61.3 )	
<b>Age</b>	15 or younger	62.4	( 58.6 - 66.2 )		62.7	( 61.0 - 64.5 )	
	16 or 17	53.4	( 50.7 - 56.0 )		57.5	( 55.9 - 59.2 )	
	18 or older	.	.		57.5	( 54.2 - 60.9 )	
<b>Grade</b>	9th	68.8	( 65.1 - 72.5 )		67.8	( 65.8 - 69.9 )	
	10th	55.3	( 49.2 - 61.4 )		56.0	( 53.7 - 58.3 )	
	11th	53.2	( 50.1 - 56.3 )		56.5	( 54.6 - 58.4 )	
	12th	60.5	( 56.6 - 64.3 )		58.4	( 56.4 - 60.4 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		54.5	( 47.1 - 62.0 )	
	Asian*	.	.		69.3	( 65.0 - 73.5 )	
	Black or African American*	.	.		64.4	( 58.9 - 69.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		55.0	( 31.8 - 78.3 )	
	White*	57.8	( 56.5 - 59.1 )		57.5	( 55.8 - 59.2 )	
	Hispanic Only or Hispanic White	59.4	( 50.4 - 68.4 )		62.7	( 60.6 - 64.8 )	
	Multiple Race or Hispanic Other Race	71.6	( 61.0 - 82.2 )		60.1	( 57.2 - 62.9 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	59.8	( 56.6 - 63.1 )		61.1	( 59.6 - 62.6 )	
	Gay, Lesbian, or Bisexual	56.8	( 51.7 - 61.9 )		47.6	( 43.5 - 51.6 )	
	Unsure	.	.		61.1	( 57.1 - 65.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 166. Percentage of students who often or almost always hated being in school over the last year**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	44.3	( 42.8 - 45.8 )	676	40.2	( 38.9 - 41.5 )	17,069
<b>Sex</b>	Male	44.5	( 43.3 - 45.7 )		37.5	( 36.0 - 39.0 )	
	Female	44.8	( 42.6 - 47.0 )		42.7	( 40.9 - 44.5 )	
<b>Age</b>	15 or younger	38.1	( 34.5 - 41.6 )		37.4	( 35.8 - 39.1 )	
	16 or 17	49.9	( 47.5 - 52.3 )		42.4	( 40.7 - 44.0 )	
	18 or older	.	.		42.6	( 37.2 - 48.0 )	
<b>Grade</b>	9th	41.1	( 37.4 - 44.9 )		35.4	( 33.2 - 37.6 )	
	10th	39.6	( 35.4 - 43.7 )		42.0	( 40.2 - 43.8 )	
	11th	46.4	( 40.9 - 51.9 )		42.4	( 40.2 - 44.6 )	
	12th	48.5	( 45.8 - 51.2 )		41.2	( 38.7 - 43.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		49.4	( 36.5 - 62.2 )	
	Asian*	.	.		32.8	( 26.1 - 39.4 )	
	Black or African American*	.	.		45.9	( 39.5 - 52.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		51.3	( 30.5 - 72.1 )	
	White*	45.6	( 45.0 - 46.2 )		39.9	( 38.3 - 41.5 )	
	Hispanic Only or Hispanic White	40.6	( 33.7 - 47.5 )		40.1	( 38.1 - 42.1 )	
	Multiple Race or Hispanic Other Race	52.4	( 49.4 - 55.3 )		43.5	( 40.4 - 46.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	44.1	( 42.5 - 45.7 )		38.4	( 37.2 - 39.7 )	
	Gay, Lesbian, or Bisexual	51.4	( 48.0 - 54.7 )		54.7	( 51.2 - 58.2 )	
	Unsure	.	.		40.6	( 35.8 - 45.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 167. Percentage of students who often try to do their best work in school over the last year**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	77.9	( 76.2 - 79.7 )	676	71.4	( 70.1 - 72.7 )	17,054
<b>Sex</b>	Male	71.0	( 69.1 - 73.0 )		65.8	( 64.1 - 67.6 )	
	Female	85.6	( 82.9 - 88.3 )		77.3	( 76.0 - 78.6 )	
<b>Age</b>	15 or younger	84.0	( 81.8 - 86.2 )		75.1	( 73.7 - 76.5 )	
	16 or 17	74.1	( 70.5 - 77.6 )		68.9	( 67.5 - 70.3 )	
	18 or older	.	.		65.4	( 61.8 - 69.1 )	
<b>Grade</b>	9th	84.3	( 82.4 - 86.2 )		76.4	( 75.1 - 77.8 )	
	10th	80.9	( 75.3 - 86.5 )		72.5	( 70.3 - 74.8 )	
	11th	79.4	( 76.3 - 82.5 )		70.1	( 68.5 - 71.8 )	
	12th	67.1	( 66.0 - 68.2 )		66.2	( 63.9 - 68.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		57.3	( 49.1 - 65.5 )	
	Asian*	.	.		74.0	( 67.7 - 80.3 )	
	Black or African American*	.	.		70.3	( 64.8 - 75.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		64.4	( 51.1 - 77.6 )	
	White*	78.3	( 76.5 - 80.1 )		73.1	( 71.5 - 74.8 )	
	Hispanic Only or Hispanic White	76.6	( 72.2 - 81.0 )		68.9	( 67.2 - 70.6 )	
	Multiple Race or Hispanic Other Race	79.1	( 73.4 - 84.9 )		67.1	( 64.5 - 69.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	78.6	( 76.4 - 80.8 )		72.8	( 71.4 - 74.2 )	
	Gay, Lesbian, or Bisexual	66.1	( 57.0 - 75.2 )		64.8	( 62.6 - 67.0 )	
	Unsure	.	.		60.3	( 55.5 - 65.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 168. Percentage of students who often enjoyed being in school over the last year**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	31.7	( 30.0 - 33.4 )	678	31.9	( 30.4 - 33.3 )	17,071
<b>Sex</b>	Male	33.7	( 29.4 - 38.0 )		33.9	( 32.0 - 35.7 )	
	Female	30.2	( 28.7 - 31.7 )		29.9	( 28.2 - 31.6 )	
<b>Age</b>	15 or younger	33.5	( 31.3 - 35.6 )		34.1	( 32.4 - 35.9 )	
	16 or 17	31.4	( 28.4 - 34.4 )		30.1	( 28.0 - 32.2 )	
	18 or older	.	.		29.6	( 25.7 - 33.4 )	
<b>Grade</b>	9th	40.5	( 34.2 - 46.8 )		36.6	( 34.3 - 38.8 )	
	10th	27.1	( 22.8 - 31.4 )		30.2	( 27.5 - 32.9 )	
	11th	33.8	( 29.6 - 37.9 )		29.7	( 27.3 - 32.2 )	
	12th	26.3	( 22.0 - 30.5 )		30.7	( 28.6 - 32.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		30.1	( 19.5 - 40.6 )	
	Asian*	.	.		35.8	( 29.7 - 41.9 )	
	Black or African American*	.	.		28.4	( 23.8 - 33.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		40.0	( 27.2 - 52.9 )	
	White*	29.5	( 27.4 - 31.7 )		32.4	( 30.8 - 34.0 )	
	Hispanic Only or Hispanic White	36.3	( 31.7 - 41.0 )		31.5	( 29.4 - 33.6 )	
	Multiple Race or Hispanic Other Race	34.7	( 27.8 - 41.7 )		25.1	( 21.4 - 28.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	33.6	( 32.0 - 35.1 )		32.8	( 31.4 - 34.3 )	
	Gay, Lesbian, or Bisexual	10.9	( 6.9 - 14.8 )		23.8	( 21.7 - 25.8 )	
	Unsure	.	.		31.5	( 26.9 - 36.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 169. Percentage of students who think it is important to finish high school**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	97.2	( 95.8 - 98.5 )	679	97.5	( 97.3 - 97.8 )	21,938
<b>Sex</b>	Male	96.6	( 95.1 - 98.1 )		96.6	( 96.2 - 97.0 )	
	Female	97.7	( 96.3 - 99.0 )		98.6	( 98.3 - 98.8 )	
<b>Age</b>	15 or younger	98.2	( 97.1 - 99.4 )		97.6	( 97.3 - 97.9 )	
	16 or 17	97.2	( 95.3 - 99.2 )		97.5	( 97.1 - 97.9 )	
	18 or older	.	.		97.4	( 96.5 - 98.2 )	
<b>Grade</b>	9th	96.7	( 94.0 - 99.4 )		97.4	( 97.0 - 97.9 )	
	10th	98.2	( 96.9 - 99.4 )		97.8	( 97.3 - 98.3 )	
	11th	99.7	( 99.4 - 100.0 )		97.2	( 96.6 - 97.8 )	
	12th	92.7	( 87.3 - 98.2 )		97.8	( 97.2 - 98.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		94.7	( 90.7 - 98.7 )	
	Asian*	.	.		97.1	( 95.3 - 98.8 )	
	Black or African American*	.	.		94.8	( 93.1 - 96.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		93.2	( 83.7 - 100.0 )	
	White*	98.2	( 97.3 - 99.0 )		98.0	( 97.8 - 98.3 )	
	Hispanic Only or Hispanic White	94.3	( 91.0 - 97.7 )		97.5	( 97.1 - 97.9 )	
	Multiple Race or Hispanic Other Race	98.0	( 95.7 - 100.0 )		94.5	( 92.7 - 96.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	97.3	( 95.5 - 99.0 )		97.9	( 97.7 - 98.2 )	
	Gay, Lesbian, or Bisexual	94.5	( 90.7 - 98.3 )		96.5	( 95.7 - 97.3 )	
	Unsure	.	.		93.6	( 91.5 - 95.8 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 170. Percentage of students who think it is important to go to college**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	85.7	( 84.3 - 87.1 )	678	89.3	( 88.5 - 90.1 )	21,903
<b>Sex</b>	Male	81.4	( 79.0 - 83.8 )		86.4	( 85.2 - 87.6 )	
	Female	90.8	( 90.3 - 91.3 )		92.6	( 91.8 - 93.4 )	
<b>Age</b>	15 or younger	89.3	( 87.9 - 90.7 )		90.2	( 89.3 - 91.2 )	
	16 or 17	84.2	( 82.0 - 86.5 )		88.7	( 87.7 - 89.8 )	
	18 or older	.	.		87.9	( 86.0 - 89.7 )	
<b>Grade</b>	9th	89.4	( 85.4 - 93.5 )		90.6	( 89.5 - 91.8 )	
	10th	88.2	( 85.1 - 91.4 )		88.9	( 87.8 - 89.9 )	
	11th	82.5	( 78.1 - 86.9 )		88.9	( 87.6 - 90.2 )	
	12th	82.7	( 80.6 - 84.8 )		89.0	( 87.7 - 90.2 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		82.4	( 76.6 - 88.2 )	
	Asian*	.	.		95.2	( 92.5 - 98.0 )	
	Black or African American*	.	.		89.3	( 85.9 - 92.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		88.2	( 77.2 - 99.1 )	
	White*	86.8	( 85.3 - 88.3 )		90.1	( 89.2 - 90.9 )	
	Hispanic Only or Hispanic White	84.2	( 82.6 - 85.8 )		88.0	( 86.9 - 89.1 )	
	Multiple Race or Hispanic Other Race	75.1	( 67.7 - 82.4 )		85.3	( 82.3 - 88.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	87.1	( 85.9 - 88.3 )		90.6	( 89.6 - 91.5 )	
	Gay, Lesbian, or Bisexual	76.9	( 73.0 - 80.9 )		83.1	( 81.0 - 85.1 )	
	Unsure	.	.		82.9	( 79.8 - 86.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 171. Percentage of students who feel the rules in their family are clear**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	93.4	( 92.2 - 94.6 )	669	92.6	( 92.1 - 93.0 )	16,922
<b>Sex</b>	Male	94.0	( 92.4 - 95.6 )		92.2	( 91.4 - 92.9 )	
	Female	92.7	( 91.2 - 94.1 )		93.3	( 92.6 - 93.9 )	
<b>Age</b>	15 or younger	94.3	( 93.2 - 95.3 )		93.0	( 92.5 - 93.6 )	
	16 or 17	92.3	( 90.3 - 94.3 )		92.3	( 91.6 - 93.0 )	
	18 or older	.	.		92.2	( 90.4 - 94.1 )	
<b>Grade</b>	9th	93.9	( 90.9 - 97.0 )		93.7	( 92.9 - 94.6 )	
	10th	95.6	( 95.0 - 96.1 )		92.5	( 91.7 - 93.3 )	
	11th	93.9	( 90.9 - 96.9 )		92.0	( 91.0 - 92.9 )	
	12th	89.7	( 86.7 - 92.7 )		92.2	( 91.2 - 93.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		91.2	( 86.8 - 95.6 )	
	Asian*	.	.		92.2	( 89.5 - 95.0 )	
	Black or African American*	.	.		91.6	( 88.7 - 94.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		96.0	( 90.8 - 100.0 )	
	White*	92.8	( 91.2 - 94.3 )		92.6	( 92.0 - 93.2 )	
	Hispanic Only or Hispanic White	95.5	( 94.8 - 96.3 )		93.3	( 92.4 - 94.1 )	
	Multiple Race or Hispanic Other Race	86.0	( 84.1 - 87.8 )		88.5	( 86.8 - 90.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	93.9	( 93.1 - 94.7 )		93.7	( 93.2 - 94.2 )	
	Gay, Lesbian, or Bisexual	86.0	( 78.5 - 93.4 )		86.1	( 84.0 - 88.3 )	
	Unsure	.	.		86.9	( 83.7 - 90.1 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 172. Percentage of students who could ask parents/guardians for help with a personal problem**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	84.2	( 82.9 - 85.6 )	1,362	83.5	( 82.6 - 84.5 )	44,104
<b>Sex</b>	Male	88.9	( 87.4 - 90.5 )		85.8	( 84.8 - 86.8 )	
	Female	79.4	( 76.9 - 81.9 )		81.4	( 80.2 - 82.7 )	
<b>Age</b>	15 or younger	81.4	( 79.8 - 83.0 )		83.8	( 82.7 - 84.8 )	
	16 or 17	87.7	( 86.4 - 89.0 )		83.1	( 82.0 - 84.3 )	
	18 or older	81.1	( 80.0 - 82.2 )		84.6	( 82.6 - 86.6 )	
<b>Grade</b>	9th	80.7	( 77.9 - 83.5 )		84.0	( 82.7 - 85.4 )	
	10th	84.3	( 83.3 - 85.3 )		83.4	( 82.2 - 84.6 )	
	11th	88.1	( 85.5 - 90.7 )		82.2	( 80.9 - 83.5 )	
	12th	84.0	( 82.8 - 85.3 )		84.6	( 83.4 - 85.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		79.1	( 74.5 - 83.6 )	
	Asian*	.	.		77.8	( 74.0 - 81.5 )	
	Black or African American*	.	.		76.1	( 73.1 - 79.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		72.4	( 63.6 - 81.3 )	
	White*	85.6	( 83.5 - 87.6 )		86.1	( 85.1 - 87.2 )	
	Hispanic Only or Hispanic White	81.6	( 76.9 - 86.4 )		81.4	( 80.4 - 82.4 )	
	Multiple Race or Hispanic Other Race	74.6	( 67.4 - 81.7 )		78.0	( 76.3 - 79.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	87.9	( 86.3 - 89.6 )		86.0	( 85.1 - 86.9 )	
	Gay, Lesbian, or Bisexual	55.8	( 47.9 - 63.7 )		67.5	( 65.4 - 69.6 )	
	Unsure	.	.		75.9	( 72.4 - 79.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 173. Percentage of students who have parents/guardians that ask if homework is done**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	77.8	( 75.1 - 80.4 )	682	80.5	( 79.6 - 81.4 )	22,169
<b>Sex</b>	Male	81.8	( 77.9 - 85.8 )		83.0	( 81.9 - 84.2 )	
	Female	73.3	( 71.5 - 75.1 )		78.1	( 77.0 - 79.2 )	
<b>Age</b>	15 or younger	84.4	( 82.6 - 86.2 )		85.1	( 84.2 - 86.0 )	
	16 or 17	74.1	( 68.5 - 79.7 )		77.6	( 76.3 - 79.0 )	
	18 or older	.	.		70.6	( 67.0 - 74.3 )	
<b>Grade</b>	9th	81.5	( 76.9 - 86.1 )		86.9	( 85.9 - 87.9 )	
	10th	86.0	( 83.6 - 88.4 )		82.4	( 81.3 - 83.5 )	
	11th	75.6	( 71.1 - 80.1 )		78.8	( 77.3 - 80.3 )	
	12th	66.7	( 62.9 - 70.5 )		73.2	( 70.8 - 75.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		77.2	( 71.8 - 82.6 )	
	Asian*	.	.		84.4	( 79.8 - 88.9 )	
	Black or African American*	.	.		79.0	( 75.1 - 82.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		80.8	( 70.8 - 90.8 )	
	White*	76.8	( 74.4 - 79.1 )		80.8	( 79.8 - 81.7 )	
	Hispanic Only or Hispanic White	78.7	( 75.2 - 82.2 )		80.5	( 79.2 - 81.8 )	
	Multiple Race or Hispanic Other Race	75.4	( 67.5 - 83.2 )		75.0	( 71.5 - 78.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	78.5	( 75.7 - 81.2 )		82.3	( 81.4 - 83.2 )	
	Gay, Lesbian, or Bisexual	72.3	( 69.0 - 75.6 )		68.9	( 65.8 - 72.0 )	
	Unsure	.	.		71.9	( 68.5 - 75.2 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 174. Percentage of students who have parents/guardians who know where they are and who they are with when not home**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	91.5	( 90.1 - 93.0 )	681	91.3	( 90.8 - 91.8 )	17,195
<b>Sex</b>	Male	90.6	( 89.4 - 91.8 )		89.7	( 89.0 - 90.5 )	
	Female	92.4	( 90.5 - 94.4 )		93.2	( 92.6 - 93.9 )	
<b>Age</b>	15 or younger	96.9	( 95.6 - 98.3 )		92.7	( 92.0 - 93.4 )	
	16 or 17	86.9	( 85.2 - 88.6 )		90.6	( 89.8 - 91.3 )	
	18 or older	.	.		87.8	( 85.7 - 89.8 )	
<b>Grade</b>	9th	98.2	( 96.8 - 99.7 )		92.3	( 91.3 - 93.4 )	
	10th	93.2	( 92.6 - 93.7 )		92.4	( 91.2 - 93.6 )	
	11th	87.3	( 85.6 - 89.1 )		92.0	( 90.8 - 93.2 )	
	12th	85.5	( 82.6 - 88.3 )		88.5	( 87.4 - 89.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		91.3	( 87.5 - 95.2 )	
	Asian*	.	.		91.1	( 88.4 - 93.8 )	
	Black or African American*	.	.		88.7	( 86.8 - 90.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		94.5	( 89.7 - 99.2 )	
	White*	91.0	( 89.4 - 92.6 )		91.3	( 90.6 - 92.0 )	
	Hispanic Only or Hispanic White	94.1	( 92.5 - 95.7 )		92.3	( 91.2 - 93.3 )	
	Multiple Race or Hispanic Other Race	84.1	( 78.8 - 89.5 )		86.5	( 83.9 - 89.1 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	92.0	( 90.6 - 93.5 )		92.2	( 91.6 - 92.8 )	
	Gay, Lesbian, or Bisexual	90.5	( 86.7 - 94.3 )		86.3	( 84.4 - 88.2 )	
	Unsure	.	.		85.8	( 82.6 - 88.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 175. Percentage of students who have parents/guardians who know if they are not home on time**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	86.7	( 85.5 - 87.9 )	680	87.1	( 86.4 - 87.9 )	17,175
<b>Sex</b>	Male	86.1	( 85.1 - 87.2 )		86.2	( 85.1 - 87.3 )	
	Female	87.1	( 85.0 - 89.1 )		88.4	( 87.5 - 89.3 )	
<b>Age</b>	15 or younger	88.7	( 86.0 - 91.5 )		88.7	( 87.8 - 89.6 )	
	16 or 17	87.1	( 85.0 - 89.3 )		86.3	( 85.4 - 87.2 )	
	18 or older	.	.		84.0	( 81.6 - 86.4 )	
<b>Grade</b>	9th	89.3	( 86.9 - 91.8 )		89.3	( 88.5 - 90.1 )	
	10th	89.0	( 86.7 - 91.3 )		87.7	( 86.4 - 89.0 )	
	11th	89.0	( 85.6 - 92.4 )		86.6	( 85.4 - 87.8 )	
	12th	81.5	( 78.1 - 84.8 )		85.0	( 83.3 - 86.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		86.0	( 80.4 - 91.6 )	
	Asian*	.	.		85.8	( 82.7 - 88.9 )	
	Black or African American*	.	.		87.0	( 83.8 - 90.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		85.1	( 75.3 - 94.9 )	
	White*	85.2	( 83.0 - 87.4 )		86.8	( 85.9 - 87.7 )	
	Hispanic Only or Hispanic White	91.4	( 89.3 - 93.4 )		89.0	( 87.8 - 90.1 )	
	Multiple Race or Hispanic Other Race	86.8	( 82.3 - 91.3 )		82.3	( 80.5 - 84.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	87.3	( 86.3 - 88.3 )		87.9	( 87.1 - 88.8 )	
	Gay, Lesbian, or Bisexual	90.8	( 86.9 - 94.6 )		82.8	( 81.1 - 84.5 )	
	Unsure	.	.		83.4	( 80.1 - 86.7 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 176. Percentage of students who think they would be caught by parents for skipping school**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	89.2	( 87.2 - 91.1 )	684	88.5	( 87.3 - 89.7 )	17,199
<b>Sex</b>	Male	88.9	( 86.5 - 91.3 )		88.9	( 87.7 - 90.0 )	
	Female	89.3	( 87.5 - 91.1 )		88.2	( 86.8 - 89.7 )	
<b>Age</b>	15 or younger	91.3	( 89.9 - 92.6 )		90.1	( 89.0 - 91.2 )	
	16 or 17	87.9	( 85.5 - 90.4 )		87.9	( 86.4 - 89.4 )	
	18 or older	.	.		82.5	( 79.2 - 85.9 )	
<b>Grade</b>	9th	90.6	( 88.6 - 92.7 )		90.9	( 89.8 - 91.9 )	
	10th	89.9	( 87.6 - 92.2 )		88.7	( 87.2 - 90.1 )	
	11th	89.5	( 87.2 - 91.9 )		88.8	( 87.4 - 90.2 )	
	12th	84.6	( 80.0 - 89.2 )		85.6	( 83.2 - 88.1 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		85.7	( 81.2 - 90.2 )	
	Asian*	.	.		89.1	( 86.2 - 92.0 )	
	Black or African American*	.	.		88.2	( 83.9 - 92.4 )	
	Native Hawaiian or Other Pacific Islander*	.	.		95.2	( 91.5 - 99.0 )	
	White*	90.1	( 87.4 - 92.8 )		90.5	( 89.4 - 91.6 )	
	Hispanic Only or Hispanic White	89.9	( 87.8 - 92.0 )		85.2	( 83.3 - 87.1 )	
	Multiple Race or Hispanic Other Race	76.2	( 70.2 - 82.2 )		82.3	( 79.1 - 85.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	90.9	( 88.5 - 93.3 )		89.4	( 88.2 - 90.5 )	
	Gay, Lesbian, or Bisexual	78.3	( 73.4 - 83.2 )		82.4	( 79.5 - 85.4 )	
	Unsure	.	.		86.4	( 83.9 - 88.9 )	

\* Non-Hispanic.  
 . = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 177. Percentage of students who have chances to do fun things with parents/guardians**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	78.3	( 75.2 - 81.3 )	681	78.6	( 77.5 - 79.7 )	17,109
<b>Sex</b>	Male	81.8	( 77.5 - 86.1 )		80.0	( 78.6 - 81.4 )	
	Female	74.5	( 71.9 - 77.0 )		77.3	( 76.1 - 78.4 )	
<b>Age</b>	15 or younger	78.9	( 74.4 - 83.5 )		78.9	( 77.6 - 80.2 )	
	16 or 17	79.0	( 75.7 - 82.3 )		78.3	( 76.8 - 79.8 )	
	18 or older	.	.		78.8	( 76.2 - 81.3 )	
<b>Grade</b>	9th	79.8	( 76.1 - 83.5 )		79.6	( 78.0 - 81.2 )	
	10th	76.4	( 74.1 - 78.7 )		78.2	( 76.7 - 79.8 )	
	11th	77.2	( 74.0 - 80.5 )		78.1	( 76.0 - 80.2 )	
	12th	76.7	( 71.9 - 81.4 )		78.4	( 76.9 - 79.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		80.6	( 75.0 - 86.1 )	
	Asian*	.	.		77.5	( 71.7 - 83.3 )	
	Black or African American*	.	.		72.5	( 68.9 - 76.0 )	
	Native Hawaiian or Other Pacific Islander*	.	.		80.6	( 69.9 - 91.3 )	
	White*	79.8	( 76.9 - 82.6 )		80.4	( 79.0 - 81.8 )	
	Hispanic Only or Hispanic White	73.6	( 70.4 - 76.8 )		76.5	( 74.6 - 78.5 )	
	Multiple Race or Hispanic Other Race	74.1	( 66.0 - 82.3 )		72.9	( 69.4 - 76.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	80.6	( 77.5 - 83.7 )		80.3	( 79.0 - 81.5 )	
	Gay, Lesbian, or Bisexual	57.1	( 53.7 - 60.5 )		65.2	( 62.9 - 67.5 )	
	Unsure	.	.		77.3	( 73.3 - 81.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.





**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 178. Percentage of students who have parents/guardians who ask student what they think before most family decisions**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	64.0	( 61.6 - 66.5 )	679	67.5	( 66.5 - 68.5 )	17,017
<b>Sex</b>	Male	65.1	( 58.3 - 72.0 )		70.2	( 68.6 - 71.8 )	
	Female	62.6	( 59.1 - 66.1 )		65.1	( 63.8 - 66.4 )	
<b>Age</b>	15 or younger	70.2	( 68.2 - 72.3 )		68.5	( 67.1 - 69.9 )	
	16 or 17	60.3	( 56.2 - 64.5 )		66.7	( 65.3 - 68.1 )	
	18 or older	.	.		66.9	( 63.3 - 70.4 )	
<b>Grade</b>	9th	77.4	( 75.8 - 78.9 )		70.0	( 68.3 - 71.8 )	
	10th	64.7	( 62.1 - 67.2 )		66.3	( 64.5 - 68.0 )	
	11th	53.0	( 45.6 - 60.4 )		66.5	( 64.2 - 68.7 )	
	12th	61.4	( 57.5 - 65.3 )		67.3	( 65.3 - 69.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		59.1	( 52.3 - 65.8 )	
	Asian*	.	.		66.2	( 59.3 - 73.1 )	
	Black or African American*	.	.		64.8	( 60.6 - 69.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		51.5	( 37.7 - 65.4 )	
	White*	62.7	( 59.4 - 66.0 )		68.9	( 67.4 - 70.3 )	
	Hispanic Only or Hispanic White	69.5	( 64.0 - 74.9 )		66.1	( 64.0 - 68.2 )	
	Multiple Race or Hispanic Other Race	70.8	( 65.4 - 76.3 )		61.7	( 58.9 - 64.4 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	67.4	( 64.0 - 70.7 )		70.0	( 68.8 - 71.1 )	
	Gay, Lesbian, or Bisexual	50.7	( 38.5 - 62.8 )		50.0	( 46.7 - 53.2 )	
	Unsure	.	.		60.3	( 55.2 - 65.4 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 179. Percentage of students who report their sexual orientation to be heterosexual (straight)**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	87.1	( 86.0 - 88.2 )	1,398	85.1	( 84.4 - 85.7 )	43,132
<b>Sex</b>	Male	92.6	( 90.5 - 94.8 )		91.6	( 91.1 - 92.1 )	
	Female	81.5	( 80.7 - 82.2 )		78.8	( 77.7 - 79.8 )	
<b>Age</b>	15 or younger	85.2	( 84.0 - 86.5 )		85.7	( 84.7 - 86.6 )	
	16 or 17	88.1	( 86.7 - 89.4 )		84.5	( 83.8 - 85.3 )	
	18 or older	91.7	( 89.7 - 93.8 )		85.2	( 83.7 - 86.8 )	
<b>Grade</b>	9th	86.2	( 84.3 - 88.2 )		86.4	( 85.3 - 87.5 )	
	10th	88.3	( 86.7 - 89.9 )		85.0	( 83.7 - 86.3 )	
	11th	84.6	( 83.4 - 85.8 )		85.0	( 84.1 - 85.8 )	
	12th	91.7	( 89.1 - 94.4 )		84.1	( 82.9 - 85.3 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		77.8	( 72.5 - 83.1 )	
	Asian*	.	.		86.5	( 84.3 - 88.7 )	
	Black or African American*	.	.		87.2	( 84.8 - 89.6 )	
	Native Hawaiian or Other Pacific Islander*	.	.		82.6	( 74.4 - 90.9 )	
	White*	87.9	( 86.9 - 88.9 )		84.9	( 84.0 - 85.9 )	
	Hispanic Only or Hispanic White	87.4	( 86.1 - 88.7 )		86.4	( 85.5 - 87.3 )	
	Multiple Race or Hispanic Other Race	77.3	( 71.0 - 83.7 )		78.8	( 77.2 - 80.5 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	100.0	( 100.0 - 100.0 )		100.0	( 100.0 - 100.0 )	
	Gay, Lesbian, or Bisexual	0.0	( 0.0 - 0.0 )		0.0	( 0.0 - 0.0 )	
	Unsure	0.0	( 0.0 - 0.0 )		0.0	( 0.0 - 0.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 180. Percentage of students who report their sexual orientation to be gay, lesbian, or bisexual**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	8.5	( 8.2 - 8.8 )	1,398	10.3	( 9.8 - 10.9 )	43,132
<b>Sex</b>	Male	3.8	( 2.4 - 5.2 )		4.9	( 4.5 - 5.3 )	
	Female	13.5	( 12.1 - 14.9 )		15.7	( 14.8 - 16.6 )	
<b>Age</b>	15 or younger	9.4	( 8.0 - 10.8 )		9.5	( 8.8 - 10.3 )	
	16 or 17	7.9	( 6.7 - 9.2 )		11.1	( 10.4 - 11.8 )	
	18 or older	6.9	( 5.5 - 8.2 )		9.9	( 8.6 - 11.2 )	
<b>Grade</b>	9th	11.1	( 9.6 - 12.5 )		8.6	( 7.8 - 9.4 )	
	10th	8.2	( 7.4 - 9.0 )		10.5	( 9.5 - 11.6 )	
	11th	9.1	( 8.1 - 10.1 )		10.7	( 10.1 - 11.3 )	
	12th	6.9	( 5.2 - 8.7 )		11.6	( 10.7 - 12.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		12.3	( 8.9 - 15.6 )	
	Asian*	.	.		6.5	( 5.1 - 7.8 )	
	Black or African American*	.	.		8.4	( 6.4 - 10.3 )	
	Native Hawaiian or Other Pacific Islander*	.	.		11.1	( 2.6 - 19.5 )	
	White*	8.1	( 7.6 - 8.7 )		10.6	( 9.9 - 11.4 )	
	Hispanic Only or Hispanic White	8.2	( 6.6 - 9.8 )		9.8	( 9.0 - 10.5 )	
	Multiple Race or Hispanic Other Race	13.2	( 10.5 - 15.8 )		14.1	( 12.4 - 15.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	0.0	( 0.0 - 0.0 )		0.0	( 0.0 - 0.0 )	
	Gay, Lesbian, or Bisexual	100.0	( 100.0 - 100.0 )		100.0	( 100.0 - 100.0 )	
	Unsure	0.0	( 0.0 - 0.0 )		0.0	( 0.0 - 0.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 181. Percentage of students who are not sure of their sexual orientation**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	4.4	( 3.2 - 5.6 )	1,398	4.6	( 4.3 - 4.9 )	43,132
<b>Sex</b>	Male	3.6	( 2.7 - 4.5 )		3.5	( 3.1 - 3.9 )	
	Female	5.0	( 3.5 - 6.5 )		5.6	( 5.1 - 6.0 )	
<b>Age</b>	15 or younger	5.3	( 3.6 - 7.1 )		4.8	( 4.4 - 5.1 )	
	16 or 17	4.0	( 3.1 - 4.9 )		4.4	( 3.9 - 4.8 )	
	18 or older	1.4	( 0.2 - 2.6 )		4.9	( 3.8 - 5.9 )	
<b>Grade</b>	9th	2.7	( 1.2 - 4.2 )		5.0	( 4.4 - 5.6 )	
	10th	3.5	( 1.7 - 5.3 )		4.5	( 4.0 - 4.9 )	
	11th	6.3	( 5.4 - 7.3 )		4.3	( 3.7 - 5.0 )	
	12th	1.3	( 0.4 - 2.3 )		4.3	( 3.7 - 4.9 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		9.9	( 5.8 - 14.1 )	
	Asian*	.	.		7.0	( 5.3 - 8.8 )	
	Black or African American*	.	.		4.5	( 3.1 - 5.8 )	
	Native Hawaiian or Other Pacific Islander*	.	.		6.3	( 2.7 - 9.9 )	
	White*	4.0	( 3.0 - 4.9 )		4.4	( 4.0 - 4.8 )	
	Hispanic Only or Hispanic White	4.4	( 2.7 - 6.2 )		3.8	( 3.4 - 4.2 )	
	Multiple Race or Hispanic Other Race	9.5	( 4.6 - 14.4 )		7.1	( 5.4 - 8.8 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	0.0	( 0.0 - 0.0 )		0.0	( 0.0 - 0.0 )	
	Gay, Lesbian, or Bisexual	0.0	( 0.0 - 0.0 )		0.0	( 0.0 - 0.0 )	
	Unsure	100.0	( 100.0 - 100.0 )		100.0	( 100.0 - 100.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 182. Percentage of students who report they are transgender**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	1.0	( 0.6 - 1.4 )	1,383	1.1	( 1.0 - 1.3 )	42,430
<b>Sex</b>	Male	1.2	( 0.4 - 1.9 )		1.0	( 0.8 - 1.1 )	
	Female	0.8	( 0.6 - 1.0 )		1.0	( 0.9 - 1.2 )	
<b>Age</b>	15 or younger	1.0	( 0.7 - 1.3 )		1.0	( 0.8 - 1.2 )	
	16 or 17	1.2	( 0.6 - 1.7 )		1.2	( 1.0 - 1.4 )	
	18 or older	0.0	( 0.0 - 0.0 )		1.3	( 0.8 - 1.9 )	
<b>Grade</b>	9th	1.5	( 0.7 - 2.4 )		1.0	( 0.7 - 1.2 )	
	10th	0.2	( 0.0 - 0.4 )		1.0	( 0.7 - 1.2 )	
	11th	0.9	( 0.5 - 1.3 )		1.3	( 1.0 - 1.6 )	
	12th	1.3	( 0.4 - 2.2 )		1.3	( 1.0 - 1.6 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		2.6	( 1.0 - 4.3 )	
	Asian*	.	.		1.3	( 0.6 - 2.1 )	
	Black or African American*	.	.		1.2	( 0.5 - 1.9 )	
	Native Hawaiian or Other Pacific Islander*	.	.		6.7	( 0.0 - 14.4 )	
	White*	1.0	( 0.5 - 1.4 )		1.1	( 0.9 - 1.4 )	
	Hispanic Only or Hispanic White	0.2	( 0.0 - 0.4 )		0.8	( 0.6 - 1.0 )	
	Multiple Race or Hispanic Other Race	6.1	( 3.0 - 9.2 )		2.6	( 1.8 - 3.3 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	0.3	( 0.1 - 0.4 )		0.1	( 0.1 - 0.2 )	
	Gay, Lesbian, or Bisexual	6.4	( 4.2 - 8.6 )		7.3	( 6.1 - 8.5 )	
	Unsure	.	.		5.7	( 4.2 - 7.3 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 183. Percentage of students who sleep 8 or more hours per night on average school nights**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	30.7	( 27.0 - 34.3 )	1,348	30.8	( 29.7 - 31.9 )	33,966
<b>Sex</b>	Male	33.9	( 29.4 - 38.5 )		35.0	( 33.5 - 36.5 )	
	Female	27.4	( 24.2 - 30.6 )		26.7	( 25.7 - 27.8 )	
<b>Age</b>	15 or younger	38.5	( 33.5 - 43.5 )		37.5	( 36.2 - 38.8 )	
	16 or 17	24.4	( 22.3 - 26.5 )		25.8	( 24.6 - 27.0 )	
	18 or older	22.3	( 20.0 - 24.6 )		23.5	( 20.7 - 26.3 )	
<b>Grade</b>	9th	38.5	( 35.0 - 41.9 )		41.3	( 39.7 - 42.9 )	
	10th	25.0	( 21.9 - 28.0 )		32.4	( 30.6 - 34.3 )	
	11th	23.9	( 22.0 - 25.8 )		26.1	( 24.4 - 27.7 )	
	12th	25.0	( 20.6 - 29.4 )		22.4	( 21.0 - 23.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		30.6	( 25.0 - 36.2 )	
	Asian*	.	.		23.4	( 19.9 - 26.9 )	
	Black or African American*	.	.		27.5	( 24.4 - 30.5 )	
	Native Hawaiian or Other Pacific Islander*	.	.		32.9	( 24.2 - 41.6 )	
	White*	32.9	( 28.3 - 37.5 )		31.8	( 30.4 - 33.1 )	
	Hispanic Only or Hispanic White	24.4	( 21.0 - 27.8 )		31.0	( 29.7 - 32.4 )	
	Multiple Race or Hispanic Other Race	34.3	( 27.3 - 41.2 )		24.9	( 22.0 - 27.7 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	31.7	( 27.8 - 35.6 )		32.1	( 30.9 - 33.2 )	
	Gay, Lesbian, or Bisexual	23.0	( 19.3 - 26.7 )		19.7	( 18.0 - 21.5 )	
	Unsure	.	.		31.6	( 28.4 - 34.9 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 184. Percentage of students who usually slept somewhere other than their parent/guardian's home in the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	2.4	( 1.7 - 3.0 )	1,355	3.0	( 2.7 - 3.3 )	43,785
<b>Sex</b>	Male	3.2	( 2.4 - 4.0 )		3.6	( 3.3 - 4.0 )	
	Female	1.5	( 0.6 - 2.5 )		2.2	( 1.9 - 2.6 )	
<b>Age</b>	15 or younger	2.1	( 1.6 - 2.7 )		2.6	( 2.2 - 2.9 )	
	16 or 17	1.7	( 0.9 - 2.5 )		3.0	( 2.7 - 3.4 )	
	18 or older	7.2	( 5.7 - 8.6 )		6.0	( 4.6 - 7.3 )	
<b>Grade</b>	9th	0.9	( 0.0 - 1.9 )		2.5	( 2.2 - 2.8 )	
	10th	3.1	( 2.6 - 3.6 )		2.6	( 2.2 - 3.0 )	
	11th	1.7	( 0.5 - 2.9 )		3.1	( 2.5 - 3.6 )	
	12th	3.7	( 2.4 - 5.0 )		3.7	( 3.0 - 4.5 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		7.2	( 4.5 - 10.0 )	
	Asian*	.	.		2.8	( 1.8 - 3.8 )	
	Black or African American*	.	.		5.2	( 3.3 - 7.1 )	
	Native Hawaiian or Other Pacific Islander*	.	.		11.2	( 3.0 - 19.4 )	
	White*	2.2	( 1.6 - 2.9 )		2.4	( 2.1 - 2.7 )	
	Hispanic Only or Hispanic White	1.4	( 0.6 - 2.3 )		3.3	( 2.9 - 3.7 )	
	Multiple Race or Hispanic Other Race	7.4	( 3.3 - 11.4 )		6.4	( 5.2 - 7.6 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	2.2	( 1.6 - 2.8 )		2.5	( 2.2 - 2.8 )	
	Gay, Lesbian, or Bisexual	1.6	( 0.2 - 3.1 )		4.9	( 3.9 - 5.8 )	
	Unsure	.	.		6.2	( 4.9 - 7.5 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2017 HEALTHY KIDS COLORADO SURVEY RESULTS**  
**High School Summary Tables - Weighted Data**

**Table 185. Percentage of students who participated on organized community services as a non-paid volunteer 1 or more times during the past 30 days**

		Region 19			Colorado		
		Percentage	95% confidence interval	Sample Size	Percentage	95% confidence interval	Sample Size
	Total	42.3	( 41.0 - 43.7 )	677	43.6	( 42.0 - 45.1 )	21,934
<b>Sex</b>	Male	35.1	( 30.1 - 40.0 )		38.8	( 37.4 - 40.2 )	
	Female	49.9	( 44.9 - 54.9 )		48.4	( 46.5 - 50.4 )	
<b>Age</b>	15 or younger	39.9	( 37.7 - 42.1 )		40.1	( 38.1 - 42.1 )	
	16 or 17	43.8	( 42.2 - 45.4 )		46.5	( 44.9 - 48.1 )	
	18 or older	.	.		45.2	( 41.0 - 49.4 )	
<b>Grade</b>	9th	43.6	( 37.5 - 49.7 )		39.2	( 36.6 - 41.7 )	
	10th	38.3	( 35.3 - 41.3 )		40.9	( 38.7 - 43.0 )	
	11th	49.8	( 46.5 - 53.0 )		46.5	( 44.2 - 48.8 )	
	12th	44.1	( 39.7 - 48.4 )		48.5	( 46.1 - 50.8 )	
<b>Race/Ethnicity</b>	American Indian or Alaska Native*	.	.		29.9	( 21.3 - 38.5 )	
	Asian*	.	.		56.1	( 50.2 - 62.0 )	
	Black or African American*	.	.		36.2	( 30.7 - 41.7 )	
	Native Hawaiian or Other Pacific Islander*	.	.		38.6	( 23.8 - 53.4 )	
	White*	43.7	( 40.9 - 46.6 )		48.2	( 46.5 - 49.9 )	
	Hispanic Only or Hispanic White	39.5	( 35.0 - 44.0 )		34.9	( 32.8 - 37.0 )	
	Multiple Race or Hispanic Other Race	46.0	( 38.5 - 53.4 )		40.9	( 36.7 - 45.2 )	
<b>Sexual Orientation</b>	Heterosexual (straight)	43.6	( 41.9 - 45.3 )		44.5	( 42.9 - 46.0 )	
	Gay, Lesbian, or Bisexual	33.8	( 28.3 - 39.2 )		39.7	( 36.9 - 42.5 )	
	Unsure	.	.		39.2	( 34.4 - 44.0 )	

\* Non-Hispanic.  
. = Less than 50 students in the subgroup.








# Why are Colorado Municipalities Raising the Price of Tobacco?

## CIGARETTE




Region	%
1	10%
2	7%
3	6%
4	7%
5	10%
6	10%
7	9%
8	7%
9	13%
10	13%
11	12%
12	9%
13	14%
14	ND
15	6%
16	8%
17	11%
18	8%
19	8%
20	5%
21	ND

**National Average - 5.8%**



# Why are Colorado Municipalities Raising the Price of Tobacco?

## E-CIGARETTE




Region	%
1	21%
2	31%
3	30%
4	23%
5	35%
6	23%
7	36%
8	21%
9	34%
10	38%
11	29%
12	36%
13	35%
14	ND
15	24%
16	36%
17	32%
18	26%
19	31%
20	18%
21	ND

**Colorado State Average: 26.2%**



# Youth + Kids Use = not ONLY a Vaping Problem, but a Tobacco Problem

## CURRENT USE OF TOBACCO PRODUCTS



**This is a tobacco problem.**

**33%, or, one third of Colorado kids use tobacco.**



# Benefits of Tobacco Tax Increases

## Cigarette prices and consumption

10% Increase in cigarette price



As cigarette prices increase, consumption drops.

3-5% Decrease in overall cigarette consumption

\*Youth & Pregnant Women = 7% reduction in use



# Cost of Tobacco Use

The cost of **smoking-related illnesses** in the U.S.

**Direct medical care for adults**

**Lost productivity**

**\$170  
billion/year**

**\$156  
billion/year**

**Total \$326 billion/year**

**\*Colorado - \$1.89 billion annual healthcare costs  
Medicaid - \$386.3 million**



# HB 1033 Authority

## City:

**Removed language that forfeited state revenues IF cigarettes are included in Tobacco Retail Licensure Requirements, a fee is assessed on cigarettes or if a city ATTEMPTS to raise the tax on cigarettes.**

**NOTE: IF a city successfully passes a tobacco tax that includes cigarettes, they STILL forfeit the shareback revenues.**

## County:

**Expanded authority to counties, including the addition of raising the minimum age of sale.**

**IF a municipality within the boundary of a county already has imposed a tax on tobacco, they are excluded from the taxation at the county level UNLESS an IGA is formed (which may include a provision for distribution).**



# Pre-HB 1033

## **November 2017**

Aspen - \$3.00/pack, 40% OTP tax increase, includes ecigs + a 10-cent inflator annually until the tax reaches \$4.00

## **April 2018**

Basalt - \$2.00/pack, 40% OTP tax increase, includes ecigs

## **November 2018**

Avon - \$3.00/pack, 40% OTP tax increase, includes ecigs



# Shareback & Local Tax (es)

## Amounts Received & Revenues (to date)

Municipality	Shareback Received (2017)	Estimate	Revenues Received
Aspen	\$63,556.85	\$325,000	\$436,622
Avon	\$38,812.33	\$600,000	1 <sup>st</sup> Quarter 2019 - \$92,175
Basalt	\$15,676.45	Between \$27,000-\$29,000 for first quarter	(Voted on April 3, 2018) July 2018 – December 2018 - \$175,567.52

**SHAREBACK - \$15K-\$63K**

**REVENUES \$350K-\$436K**

\*Current Annual Shareback for Grand Junction (\$233,982.32)

Local Public Health





# Revenue Allocations

**\*Public Support is strongest when there is a “nexus” between the consumer (taxpayer) and where the dollars are directed. Public declaration for health-related allocations.**

City	Election Results	Revenue Allocation
Aspen	74.2% Yes	Work underway for a specific spending plan this summer. It will be a combination of vaping prevention focused on teens, drug use prevention, mental health awareness and services, and some traditional nicotine cessation programs.
Avon	76% Yes	Wellness, Health Education, Recreation Center
Basalt	76% Yes	The Hope Center, Pitkin County Detox, Parent Coffee House (Vaping Education)



# Post- HB 1033

## November 2019

Glenwood Springs - \$4/pack, 40% OTP tax, including ecigs

Pitkin County - \$3.20/pack, 40% OTP tax, including ecigs (includes a 10-cent inflator on cigs)

Summit County - \$4/pack, 40% OTP tax, including ecigs (includes a 10% inflator on OTPs for the first four years)

Eagle County – \$4/pack, 40% OTP tax, including ecigs

Town of Crested Butte – \$3/pack, 40% OTP tax, including ecigs

New Castle – \$3.20/pack, 40% OTP tax, including ecigs (includes a 10-cent inflator on cigs)

Boulder – 40% increase, vaping products only

Vail - \$3/pack, 40% OTP tax, including ecigs

## April 2020

Carbondale - \$4/pack, 40% OTP tax, including ecigs



# Tobacco Taxes – Parity

## Importance of Parity & Price Equivalency

\*Avoid dual use of products, and tax evasion. Goal for public health and consumer is to successfully quit use of tobacco.

Proposed Cigarette Increase	OTP Parity Rate	E-Cigarette & Vaping Products
<b>\$2.00</b>	21%	<b>61%</b>
\$3.00	43%	83%
\$4.00	64%	104%



# Common Myths & Questions

## Regressivity

**State Ballot Issue for November 2020 –  
Why do this at the Local Level?**

**Tobacco taxes don't actually reduce tobacco use. Kids will continue to use and find a way to get cigarettes (vaping products, et al), anyway.**

**Amount of increase?**

**Other Questions?**



## Projections (Estimates) – Key Point, Estimate HIGHER than expected to avoid TABOR return

### Here are the following data inputs needed:

- Annual local cigarette pack sales (you can back-calculate this with the state pack sales and the percentage from the cigarette rebates)
- Cigarette pack price
- Sales tax rate (if it is included in the cigarette pack price)
- Proposed tax increase you decide on

You will need to calculate the percentage increase in pack price after the tax increase, and then apply the elasticity to that percentage increase in price to determine the decline in pack sales.

Factors to consider: **price increase yields decrease in consumption, quit attempts, small level of price evasion (online, reservation sales, some crossborder purchasing, both in-state and out-of-state depending on proximity).**



# Contact Information

Jodi L. Radke

Regional Director

Campaign for Tobacco-Free Kids

[jradke@tobaccofreekids.org](mailto:jradke@tobaccofreekids.org)

970-214-4808

1 TAX ON CIGARETTES, TOBACCO PRODUCTS AND NICOTINE PRODUCTS, INCLUDING E-CIGARETTES AND  
2 VAPING DEVICES, FOR PUBLIC HEALTH, EDUCATION, AND OTHER PUBLIC PURPOSES  
3 SHALL CITY OF GRAND JUNCTION TAXES BE INCREASED (in an amount TBD) MILLION DOLLARS  
4 ANNUALLY, AND BY WHATEVER ADDITIONAL AMOUNTS ARE RAISED ANNUALLY THEREAFTER, FROM A  
5 SPECIAL CITY-WIDE SALES TAX OF FOUR DOLLARS PER PACK OF TWENTY CIGARETTES SOLD (OR TWENTY  
6 CENTS PER CIGARETTE) AND A FORTY PERCENT SPECIAL SALES TAX RATE ON ALL OTHER TOBACCO AND  
7 NICOTINE PRODUCTS SOLD, INCLUDING E-CIGARETTES AND VAPING DEVICES, COMMENCING JANUARY  
8 1, 2021, TO BE USED FOR THE PROTECTION AND IMPROVEMENT OF THE COMMUNITY AND HEALTH  
9 AND WELFARE OF ITS CITIZENS INCLUDING, BUT NOT LIMITED TO:  
10 • IMPROVING CITY PARKS AND RECREATION FACILITIES, RECREATIONAL OPPORTUNITIES AND ACCESS  
11 TO PUBLIC RECREATION, PROGRAMMING AND RECREATION SERVICES INCLUDING BUT NOT LIMITED TO  
12 (TBD) WHICH WILL ENCOURAGE HEALTHY LIFESTYLES AND LIVING;  
13 • PROVIDING ADDITIONAL ENFORCEMENT OF LOCAL LAWS, RULES, REGULATIONS AND ORDINANCES  
14 THAT PROHIBIT THE SALE OF CIGARETTES, TOBACCO PRODUCTS, AND NICOTINE PRODUCTS, INCLUDING  
15 VAPING DEVICES AND E-CIGARETTES, TO UNDERAGE PERSONS; AND  
16 • IMPROVING ALL OF THESE SERVICES BY AND WITH THE SPECIAL SALES TAX RATE ON ALL TOBACCO  
17 AND NICOTINE PRODUCTS OTHER THAN CIGARETTES AUTOMATICALLY INCREASING BY FIVE  
18 PERCENTAGE POINTS PER YEAR FOR FOUR YEARS COMMENCING JANUARY 1, 2022, WITH ALL  
19 EXPENDITURES SUBJECT TO ANNUAL FINANCIAL AUDIT, AND SHALL THE REVENUES BE  
20 RETAINED AND SPENT AS A VOTER-APPROVED REVENUE CHANGE WITHOUT LIMITATION OR CONDITION  
21 UNDER ARTICLE X, SECTION 20 OF THE COLORADO CONSTITUTION OR ANY OTHER LAW?