

NOTICE TO PROCEED

Date: March 8, 2021

Contractor: Dirtworks Construction, LLC

Project: 2021 G Road Irrigation Modification Project IFB-4870-21-DH

In accordance with the contract dated <u>February 26, 2021</u> the Contractor is hereby notified to begin work on the Project on or before March 9, 2021.

The date of final completion as determined is <u>45 calendar days from the start date of this Notice to Proceed.</u>

CITY OF GRAND JUNCTION, COLORADO

3/8/2021 | 11:00 PST

Date:

Duane Hoff Jr., Senior Buyer - City of Grand Junction Duane Hoff Jr., Senior Buyer

| Receipt of this Notice to Proceed is hereby acknowledged: | | | | |
|---|--|--|--|--|
| Contractor: | Dirtworks Construction, LLC | | | |
| Ву: | DocuSigned by: 3B7B23851D2643D | | | |
| Print Name: | Branden D. Hughes, Owner – Dirtworks Construction, LLC | | | |
| Title: | President/Owner | | | |



NOTICE OF AWARD

Date:

February 26, 2021

Company:

Dirtworks Construction, LLC

Project:

2021 G Road Irrigation Modification Project IFB-4870-21-DH

You have been awarded the City of Grand Junction 2021 G Road Irrigation Modification Project IFB-4870-21-DH for a total price of **\$121,496.20**.

Please notify Lee Cooper, City of Grand Junction Project Engineer 970-256-4155 for project scheduling, and return to the City Purchasing Division an acknowledged copy of this Notice of Award, signed Contract, Payment & Performance Bonds, and Insurance Certificate, as per the contract documents.

CITY OF GRAND JUNCTION, COLORADO

DocuSigned by:

Duane Hoff Jr., Senior Buyer- City of Grand Junction

Duane Hoff Jr., Senior Buyer

SUPPLIER ACKNOWLEDGEMENT

Receipt of this Notice to Award is hereby acknowledged:

Company: Dirtworks Construction, LLC

DocuSigned by:

By:

39HQ Branden

Title: Owner

Date: 2/26/2021 | 08:23 PST



CITY OF GRAND JUNCTION, COLORADO

CONTRACT

This CONTRACT made and entered into this <u>26th</u> day of <u>February, 2021</u> by and between the <u>City of Grand Junction</u>, Colorado, a government entity in the County of Mesa, State of Colorado, hereinafter in the Contract Documents referred to as the "Owner" and <u>Dirtworks Construction</u>, <u>LLC</u> hereinafter in the Contract Documents referred to as the "Contractor."

WITNESSETH:

WHEREAS, the Owner advertised that sealed Bids would be received for furnishing all labor, tools, supplies, equipment, materials, and everything necessary and required for the Project described by the Contract Documents and known as **2021 G Road Irrigation Modification Project IFB-4870-21-DH**.

WHEREAS, the Contract has been awarded to the above named Contractor by the Owner, and said Contractor is now ready, willing and able to perform the Work specified in accordance with the Contract Documents;

NOW, THEREFORE, in consideration of the compensation to be paid the Contractor, the mutual covenants hereinafter set forth and subject to the terms hereinafter stated, it is mutually covenanted and agreed as follows:

ARTICLE 1

<u>Contract Documents</u>: It is agreed by the parties hereto that the following list of instruments, drawings, and documents which are attached hereto, bound herewith, or incorporated herein by reference constitute and shall be referred to either as the "Contract Documents" or the "Contract", and all of said instruments, drawings, and documents taken together as a whole constitute the Contract between the parties hereto, and they are fully a part of this agreement as if they were set out verbatim and in full herein:

The order of contract document governance shall be as follows:

- a. The body of this contract agreement
- b. Solicitation Documents for the Project; **2021 G Road Irrigation Modification Project**;
- c. Notice of Award
- d. Contractors Response to the Solicitation

- e. Work Change Requests (directing that changed work be performed);
- f. Field Orders
- g. Change Orders.

ARTICLE 2

<u>Definitions:</u> The clauses provided in the Solicitation apply to the terms used in the Contract and all the Contract Documents.

ARTICLE 3

<u>Contract Work:</u> The Contractor agrees to furnish all labor, tools, supplies, equipment, materials, and all that is necessary and required to complete the tasks associated with the Work described, set forth, shown, and included in the Contract Documents as indicated in the Solicitation Document.

ARTICLE 4

Contract Time and Liquidated Damages: Time is of the essence with respect to this Contract. The Contractor hereby agrees to commence Work under the Contract on or before the date specified in the Solicitation from the Owner, and to achieve Substantial Completion and Final Completion of the Work within the time or times specified in the Solicitation. In the event the Work is not completed in the times set forth and as agreed upon, the Contractor further agrees to pay Liquidated Damages to the Owner as set forth in the Solicitation. The Contractor acknowledges and recognizes the delays, expenses and difficulties involved in proving in a legal proceeding the actual losses suffered by the Owner if the work is not completed on time. Accordingly, instead of requiring any such proof, the Owner and the Contractor agree that as Liquidated Damages for delay, but not as a penalty, the Contractor shall pay to the Owner the amounts specified in the Solicitation.

ARTICLE 5

Contract Price and Payment Procedures: The Contractor shall accept as full and complete compensation for the performance and completion of all of the Work specified in the Contract Documents, the sum of (this amount is corrected for errors form the original bid amount submitted) One Hundred Twenty-One Thousand Four Hundred Ninety-Six and 0/100 Dollars (\$121,496.20). If this Contract contains unit price pay items, the Contract Price shall be adjusted in accordance with the actual quantities of items completed and accepted by the Owner at the unit prices quoted in the Solicitation Response. The amount of the Contract Price is and has heretofore been appropriated by the Grand Junction City Council for the use and benefit of this Project. The Contract Price shall not be modified except by Change Order or other written directive of the Owner. The Owner shall not issue a Change Order or other written directive which requires additional work to be performed, which work causes the aggregate amount payable under this Contract to exceed the amount appropriated for this Project, unless and until the Owner provides Contractor written assurance that lawful appropriations to cover the costs of the additional work have been made.

Unless otherwise provided in the Solicitation, monthly partial payments shall be made as the Work progresses. Applications for partial and Final Payment shall be prepared by the Contractor and approved by the Owner in accordance with the Solicitation.

Upon Final Completion of the Work under the Contract and before the Contractor shall receive final payment, the Owner shall publish at least twice in a newspaper of general circulation published in the County a notice that: 1. the Owner has accepted such Work as completed according to the Contract Documents; 2. the Contractor is entitled to final payment therefore; 3. thirty days after the first publication, specifying the exact date, the Owner shall pay the full balance due under the Contract; and 4. persons having claims for labor, materials, team hire, sustenance, provisions, provender, or other supplies used or consumed by the Contractor or a subcontractor shall file a verified statement of the amount due and unpaid on account of such claim prior to the date specified for such payment. Nothing herein shall be construed as relieving the Contractor and the Sureties on the Contractor's Bonds from any claim or claims for work or labor done or materials or supplies furnished in the execution of the Contract.

ARTICLE 6

<u>Bonds:</u> The Contractor shall furnish currently herewith the Bonds required by the Contract Documents, such Bonds being attached hereto. The Performance Bond shall be in an amount not less than one hundred percent (100%) of the Contract Price set forth in Article 5. The Payment Bond shall be in an amount not less than one hundred (100%) of the Contract Price set forth in Article 5.

ARTICLE 7

<u>Contract Binding:</u> The Owner and the Contractor each binds itself, its partners, successors, assigns and legal representatives to the other party hereto in respect to all covenants, agreements and obligations contained in the Contract Documents. The Contract Documents constitute the entire agreement between the Owner and Contractor and may only be altered, amended or repealed by a duly executed written instrument. Neither the Owner nor the Contractor shall, without the prior written consent of the other, assign or sublet in whole or in part its interest under any of the Contract Documents and specifically, the Contractor shall not assign any moneys due or to become due without the prior written consent of the Owner.

ARTICLE 8

<u>Severability:</u> If any part, portion or provision of the Contract shall be found or declared null, void or unenforceable for any reason whatsoever by any court of competent jurisdiction or any governmental agency having the authority thereover, only such part, portion or provision shall be effected thereby and all other parts, portions and provisions of the Contract shall remain in full force and effect.

IN WITNESS WHEREOF, City of Grand Junction, Colorado, has caused this Contract to be subscribed and sealed and attested in its behalf; and the Contractor has signed this Contract the day and the year first mentioned herein.

The Contract is executed in two counterparts.

| CITY OF GRAND JUNG | CTION, COLORADO |
|--------------------|-----------------|
|--------------------|-----------------|

| By: Duane Ho | f Jr., Senior Buyer | - City of Grand | Jun 21/206/2021 09 | 9:26 MST |
|-----------------|---------------------|-----------------|----------------------|----------|
| Duane Hoff Jr., | Senior Buyer | | Date | |

Dirtworks Construction, LLC

| DocuSigned by: | | |
|----------------|-------|-----------------------|
| By: 230//C | | 2/26/2021 08:23 PST |
| Branden | Owner | Date |



Purchasing Division

Invitation for Bid

IFB-4870-21-DH 2021 G Road Irrigation Modification Project

Responses Due:

February 19, 2021 prior to 3:00 pm

Accepting Electronic Responses Only Responses Only Submitted Through the Rocky Mountain E-Purchasing System (RMEPS)

https://www.rockymountainbidsystem.com/default.asp

(Purchasing Representative does not have access or control of the vendor side of RMEPS. If website or other problems arise during response submission, vendor <u>MUST</u> contact RMEPS to resolve issue prior to the response deadline. 800-835-4603)

IMPORTANT NOTICE:

Due to the recent developments with increased COVID-19 cases in Mesa County, public in-person bid openings are temporarily being suspended. Bid openings will still take place on their designated date and time virtually, and bid tabulations will still be posted for public view/access. Once the crisis has passed, public in-person bid openings will resume as normal. Attached is the virtual link and information to attend the bid opening. Public may addend through the link, or via phone.

Purchasing Representative:

Duane Hoff, Senior Buyer duaneh@gjcity.org 970-244-1545

This document has been developed specifically to solicit competitive responses for this solicitation, and may not be the same as previous City of Grand Junction solicitations. All vendors are urged to thoroughly review this solicitation prior to responding. Submittal by FAX, EMAIL or HARD COPY IS NOT ACCEPTABLE for this solicitation.

Invitation for Bids

Table of Contents

Section 1 Instruction to Bidders

Section 2 General Contract Conditions

Section 3 Statement of Work

Section 4 Contractor's Bid Form

Price Proposal/Bid Schedule Form

Appendix A Project Submittal Form

Appendix B Project Special Provisions

Construction Drawings Attached

1. Instructions to Bidders

1.1. Purpose: The City of Grand Junction is soliciting competitive bids from qualified and interested companies for all labor, equipment, and materials required for the 2021 G Road Irrigation Modifications Project. All dimensions and scope of work should be verified by Contractors prior to submission of bids.

IFB Questions:

Duane Hoff, Senior Buyer duaneh@gicity.org 970-244-1545

The City would like to remind all Contractors, Sub-Contractors, Vendors, Suppliers, Manufacturers, Service Providers, etc. that (with the exception of Pre-Bid or Site Visit Meetings) all questions, inquiries, comments, or communication pertaining to any formal solicitation (whether process, specifications, scope, etc.) must be directed (in writing) to the Purchasing Agent assigned to the project, or Purchasing Division. Direct communication with the City assigned Project Managers/Engineers is not appropriate for public procurement, and may result in disqualification.

- 1.2. <u>Mandatory Site Visit Meeting:</u> <u>Prospective bidders are required to attend a site visit meeting on February 9, 2021 at 10:30 am</u>. <u>Meeting location will be at the south end of Canyon View Park on G Road</u>. Park in the diagonal parking spaces along the northside of G Road at Canyon View Park. The purpose of this visit will be to inspect and to clarify the contents of this Invitation for Bids (IFB).
- **1.3. The Owner:** The Owner is the City of Grand Junction, Colorado and is referred to throughout this Solicitation. The term Owner means the Owner or his authorized representative.
- **1.4. Procurement Process:** Procurement processes shall be governed by the most current version of the City of Grand Junction <u>Purchasing Policy and Procedure Manual</u>.
- 1.5. Submission: Each bid shall be submitted in electronic format only, and only through the Rocky Mountain E-Purchasing website (https://www.rockymountainbidsystem.com/default.asp). This site offers both "free" and "paying" registration options that allow for full access of the Owner's documents and for electronic submission of proposals. (Note: "free" registration may take up to 24 hours to process. Please Plan accordingly.) Please view our "Electronic Vendor Registration Guide" at http://www.gjcity.org/business-and-economic-development/bids/ for details. (Purchasing Representative does not have access or control of the vendor side of RMEPS. If website or other problems arise during response submission, vendor MUST contact RMEPS to resolve issue prior to the response deadline. 800-835-4603)

Please join Solicitation Opening, IFB-4870-21-DH, 2021 G Road Irrigation Modification Project on GoToConnect from your computer using the Chrome browser. https://my.jive.com/meet/905489461

You can also dial in using your phone.

US: (571) 317-3116

Access Code: 905-489-461

1.6. Modification and Withdrawal of Bids Before Opening. Bids may be modified or withdrawn by an appropriate document stating such, duly executed and submitted to the place where Bids are to be submitted at any time prior to Bid Opening.

1.7. Printed Form for Price Bid: All Price Bids must be made upon the Price Bid Schedule attached, and should give the amounts both in words and in figures, and must be signed and acknowledged by the bidder.

The Offeror shall specify a unit price in figures for each pay item for which a quantity is given and shall provide the products (in numbers) of the respective unit prices and quantities in the Extended Amount column. The total Bid price shall be equal to the sum of all extended amount prices. When an item in the Price Bid Schedule provides a choice to be made by the Offeror, Offeror's choice shall be indicated in accordance with the specifications for that particular item and thereafter no further choice shall be permitted.

Where the unit of a pay item is lump sum, the lump sum amount shall be shown in the "extended amount" column and included in the summation of the total Bid.

All blank spaces in the Price Bid Schedule must be properly filled out.

Bids by corporations must be executed in the corporate name by the president or vice president or other corporate office accompanied by evidence of authority to sign. The corporate address and state of incorporation shall be shown below the signature.

Bids by partnerships must be executed in the partnership name and signed by a partner whose title must appear under the signature and the official address of the partnership must be shown below the signature.

All names must be typed or printed below the signature.

The Offeror's Bid shall contain an acknowledgement of receipt of all Addenda, the numbers of which shall be filled in on the Contractor's Bid Form.

The contact information to which communications regarding the Bid are to be directed must be shown.

- 1.8. Exclusions: No oral, telephonic, emailed, or facsimile bid will be considered
- **1.9. Contract Documents:** The complete IFB and bidder's response compose the Contract Documents. Copies of bid documents can be obtained from the City Purchasing website, http://www.gicity.org/business-and-economic-development/bids/.
- **1.10.** Additional Documents: The July 2010 edition of the "City Standard Contract Documents for Capital Improvements Construction", Plans, Specifications and other Bid

Documents are available for review or download on the Public Works & Planning/Engineering page at www.gjcity.org. Electronic copies may be obtained on a CD format at the Department of Public Works and Planning at City Hall.

- **1.11. Definitions and Terms:** See Article I, Section 3 of the General Contract Conditions in the *Standard Contract Documents for Capital Improvements Construction*.
- 1.12. Examination of Specifications: Bidders shall thoroughly examine and be familiar with the project Statement of Work. The failure or omission of any Offeror to receive or examine any form, addendum, or other document shall in no way relieve any Offeror from any obligation with respect to his bid. The submission of a bid shall be taken as evidence of compliance with this section. Prior to submitting a bid, each Offeror shall, at a minimum:
 - a. Examine the Contract Documents thoroughly;
 - b. Visit the site to familiarize themselves with local conditions that may in any manner affect cost, progress, or performance of the Work;
 - Become familiar with federal, state, and local laws, ordinances, rules, and regulations that may in any manner affect cost, progress or performance of the Work;
 - d. Study and carefully correlate Bidder's observations with the *Contract Documents*, and;
 - e. Notify the Purchasing Agent of all conflicts, errors, ambiguities or discrepancies in or among the *Contract Documents* within the designated inquiry period.

On request, the Owner will provide each Offeror access to the site to conduct such investigations and tests as each Bidder deems necessary for submission of a Bid. It shall be the Offeror's responsibility to make or obtain any additional examinations, investigations, explorations, tests and studies and obtain any additional information and data which pertain to the physical conditions (including without limitation, surface, subsurface and underground utilities) at or contiguous to the site or otherwise which may affect cost, progress or performance of the work and which the Offeror deems necessary to determine its Bid for performing the work in accordance with the time, price and other terms and conditions of the Contract Documents. Location of any excavation or boring made by Offeror shall be subject to prior approval of Owner and applicable agencies. Offeror shall fill all holes, restore all pavements to match the existing structural section and shall clean up and restore the site to its former condition upon completion of such exploration. The Owner reserves the right to require the Offeror to execute an access agreement with the Owner prior to accessing the site.

The lands upon which the Work is to be performed, rights of way, and access thereto, and other lands designated for use by Contractor in performing the Work, are identified on the Drawings.

Information and data reflected in the *Contract Documents* with respect to underground utilities at or contiguous to the site are based upon information and data furnished to the Owner and the Engineer by the owners of such underground utilities or others, and the Owner does not assume responsibility for the accuracy or completeness thereof, unless it is expressly provided otherwise in the *Contract Documents*.

By submission of a Bid, the Offeror shall be conclusively presumed to represent that the Offeror has complied with every requirement of these Instructions to Bidders, that the *Contract Documents* are not ambiguous and are sufficient in scope and detail to indicate and convey understanding of all terms and conditions for performance of the Work.

- **1.13.** Questions Regarding Statement of Work: Any information relative to interpretation of Scope of Work or specifications shall be requested of the Purchasing Representative, in writing, in ample time, prior to the inquiry deadline.
- 1.14. Addenda & Interpretations: If it becomes necessary to revise any part of this solicitation, a written addendum will be posted electronically on the City's website at http://www.gjcity.org/business-and-economic-development/bids/. The Owner is not bound by any oral representations, clarifications, or changes made in the written specifications by Owner, unless such clarification or change is provided in written addendum form from the City Purchasing Representative.
- **1.15. Taxes:** The Owner is exempt from State retail and Federal tax. The bid price must be net, exclusive of taxes.
- **1.16.** Sales and Use Taxes: The Contractor and all Subcontractors are required to obtain exemption certificates from the Colorado Department of Revenue for sales and use taxes in accordance with the provisions of the General Contract Conditions. Bids shall reflect this method of accounting for sales and use taxes on materials, fixtures and equipment.
- **1.17. Offers Binding 60 Days:** Unless additional time is required by the Owner, or otherwise specified, all formal offers submitted shall be binding for sixty (60) calendar days following opening date, unless the Bidder, upon request of the Purchasing Representative, agrees to an extension.
- 1.18. Exceptions and Substitutions: Bidders taking exception to the specifications and/or scope of work shall do so at their own risk. The Owner reserves the right to accept or reject any or all substitutions or alternatives. When offering substitutions and/or alternatives, Bidder must state these exceptions in the section pertaining to that area. Exception/substitution, if accepted, must meet or exceed the stated intent and/or specifications and/or scope of work. The absence of such a list shall indicate that the Bidder has not taken exceptions, and if awarded a contract, shall hold the Bidder responsible to perform in strict accordance with the specifications and/or scope of work contained herein.
- 1.19. Collusion Clause: Each bidder by submitting a bid certifies that it is not party to any collusive action or any action that may be in violation of the Sherman Antitrust Act. Any and all bids shall be rejected if there is evidence or reason for believing that collusion

exists among bidders. The Owner may, or may not, accept future bids for the same services or commodities from participants in such collusion.

1.20. Disqualification of Bidders: A Bid will not be accepted from, nor shall a Contract be awarded to, any person, firm, or corporation that is in arrears to the Owner, upon debt or contract, or that has defaulted, as surety or otherwise, upon any obligation to the Owner, or that is deemed irresponsible or unreliable.

Bidders may be required to submit satisfactory evidence that they are responsible, have a practical knowledge of the project bid upon and that they have the necessary financial and other resources to complete the proposed Work.

Either of the following reasons, without limitation, shall be considered sufficient to disqualify a Bidder and Bid:

- a. More than one Bid is submitted for the same Work from an individual, firm, or corporation under the same or different name; and
- b. Evidence of collusion among Bidders. Any participant in such collusion shall not receive recognition as a Bidder for any future work of the Owner until such participant has been reinstated as a qualified bidder.
- 1.21. Public Disclosure Record: If the bidder has knowledge of their employee(s) or sub-contractors having an immediate family relationship with a City employee or elected official, the bidder must provide the Purchasing Representative with the name(s) of these individuals. These individuals are required to file an acceptable "Public Disclosure Record", a statement of financial interest, before conducting business with the City.

2. General Contract Conditions for Construction Projects

- 2.1. The Contract: This Invitation for Bid, submitted documents, and any negotiations, when properly accepted by the City, shall constitute a contract equally binding between the City and Contractor. The contract represents the entire and integrated agreement between the parties hereto and supersedes all prior negotiations, representations, or agreements, either written or oral. The contract may be amended or modified with Change Orders, Field Orders, or Addendums.
- **2.2. The Work**: The term Work includes all labor necessary to produce the construction required by the Contract Documents, and all materials and equipment incorporated or to be incorporated in such construction.
- 2.3. Execution, Correlation, Intent, and Interpretations: The Contract Documents shall be signed by the Owner (City) and Contractor. City will provide the contract. By executing the contract, the Contractor represents that he/she has visited the site, familiarized himself with the local conditions under which the Work is to be performed, and correlated his observations with the requirements of the Contract Documents. The Contract Documents are complementary, and what is required by any one, shall be as binding as if required by all. The intention of the documents is to include all labor,

materials, equipment and other items necessary for the proper execution and completion of the scope of work as defined in the technical specifications and drawings contained herein. All drawings, specifications and copies furnished by the City are, and shall remain, City property. They are not to be used on any other project, and with the exception of one contract set for each party to the contract, are to be returned to the owner on request at the completion of the work.

- 2.4. **The Owner:** The Owner is the City of Grand Junction, Colorado and is referred to throughout the Contract Documents. The term Owner means the Owner or his authorized representative. The Owner shall, at all times, have access to the work wherever it is in preparation and progress. The Contractor shall provide facilities for such access. The Owner will make periodic visits to the site to familiarize himself generally with the progress and quality of work and to determine, in general, if the work is proceeding in accordance with the contract documents. Based on such observations and the Contractor's Application for Payment, the Owner will determine the amounts owing to the Contractor and will issue Certificates for Payment in such amounts, as provided in the contract. The Owner will have authority to reject work which does not conform to the Contract documents. Whenever, in his reasonable opinion, he considers it necessary or advisable to insure the proper implementation of the intent of the Contract Documents, he will have authority to require the Contractor to stop the work or any portion, or to require special inspection or testing of the work, whether or not such work can be then be fabricated, installed, or completed. The Owner will not be responsible for the acts or omissions of the Contractor, and sub-Contractor, or any of their agents or employees, or any other persons performing any of the work.
- 2.5. Contractor: The Contractor is the person or organization identified as such in the Agreement and is referred to throughout the Contract Documents. The term Contractor means the Contractor or his authorized representative. The Contractor shall carefully study and compare the General Contract Conditions of the Contract, Specification and Drawings, Scope of Work, Addenda and Modifications and shall at once report to the Owner any error, inconsistency or omission he may discover. Contractor shall not be liable to the Owner for any damage resulting from such errors, inconsistencies or omissions. The Contractor shall not commence work without clarifying Drawings, Specifications, or Interpretations.
- **2.6. Sub-Contractors**: A sub-contractor is a person or organization who has a direct contract with the Contractor to perform any of the work at the site. The term sub-contractor is referred to throughout the contract documents and means a sub-contractor or his authorized representative.
- 2.7. Award of Sub-Contractors & Other Contracts for Portions of the Work: Contractor shall submit with their bid response to the Owner, in writing for acceptance, a list of the names of the sub-contractors or other persons or organizations proposed for such portions of the work as may be designated in the proposal requirements, or, if none is so designated, the names of the sub-contractors proposed for the principal portions of the work. Prior to the award of the contract, the Owner shall notify the successful Contractor in writing if, after due investigation, has reasonable objection to any person or organization on such list. If, prior to the award of the contract, the Owner has a reasonable and substantial objection to any person or organization on such list, and

refuses in writing to accept such person or organization, the successful Contractor may, prior to the award, withdraw their proposal without forfeiture of proposal security. If the successful Contractor submits an acceptable substitute with an increase in the proposed price to cover the difference in cost occasioned by the substitution, the Owner may, at their discretion, accept the increased proposal or may disqualify the Contractor. If, after the award, the Owner refuses to accept any person or organization on such list, the Contractor shall submit an acceptable substitute and the contract sum shall be increased or decreased by the difference in cost occasioned by such substitution and an appropriate Change Order shall be issued. However, no increase in the contract sum shall be allowed for any such substitution unless the Contractor has acted promptly and responsively in submitting a name with respect thereto prior to the award.

- 2.8. Quantities of Work and Unit Price: Materials or quantities stated as unit price items in the Bid are supplied only to give an indication of the general scope of the Work, and are as such, estimates only. The Owner does not expressly or by implication agree that the actual amount of Work or material will correspond therewith, and reserves the right after award to increase or decrease the quantity of any unit item of the Work without a change in the unit price except as set forth in Article VIII, Section 70 of the General Contract Conditions. The City also reserves the right to make changes in the Work (including the right to delete any bid item in its entirety or add additional bid items) as set forth in Article VIII, Sections 69 through 71 of the General Contract Conditions.
- 2.9. Substitutions: The materials, products and equipment described in the Solicitation Documents shall be regarded as establishing a standard of required performance, function, dimension, appearance, or quality to be met by any proposed substitution. No substitution will be considered prior to receipt of Bids unless the Offeror submits a written request for approval to the City Purchasing Division at least ten (10) days prior to the date for receipt of Bids. Such requests for approval shall include the name of the material or equipment for which substitution is sought and a complete description of the proposed substitution including drawings, performance and test data, and other information necessary for evaluation, including samples if requested. The Offeror shall set forth changes in other materials, equipment, or other portions of the Work including changes of the work of other contracts, which incorporation of the proposed substitution would require to be included. The Owner's decision of approval or disapproval of a proposed substitution shall be final. If the Owner approves a proposed substitution before receipt of Bids, such approval will be set forth in an Addendum. Offerors shall not rely upon approvals made in any other manner.
- **2.10.** Supervision and Construction Procedures: The Contractor shall supervise and direct the work, using his best skill and attention. He shall be solely responsible for all construction means, methods, techniques, sequences and procedures and for coordinating all portions of the work under the contract.
- 2.11. Warranty: The Contractor warrants to the Owner that all materials and equipment furnished under this contract will be new unless otherwise specified, and that all work will be of good quality, free from faults and defects and in conformance with the Contract Documents. All work not so conforming to these standards may be considered defective. If required by Owner, the Contractor shall furnish satisfactory evidence as to the kind and quality of materials and equipment. If within ten (10) days after written notice to the

Contractor requesting such repairs or replacement, the Contractor should neglect to make or undertake with due diligence to the same, the City may make such repairs or replacements. All indirect and direct costs of such correction or removal or replacement shall be at the Contractor's expense. The Contractor will also bear the expenses of making good all work of others destroyed or damaged by the correction, removal or replacement of his defective work.

- 2.12. Permits, Fees, & Notices: The Contractor shall secure and pay for all permits, governmental fees and licenses necessary for the proper execution and completion of the work. The Contractor shall give all notices and comply with all laws, ordinances, rules, regulations and orders of any public authority bearing on the performance of the work. If the Contractor observes that any of the Contract Documents are at variance in any respect, he shall promptly notify the Owner in writing, and any necessary changes shall be adjusted by approximate modification. If the Contractor performs any work knowing it to be contrary to such laws, ordinances, rules and regulations, and without such notice to the Owner, he shall assume full responsibility and shall bear all costs attributable.
- 2.13. Responsibility for Those Performing the Work: The Contractor shall be responsible to the Owner for the acts and omissions of all his employees and all sub-contractors, their agents and employees, and all other persons performing any of the work under a contract with the Contractor.
- **2.14. Use of the Site:** The Contractor shall confine operations at the site to areas permitted by law, ordinances, permits and the Contract Documents, and shall not unreasonably encumber the site with any materials or equipment.
- **2.15. Cleanup:** The Contractor at all times shall keep the premises free from accumulation of waste materials or rubbish caused by his operations. At the completion of work he shall remove all his waste materials and rubbish from and about the project, as well as all his tools, construction equipment, machinery and surplus materials.
- **2.16. Insurance:** The Contractor shall secure and maintain such insurance policies as will provide the coverage and contain other provisions specified in the General Contract Conditions, or as modified in the Special Contract Conditions.
 - The Contractor shall file a copy of the policies or Certificates of Insurance acceptable to the City with the Engineer within ten (10) Calendar Days after issuance of the Notice of Award. These Certificates of Insurance shall contain a provision that coverage afforded under the policies shall not be canceled unless at least thirty (30) Calendar Days prior written notice has been given to the City.
- 2.17. Indemnification: The Contractor shall defend, indemnify and save harmless the Owner, and all its officers, employees, insurers, and self-insurance pool, from and against all liability, suits, actions, or other claims of any character, name and description brought for or on account of any injuries or damages received or sustained by any person, persons, or property on account of any negligent act or fault of the Contractor, or of any Contractor's agent, employee, sub-contractor or supplier in the execution of, or performance under, any contract which may result from proposal award. Contractor shall

pay any judgment with cost which may be obtained against the Owner growing out of such injury or damages.

- 2.18. Miscellaneous Conditions: Material Availability: Contractors must accept responsibility for verification of material availability, production schedules, and other pertinent data prior to submission of bid. It is the responsibility of the bidder to notify the Owner immediately if materials specified are discontinued, replaced, or not available for an extended period of time. OSHA Standards: All bidders agree and warrant that services performed in response to this invitation shall conform to the standards declared by the US Department of Labor under the Occupational Safety and Health Act of 1970 (OSHA). In the event the services do not conform to OSHA standards, the Owner may require the services to be redone at no additional expense to the Owner.
- 2.19. Time: Time is of the essence with respect to the time of completion of the Project and any other milestones or deadline which are part of the Contract. It will be necessary for each Bidder to satisfy the City of its ability to complete the Work within the Contract Time set forth in the Contract Documents. The Contract Time is the period of time allotted in the Contract Documents for completion of the work. The date of commencement of the work is the date established in a Notice to Proceed. If there is no Notice to Proceed, it shall be the date of the Contract or such other date as may be established therein, or as established as entered on the Bid Form. The Date of Final Completion of the work is the date certified by the Owner when all construction, and all other work associated to include, but not be limited to: testing, QA/QC, receipt of required reports and/or forms, grant requirements (if applicable), punch list items, clean-up, receipt of drawings and/or as-builts, etc., is fully complete, and in accordance with the Contract Documents.
- **2.20. Progress & Completion:** The Contractor shall begin work on the date of commencement as defined in the Contract and shall carry the work forward expeditiously with adequate forces and shall complete it within the contract time.
- 2.21. Payment & Completion: The Contract Sum is stated in the Contract and is the total amount payable by the Owner to the Contractor for the performance of the work under the Contract Documents. Upon receipt of written notice that the work is ready for final inspection and acceptance and upon receipt of application for payment, the Owner's Project Manager will promptly make such inspection and, when he finds the work acceptable under the Contract Documents and the Contract fully performed, the Owner shall make payment in the manner provided in the Contract Documents.
- 2.22. Bid Bond: Each Bid shall as a guaranty of good faith on the part of the Bidder be accompanied by a Bid Guaranty consisting of: a certified or cashier's check drawn on an approved national bank or trust company in the state of Colorado, and made payable without condition to the City; or a Bid Bond written by an approved corporate surety in favor of the City. The amount of the Bid Guaranty shall not be less than 5% of the total Bid amount. Once a Bid is accepted and a Contact is awarded, the apparent successful bidder has ten calendar days to enter into a contractor in the form prescribed and to furnish the bonds with a legally responsible and approved surety. Failure to do so will result I forfeiture of the Bid Guaranty to the City as Liquidated Damages.

Each bidder shall guaranty its total bid price for a period of sixty (60) Calendar Days from the date of the bid opening.

- Performance & Payment Bonds: Contractor shall furnish a Performance and a 2.23. Payment Bond, each in an amount at least equal to that specified for the contract amount as security for the faithful performance and payment of all Contractor's obligations under the Contract Documents. These bonds shall remain in effect for the duration of the Warranty Period (as specified in the Special Conditions). Contractor shall also furnish other bonds that may be required by the Special Conditions. All bonds shall be in the forms prescribed by the Contract Documents and be executed by such sureties as (1) are licensed to conduct business in the State of Colorado and (2) are named in the current list of "Companies Holding Certificates of Authority as Acceptable Sureties on Federal Bonds and as Acceptable Reinsuring Companies" as published in Circular 570 (amended) by the Audit Staff, Bureau of Accounts, U.S. Treasury Department. All bonds singed by an agent must be accompanied by a certified copy of the Authority Act. If the surety on any bond furnished by the Contractor is declared bankrupt, or becomes insolvent, or its rights to do business in Colorado are terminated, or it ceases to meet the requirements of clauses (1) and (2) of this section, Contractor shall within five (5) days thereafter substitute another bond and surety, both of which shall be acceptable to the City.
- 2.24. Retention: The Owner will deduct money from the partial payments in amounts considered necessary to protect the interest of the Owner and will retain this money until after completion of the entire contract. The amount to be retained from partial payments will be five (5) percent of the value of the completed work, and not greater than five (5) percent of the amount of the Contract. When the retainage has reached five (5) percent of the amount of the Contract no further retainage will be made and this amount will be retained until such time as final payment is made.
- 2.25. Liquidated Damages for Failure to Enter Into Contract: Should the Successful Bidder fail or refuse to enter into the Contract within ten Calendar Days from the issuance of the Notice of Award, the City shall be entitled to collect the amount of such Bidder's Bid Guaranty as Liquidated Damages, not as a penalty but in consideration of the mutual release by the City and the Successful Bidder of all claims arising from the City's issuance of the Notice of Award and the Successful Bidder's failure to enter into the Contract and the costs to award the Contract to any other Bidder, to re-advertise, or otherwise dispose of the Work as the City may determine best serves its interest.
- 2.26. Liquidated Damages for Failure to Meet Project Completion Schedule: If the Contractor does not achieve Final Completion by the required date, whether by neglect, refusal or any other reason, the parties agree and stipulate that the Contractor shall pay liquidated damages to the City for each such day that final completion is late. As provided elsewhere, this provision does not apply for delays caused by the City. The date for Final Completion may be extended in writing by the Owner.

The Contractor agrees that as a part of the consideration for the City's awarding of this Contract liquidated damages in the daily amount of **\$500.00** is reasonable and necessary to pay for the actual damages resulting from such delay. The parties agree that the real costs and injury to the City for such delay include hard to quantify items such as:

additional engineering, inspection and oversight by the City and its agents; additional contract administration; inability to apply the efforts of those employees to the other work of the City; perceived inefficiency of the City; citizens having to deal with the construction and the Work, rather than having the benefit of a completed Work, on time; inconvenience to the public; loss of reputation and community standing for the City during times when such things are very important and very difficult to maintain.

The Contractor must complete the Work and achieve final completion included under the Bid Schedule in the number of consecutive calendar days after the City gives is written Notice to Proceed. When the Contractor considers the entire Work ready for its intended use, Contractor shall certify in writing that the Work is fully complete. Final Completion date is the date by which the Contractor shall have fully completed all clean-up, and all items that were identified by the City in the inspection for final completion. Unless otherwise stated in the Special Conditions, for purposes of this liquidated damages clause, the Work shall not be finished and the Contract time shall continue to accrue until the City gives its written Final Acceptance.

If the Contractor shall fail to pay said liquidated damages promptly upon demand thereof after having failed to achieve Final Completion on time, the City shall first look to any retainage or other funds from which to pay said liquidated damages; if retainage or other liquid funds are not available to pay said liquidated damages amounts, the Surety on the Contractor's Performance Bond and Payment Bond shall pay such liquidated damages. In addition, the City may withhold all, or any part of, such liquidated damages from any payment otherwise due the Contractor.

Liquidated damages as provided do not include any sums to reimburse the City for extra costs which the City may become obligated to pay on other contracts which were delayed or extended because of the Contractor's failure to complete the Work within the Contract Time. Should the City incur additional costs because of delays or extensions to other contracts resulting from the Contractor's failure of timely performance, the Contractor agrees to pay these costs that the City incurs because of the Contractor's delay, and these payments are separate from and in addition to any liquidated damages.

The Contractor agrees that the City may use its own forces or hire other parties to obtain Final Completion of the work if the time of completion has elapsed and the Contractor is not diligently pursuing completion. In addition to the Liquidated Damages provided for, the Contractor agrees to reimburse the City for all expenses thus incurred.

2.27. Contingency/Force Account/Minor Contract Revisions: Contingency/Force Account/Minor Contract Revisions work will be authorized by the Owner's Project Manager and is defined as minor expenses to cover miscellaneous or unforeseen expenses related to the project. The expenses are not included in the Drawings, Specifications, or Scope of Work and are necessary to accomplish the scope of this contract. Contingency/Force Account/Minor Contract Revisions Authorization will be directed by the Owner through an approved form. Contingency/Force Account/Minor Contract Revisions funds are the property of the Owner and any Contingency/Force Account/Minor Contract Revisions funds, not required for project completion, shall remain the property of the Owner. Contractor is not entitled to any Contingency/Force Account/Minor Contract Revisions funds, that are not authorized by Owner or Owner's Project Manager.

- 2.28. Protection of Persons & Property: The Contractor shall comply with all applicable laws, ordinances, rules, regulations and orders of any public authority having jurisdiction for the safety of persons or property or to protect them from damage, injury or loss. Contractor shall erect and maintain, as required by existing safeguards for safety and protection, and all reasonable precautions, including posting danger signs or other warnings against hazards promulgating safety regulations and notifying owners and users of adjacent utilities. When or where any direct or indirect damage or injury is done to public or private property by or on account of any act, omission, neglect, or misconduct by the Contractor in the execution of the work, or in consequence of the non-execution thereof by the Contractor, he shall restore, at his own expense, such property to a condition similar or equal to that existing before such damage or injury was done, by repairing, rebuilding, or otherwise restoring as may be directed, or it shall make good such damage or injury in an acceptable manner.
- 2.29. Changes in the Work: The Owner, without invalidating the contract, may order changes in the work within the general scope of the contract consisting of additions, deletions or other revisions, the contract sum and the contract time being adjusted accordingly. All such changes in the work shall be authorized by Change Order and shall be executed under the applicable conditions of the contract documents. A Change Order is a written order to the Contractor signed by the Owner issued after the execution of the contract, authorizing a change in the work or an adjustment in the contract sum or the contract time. The contract sum and the contract time may be changed only by Change Order.
- 2.30. Claims for Additional Cost or Time: If the Contractor wishes to make a claim for an increase in the contract sum or an extension in the contract time, he shall give the Owner written notice thereof within a reasonable time after the occurrence of the event giving rise to such claim. This notice shall be given by the Contractor before proceeding to execute the work, except in an emergency endangering life or property in which case the Contractor shall precede in accordance with the regulations on safety. No such claim shall be valid unless so made. Any change in the contract sum or contract time resulting from such claim shall be authorized by Change Order.
- **2.31. Minor Changes in the Work:** The Owner shall have authority to order minor changes in the work not involving an adjustment in the contract sum or an extension of the contract time and not inconsistent with the intent of the contract documents.
- **2.32. Field Orders:** The Owner may issue written Field Orders which interpret the Contract Documents in accordance with the specifications, or which order minor changes in the work in accordance with the agreement, without change in the contract sum or time. The Contractor shall carry out such Field Orders promptly.
- 2.33. Uncovering & Correction of Work: The Contractor shall promptly correct all work rejected by the Owner as defective or as failing to conform to the contract documents whether observed before or after substantial completion and whether or not fabricated installed or competed. The Contractor shall bear all costs of correcting such rejected work, including the cost of the Owner's additional services thereby made necessary. If within one (1) year after the date of completion or within such longer period of time as may be prescribed by law or by the terms of any applicable special guarantee required

by the contract documents, any of the work found to be defective or not in accordance with the contract documents, the Contractor shall correct it promptly after receipt of a written notice from the Owner to do so unless the Owner has previously given the Contractor a written acceptance of such condition. The Owner shall give such notice promptly after discover of condition. All such defective or non-conforming work under the above paragraphs shall be removed from the site where necessary and the work shall be corrected to comply with the contract documents without cost to the Owner. The Contractor shall bear the cost of making good all work of separate Contractors destroyed or damaged by such removal or correction. If the Owner prefers to accept defective or non-conforming work, he may do so instead of requiring its removal and correction, in which case a Change Order will be issued to reflect an appropriate reduction in the payment or contract sum, or, if the amount is determined after final payment, it shall be paid by the Contractor.

- **2.34. Amendment:** No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated in the resulting contract. All amendments to the contract shall be made in writing by the Owner.
- **2.35. Assignment:** The Contractor shall not sell, assign, transfer or convey any contract resulting from this IFB, in whole or in part, without the prior written approval from the Owner.
- 2.36. Compliance with Laws: Bids must comply with all Federal, State, County and local laws governing or covering this type of service and the fulfillment of all ADA (Americans with Disabilities Act) requirements.
- 2.37. Confidentiality: All information disclosed by the Owner to the Contractor for the purpose of the work to be done or information that comes to the attention of the Contractor during the course of performing such work is to be kept strictly confidential.
- **2.38. Conflict of Interest:** No public official and/or City/County employee shall have interest in any contract resulting from this IFB.
- **2.39. Contract Termination**: This contract shall remain in effect until any of the following occurs: (1) contract expires; (2) completion of services; (3) acceptance of services or, (4) for convenience terminated by either party with a written *Notice of Cancellation* stating therein the reasons for such cancellation and the effective date of cancellation.
- **2.40. Employment Discrimination:** During the performance of any services per agreement with the Owner, the Contractor, by submitting a Bid, agrees to the following conditions:
 - 2.40.1. The Contractor shall not discriminate against any employee or applicant for employment because of race, religion, color, sex, age, handicap, or national origin except when such condition is a legitimate occupational qualification reasonably necessary for the normal operations of the Contractor. The Contractor agrees to post in conspicuous places, visible to employees and applicants for employment, notices setting forth the provisions of this nondiscrimination clause.

- 2.40.2. The Contractor, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, shall state that such Contractor is an Equal Opportunity Employer.
- **2.40.3.** Notices, advertisements, and solicitations placed in accordance with federal law, rule, or regulation shall be deemed sufficient for the purpose of meeting the requirements of this section.
- **2.41. Affirmative Action:** In executing a Contract with the City, the Contractor agrees to comply with Affirmative Action and Equal Employment Opportunity regulations presented in the General Contract Conditions.
- 2.42. Immigration Reform and Control Act of 1986 and Immigration Compliance: The Offeror certifies that it does not and will not during the performance of the contract employ illegal alien workers or otherwise violate the provisions of the Federal Immigration Reform and Control Act of 1986 and/or the immigration compliance requirements of State of Colorado C.R.S. § 8-17.5-101, et. seq. (House Bill 06-1343).
- **2.43. Ethics:** The Contractor shall not accept or offer gifts or anything of value nor enter into any business arrangement with any employee, official, or agent of the Owner.
- 2.44. Failure to Deliver: In the event of failure of the Contractor to deliver services in accordance with the contract terms and conditions, the Owner, after due oral or written notice, may procure the services from other sources and hold the Contractor responsible for any costs resulting in additional purchase and administrative services. This remedy shall be in addition to any other remedies that the Owner may have.
- **2.45.** Failure to Enforce: Failure by the Owner at any time to enforce the provisions of the contract shall not be construed as a waiver of any such provisions. Such failure to enforce shall not affect the validity of the contract or any part thereof or the right of the Owner to enforce any provision at any time in accordance with its terms.
- **2.46.** Force Majeure: The Contractor shall not be held responsible for failure to perform the duties and responsibilities imposed by the contract due to legal strikes, fires, riots, rebellions, and acts of God beyond the control of the Contractor, unless otherwise specified in the contract.
- 2.47. Independent Contractor: The Contractor shall be legally considered an Independent Contractor and neither the Contractor nor its employees shall, under any circumstances, be considered servants or agents of the Owner. The Owner shall be at no time legally responsible for any negligence or other wrongdoing by the Contractor, its servants, or agents. The Owner shall not withhold from the contract payments to the Contractor any federal or state unemployment taxes, federal or state income taxes, Social Security Tax or any other amounts for benefits to the Contractor. Further, the Owner shall not provide to the Contractor any insurance coverage or other benefits, including Workers' Compensation, normally provided by the Owner for its employees.
- **2.48. Nonconforming Terms and Conditions:** A bid that includes terms and conditions that do not conform to the terms and conditions of this Invitation for Bid is subject to rejection

as non-responsive. The Owner reserves the right to permit the Contractor to withdraw nonconforming terms and conditions from its bid prior to a determination by the Owner of non-responsiveness based on the submission of nonconforming terms and conditions.

Items for non-responsiveness may include, but not be limited to:

- a. Submission of the Bid on forms other than those supplied by the City;
- Alteration, interlineation, erasure, or partial detachment of any part of the forms which are supplied herein;
- Inclusion of unauthorized additions conditional or alternate Bids or irregularities
 of any kind which may tend to make the Bid incomplete, indefinite, or ambiguous
 as to its meaning;
- d. Failure to acknowledge receipt of any or all issued Addenda;
- e. Failure to provide a unit price or a lump sum price, as appropriate, for each pay item listed except in the case of authorized alternative pay items;
- f. Failure to list the names of Subcontractors used in the Bid preparation as may be required in the Solicitation Documents;
- g. Submission of a Bid that, in the opinion of the Owner, is unbalanced so that each item does not reasonably carry its own proportion of cost or which contains inadequate or unreasonable prices for any item;
- h. Tying of the Bid with any other bid or contract; and
- i. Failure to calculate Bid prices as described herein.

2.49. Evaluation of Bids and Offerors: The Owner reserves the right to:

- reject any and all Bids,
- waive any and all informalities,
- take into account any prompt payment discounts offered by Bidder,
- negotiate final terms with the Successful Bidder,
- take into consideration past performance of previous awards/contracts with the Owner of any Contractor, Vendor, Firm, Supplier, or Service Provider in determining final award. and
- disregard any and all nonconforming, nonresponsive or conditional Bids.

Discrepancies between words and figures will be resolved in favor of words. Discrepancies between Unit Prices and Extended Prices will be resolved in favor of the Unit Prices. Discrepancies between the indicated sum of any column of figures and the correct sum thereof will be resolved in favor of the correct sum. The corrected extensions and totals will be shown in the tabulation of Bids.

The Owner may consider the qualifications and experience of Subcontractors and other persons and organizations (including those who are to furnish the principal items of material or equipment) proposed for those portions of the work as to which the identity of Subcontractors and other persons and organizations must be submitted. Operating costs, maintenance considerations performance data, and guarantees of materials and equipment may also be considered by the Owner.

The Owner will conduct such investigations as deemed necessary to assist in the evaluation of any Bid and to establish the responsibility, qualifications and financial ability of the Offeror, proposed Subcontractors and other persons and organizations to do the Work in accordance with the *Contract Documents* to the City's satisfaction within the Contract Time.

The Offeror shall furnish the Owner all information and data requested by the Owner to determine the ability of the Offeror to perform the Work. The Owner reserves the right to reject the Bid if the evidence submitted by, or investigation of such Offeror fails to satisfy the Owner that such Offeror is properly qualified to carry out the obligations of the Contract and to complete the Work contemplated therein.

By submitting a Bid, each Offeror authorizes the Owner to perform such investigation of the Offeror as the Owner deems necessary to establish the responsibility, qualifications and financial ability of the Offeror and, by its signature thereon, authorizes the Owner to obtain reference information concerning the Offeror and releases the party providing such information and the Owner from any and all liability to the Offeror as a result of such reference information so provided.

The Owner reserves the right to reject the Bid of any Offeror who does not pass any evaluation to the Owner's satisfaction.

If the Contract is to be awarded, it will be awarded to the Offeror who, by evaluation, the Owner determines will best meet the Owner's interests.

The Owner reserves the right to accept or reject the Work contained in any of the Price Bid Schedules or alternates, either in whole or in part.

2.50. Award of Contract: Unless otherwise indicated, a single award will be made for all the bid items in an individual bid schedule. In the event that the Work is contained in more than one Bid Schedule, the City may award Schedules individually or in combination. In the case of two Bid Schedules which are alternative to each other, only one of such alternative Schedules will be awarded. Within forty-five (45) Calendar Days of Bid Opening, the City will issue a Notice of Award to the Successful Bidder which will be accompanied by four (4) unsigned copies of the Contract and the Performance and Payment Bond forms. Within ten (10) Calendar Days thereafter, the Successful Bidder shall sign and deliver four (4) copies of the Contract, Performance Bond, Payment Bond and Certificates of Insurance to the City. Within ten (10) Calendar Days thereafter, the City will deliver two (2) fully executed counterparts of the Contract to the Contractor. No contract shall exist between the Successful Bidder and the City and the Successful Bidder shall have no rights at law or in equity until the Contract has been duly executed by the City.

The Successful Bidder's failure to sign and submit a Contract and other documents set forth in this Paragraph within the prescribed time shall be just cause of annulment of the award, and forfeiture of the Bid Guaranty. The award of Contract may then be made to the next qualified Bidder in the same manner as previously prescribed.

- **2.51. Ownership:** All plans, prints, designs, concepts, etc., shall become the property of the Owner.
- **2.52. Oral Statements:** No oral statement of any person shall modify or otherwise affect the terms, conditions, or specifications stated in this document and/or resulting agreement. All modifications to this request and any agreement must be made in writing by the Owner.
- 2.53. Patents/Copyrights: The Contractor agrees to protect the Owner from any claims involving infringements of patents and/or copyrights. In no event shall the Owner be liable to the Contractor for any/all suits arising on the grounds of patent(s)/copyright(s) infringement. Patent/copyright infringement shall null and void any agreement resulting from response to this IFB.
- **2.54.** Remedies: The Contractor and Owner agree that both parties have all rights, duties, and remedies available as stated in the Uniform Commercial Code.
- **2.55. Venue**: Any agreement as a result of responding to this IFB shall be deemed to have been made in, and shall be construed and interpreted in accordance with, the laws of the City of Grand Junction, Mesa County, Colorado.
- **2.56. Expenses:** Expenses incurred in preparation, submission and presentation of this IFB are the responsibility of the company and cannot be charged to the Owner.
- **2.57. Sovereign Immunity:** The Owner specifically reserves its right to sovereign immunity pursuant to Colorado State Law as a defense to any action arising in conjunction to this agreement.
- 2.58. Non-Appropriation of Funds: The contractual obligation of the Owner under this contract is contingent upon the availability of appropriated funds from this fiscal year budget as approved by the City Council or Board of County Commissioners from this fiscal year only. State of Colorado Statutes prohibit obligation of public funds beyond the fiscal year for which the budget was approved. Anticipated expenditures/obligations beyond the end of the current Owner's fiscal year budget shall be subject to budget approval. Any contract will be subject to and must contain a governmental non-appropriation of funds clause.
- 2.59. Cooperative Purchasing: Purchases as a result of this solicitation are primarily for the City/County. Other governmental entities may be extended the opportunity to utilize the resultant contract award with the agreement of the successful provider and the participating agencies. All participating entities will be required to abide by the specifications, terms, conditions and pricings established in this Bid. The quantities furnished in this bid document are for only the City/County. It does not include quantities

for any other jurisdiction. The City or County will be responsible only for the award for its jurisdiction. Other participating entities will place their own awards on their respective Purchase Orders through their purchasing office or use their purchasing card for purchase/payment as authorized or agreed upon between the provider and the individual entity. The City/County accepts no liability for payment of orders placed by other participating jurisdictions that choose to piggy-back on our solicitation. Orders placed by participating jurisdictions under the terms of this solicitation will indicate their specific delivery and invoicing instructions.

2.60. Keep Jobs in Colorado Act: Contractor shall be responsible for ensuring compliance with Article 17 of Title 8, Colorado Revised Statutes requiring 80% Colorado labor to be employed on public works. Contractor shall, upon reasonable notice provided by the Owner, permit the Owner to inspect documentation of identification and residency required by C.R.S. §8-17-101(2)(a). If Contractor claims it is entitled to a waiver pursuant to C.R.S. §8-17-101(1), Contractor shall state that there is insufficient Colorado labor to perform the work such that compliance with Article 17 would create an undue burden that would substantially prevent a project from proceeding to completion, and shall include evidence demonstrating the insufficiency and undue burden in its response.

Unless expressly granted a waiver by the Owner pursuant to C.R.S. §8-17-101(1), Contractor shall be responsible for ensuring compliance with Article 17 of Title 8, Colorado Revised Statutes requiring 80% Colorado labor to be employed on public works. Contractor shall, upon reasonable notice provided by the Owner, permit the Owner to inspect documentation of identification and residency required by C.R.S. §8-17-101(2)(a).

- 2.60.1. "Public project" is defined as:
 - (a) any construction, alteration, repair, demolition, or improvement of any land, building, structure, facility, road, highway, bridge, or other public improvement suitable for and intended for use in the promotion of the public health, welfare, or safety and any maintenance programs for the upkeep of such projects
 - (b) for which appropriate or expenditure of moneys may be reasonably expected to be \$500,000.00 or more in the aggregate for any fiscal year
 - (c) except any project that receives federal moneys.

3. Statement of Work

3.1. <u>GENERAL</u>: The City of Grand Junction is soliciting competitive bids from qualified and interested companies for all labor, equipment, and materials required for the 2021 G Road Irrigation Modification Project. All dimensions and scope of work should be verified by Contractors prior to submission of bids.

NOTE: The descriptions of the pay items listed in the Price Bid Schedule for this Project may not agree with those listed in the Standard Specifications. Payment for all Work performed, as required in the Contract Documents, will be in accordance with the items and units listed in the Price Bid Schedule.

The performance of the Work for this Project shall conform to the General Contract conditions presented in the City of Grand Junction's Standard Contract Documents for Capital Improvements Construction, revised July 2010, except as specifically modified or supplemented herein or on the Construction Drawings.

3.2. PROJECT DESCRIPTION: The Project generally consists of installing 710 L.F. of 18" corrugated HDPE irrigation pipe, 5 irrigation structures, removal of concrete irrigation ditches, traffic control, and the restoration of disturbed areas including, gravel and asphalt road surfaces, driveways, and concrete replacement.

3.3. SPECIAL CONDITIONS & PROVISIONS:

3.3.1 Mandatory Site Visit Meeting: Prospective bidders are required to attend a site visit meeting on February 9, 2021 at 10:30 am. Meeting location will be at the south end of Canyon View Park on G Road. Park in the diagonal parking spaces along the northside of G Road at Canyon View Park. The purpose of this visit will be to inspect and to clarify the contents of this Invitation for Bids (IFB).

3.3.2 QUESTIONS REGUARDING SOLICIATION PROCESS/SCOPE OF WORK:

Duane Hoff, Senior Buyer City of Grand Junction duaneh@gicity.org 970-244-1545

3.3.3 Project Manager: The Project Manager for the Project is Lee Cooper, Project Engineer, who can be reached at (970) 256-4155. <u>During Construction</u>, all notices, letters, submittals, and other communications directed to the City shall be addressed and mailed or delivered to:

City of Grand Junction
Department of Public Works - Engineering
Attn: Lee Cooper, Project Manager
333 West Ave., Building C
Grand Junction, CO 81501

- **3.3.4** Affirmative Action: The Contractor is not required to submit a written Affirmative Action Program for the Project.
- **3.3.5** Pricing: Pricing shall be all inclusive to include but not be limited to: all labor, equipment, supplies, materials, freight (F.O.B. Destination Freight Pre-paid and Allowed to each site), travel, mobilization costs, fuel, set-up and take down costs, and full-time inspection costs, and all other costs related to the successful completion of the project.

The Owner shall not pay nor be liable for any other additional costs including but not limited to: taxes, shipping charges, insurance, interest, penalties, termination payments, attorney fees, liquidated damages, etc.

3.3.6 Freight/Shipping: All freight/shipping shall be F.O.B. Destination – Freight

Pre-Paid and Allowed to the project site(s), Grand Junction, CO.

Contractor must meet all federal, state, and local rules, regulations, and requirements for providing such services.

- 3.3.7 <u>Contract:</u> A binding contract shall consist of: (1) the IFB and any amendments thereto, (2) the bidder's response (bid) to the IFB, (3) clarification of the bid, if any, and (4) the City's Purchasing Department's acceptance of the bid by "Notice of Award" or by "Purchase Order". All Exhibits and Attachments included In the IFB shall be incorporated into the contract by reference.
 - A. The contract expresses the complete agreement of the parties and, performance shall be governed solely by the specifications and requirements contained therein.
 - B. Any change to the contract, whether by modification and/or supplementation, must be accomplished by a formal contract amendment signed and approved by and between the duly authorized representative of the bidder and the City Purchasing Division or by a modified Purchase Order prior to the effective date of such modification. The bidder expressly and explicitly understands and agrees that no other method and/or no other document, including acts and oral communications by or from any person, shall be used or construed as an amendment or modification to the contract.
- **3.3.8** <u>Time of Completion:</u> The scheduled time of Completion for the Project is <u>45</u> <u>Calendar Days</u> from the starting date specified in the Notice to Proceed.

Completion is achieved when site cleanup and all punch list items (resulting from the final inspection) have been completed. Completion shall have the meaning set forth in Article I, Section 3 (Definitions and Terms) of the General Contract Conditions.

- 3.3.9 Working Days and Hours: The working days and hours shall be as stated in the General Contract Conditions, Section VI Contractor's Responsibilities, Subsection 36; or as mutually agreed upon in the preconstruction meeting.
- **3.3.10** <u>Licenses and Permits:</u> Contractor is responsible for obtaining all necessary licenses and permits required for Construction, at Contractors expense. See Section 2.12. Contractor shall supply to Owner all copies of finalized permits.
- **3.3.11** Permits: The following permits are required for the Project and will be obtained by the City at no cost to the Contractor:
 - None

The following permits are required for the Project and shall be obtained and paid for by the Contractor, with the costs included in the total bid price for the Project:

<u>Colorado Department of Public Health and Environment Dewatering Permit:</u>
 (If necessary due to the presence of groundwater) For more information,

contact the Colorado Dept. of Public Health and Environment: www.cdphe.state.co.us/wq/PermitsUnit/wqcdpmt.html Approximately 7 – 10 days is required for processing of the permit application. The Contractor should begin preparing the permit application immediately upon notice of award.

- **3.3.12** <u>City Furnished Materials:</u> The City will furnish the following materials for the Project:
 - AutoCAD drawings for survey stake-out
 - Variable message boards for upcoming construction locations
- 3.3.13 Project Newsletters: A newsletter for the Project will be prepared and distributed by the City. It will include general information about the Project including street closures, parking restrictions, project schedule, and the names and telephone numbers of the contacts for the City and Contractor. The newsletter will be mailed approximately one week before the Contractor commences work.
- **3.3.14 Project Sign:** Project signs, if any, will be furnished and installed by the City.
- **3.3.15** Authorized Representatives of the City: Those authorized to represent the City shall include Purchasing Agent, Engineers, and Inspectors employed by the City, only.
- **3.3.16 <u>Stockpiling Materials and Equipment:</u>** All stockpiling/storage shall be in accordance with General Contract Condition Section 51.
- 3.3.17 <u>Traffic Control</u>: The Contractor shall provide and maintain traffic control in accordance with the approved Traffic Control Plan and the *Manual on Uniform Traffic Control Devices (MUTCD)*. The traffic control plans shall be presented to the Project Engineer at or prior to the pre-construction meeting for review and approval. The following requirements and limitations shall apply to the traffic control:

No personal driveway and/or access point to a property shall be left inaccessible at the end of each work day or over a weekend; and no construction equipment shall be parked in front of a driveway and/or access point during Contractor's non-working hours. When a driveway and/or access point has to be closed off due to construction activity, the Contractor shall provide advanced notification to the affected resident(s) at least two-days prior to closure and arrange an alternative access point to the property. Refer to General Contract Condition 26 – Maintenance of Access and Services.

Special conditions for traffic control:

1. All trenches shall be backfilled or protected at the end of each working day and access restored to all driveways. If trenches are left open at night, the trenches will be limited to 30 feet in length. The entire perimeter of the excavation shall be barricaded with construction equipment and/or temporary construction fence.

- 2. At all times during the project, the contractor must ensure access is available for the U.S. Postal Service, trash collection trucks, school buses, emergency vehicles, etc., per the General Contract Conditions.
- 3. The Contractor shall adhere to all traffic control requirements when working within City right-of-way. While the Contractor is working between stationing 0+92 to 1+78, the City will allow G Road to be closed to traffic and detours provided. When the Contractor is working between stationing 1+78 to 14+35, the City will allow the westbound lane of G Road to be closed to allow additional room for construction operations. In all cases, G Road shall be opened to eastbound and westbound traffic at the end of each workday and on the weekends. The G Road closure and/or the westbound lane closures shall start at 8 am at the earliest.
- 4. Detours shall be provided when G Road is closed to through traffic; as well as when the westbound lane of G Road is closed for irrigation construction. Residents, employees, property owners shall have access to their respected properties during construction.
- Access to residents and/or businesses shall always be provided during construction.
- 3.3.18 <u>Clean-Up:</u> The Contractor is responsible for cleaning up all loose materials that have been deposited or swept into gutters, and onto sidewalks and driveways as a result of sidewalk operations. The costs for all clean-up work shall be considered incidental and will not be paid for separately.
- **3.3.19 Quality Assurance Testing:** The City will be providing quality assurance (QA) testing on this irrigation project.
- **3.3.20** Schedule of Submittals: Contractor shall deliver these submittals at least two days prior to the pre-construction meeting:
 - Traffic Control Plans
 - Construction Schedule submitted at or prior to the pre-construction meeting
 - Irrigation Pipe 18" Corrugated HDPE Pipe (ADS N-12 Dual-Wall Watertight (WTIB) Pipe or Engineer Approved Equal)
 - Irrigation Structures
 - Slide Gates (Fresno Series 5500 Galvanized Toggle Gates or Engineer Approved Equal
 - Aluminum Bar Grating
 - Bedding Gradation, Type A
 - Base Course Gradation & Proctor Curve (Class 6)
 - Hot Bituminous Pavement Mix Design
- **3.3.21** <u>Uranium Mill Tailings:</u> It is anticipated that radioactive mill tailings will not be encountered on this Project.

- 3.3.22 <u>Fugitive Petroleum or Other Contamination:</u> It is anticipated that soil contamination from fugitive petroleum or other contaminants will not be encountered with the Project.
- **3.3.23** Excess Material: All excess materials shall be disposed in accordance with General Contract Condition Section 50.
- 3.3.24 Existing Utilities and Structures: A Subsurface Utility Engineering (SUE) investigation was completed for this Project. Information on the existing underground utilities are shown on the SUE plans; as well as the plan and profile sheets. It is the responsibility of the Contractor to locate and protect all structures and utilities in accordance with General Contract Condition Section 37.

If the Contractor discovers a conflict with an existing utility (either horizontal or vertical), the Contractor shall contact the Project Engineer and the utility owner immediately to assist in resolving the conflict.

At this time, the City predicts from the test hole data completed that the following utilities will need to be relocated. At approximate stationing 2+75 an existing domestic waterline service and an existing buried telephone service will need to be adjusted; as well as, at stationing 3+35 an existing gas line service may need to be adjusted to allow installation of the new 18" HDPE irrigation pipe.

The City has notified Xcel Energy and Century Link prior to this Project being awarded a construction contract that these two existing utilities may need to be adjusted. A Pay Item has been provided for the Contractor to adjust the existing water service to accommodate the new 18" HDPE irrigation pipe.

- 3.3.25 Existing Property Pins and Survey Monuments: The City of Grand Junction did not perform an exhaustive search for existing property pins when compiling survey data for this Project. Property pins and survey monuments have been shown on the construction drawings that were found in the field. The Contractor shall be responsible for locating, protecting and resetting property pins when and where necessary, including those shown on the plans, and including those not shown but found in the field during the course of the work. The cost of locating, protecting, referencing and resetting of property pins is incidental to the Construction Surveying pay item. The cost of referencing and resetting of survey monuments shall be paid for as described in Section 629 Survey Monumentation within the July 2010 Standard Contract Documents.
- **3.3.26** <u>Incidental Items:</u> Any item of work not specifically identified or paid for directly, but which is necessary for the satisfactory completion of any paid items of work, will be considered as incidental to those items, and will be included in the cost of those items.
- 3.3.27 Existing Concrete Sidewalks, Pans, Fillets, Curbs and Gutters: The existing sidewalks, pans, fillets, curb and gutter are in good serviceable condition. In most instances the installation of new sidewalk and pavement will be adjacent to existing concrete. The Contractor will need to protect all concrete adjacent to construction. If the concrete is damaged during construction the Contractor will be responsible for its

- replacement at no cost to the City. The Contractor, the City Project Inspector, and/or the City Project Manager will walk and record any concrete that is deemed to be damaged before construction has started.
- 3.3.28 <u>ACI Concrete and Flatwork Finisher and Technician:</u> Hand finishing concrete will be permitted only when performed under the direct supervision of a craftsman holding the following certificate: ACI Concrete Flatwork Finisher and Technician (ACICFFT) or other Flatwork Finisher certification program approved by the City Engineering Manager.
- 3.3.29 <u>Confined Space Entry:</u> The Contractor is responsible for providing any and all confined space entry safety equipment; including, but not limited to: air testing equipment, fresh air blowers, tripods, harnesses, and SCBA equipment. The Contractor's air monitoring devices shall be calibrated and certified. The cost for all confined space entry equipment shall be incidental to the project cost, and will not be paid for separately.
- **3.3.30** <u>Construction Dewatering:</u> All construction dewatering must meet the requirements specified in the CDPHE Dewatering Permit. Construction dewatering will be considered incidental and will not be measured and paid for separately.
- 3.3.31 <u>Temporary Steel Plating:</u> If the Contractor chooses to use steel plates to protect an open trench section, the cost for supplying and securely placing the steel plates will not be paid for separately but shall be included in the work.
- 3.3.32 Payment for Damage to Private Property beyond Easement Limits/ROW Limits:

 Easement and Right-of-Way (ROW) lines are indicated on the Construction Plans.

 Any and all damage to improvements outside of easements and ROW, and/or outside the Construction Limit lines shall be repaired at the Contractor's expense. There will be no additional payment made for restoration of sod, landscaping, gravel, concrete or asphalt driveways, irrigation systems, decorative borders, fences, etc. beyond the property line or the construction easements as shown on the plan set.
- 3.3.33 <u>Interruption of Utilities and Services:</u> The Contractor shall notify all property owners affected by the interruption of utilities and other services caused by his operation. Such notice shall be given at least 24 hours prior to the interruption. Notice shall be given for, but not limited to the interruption of domestic water, sanitary sewer, gas service, electric service, trash pickup, mail delivery and changes in access to the property.
- 3.3.34 Construction Surveying & "As-Built" Drawings: In addition to Items I and II in the General Contract Conditions, Section 54, As-Built record information will be provided to, and approved by City staff prior to Final Acceptance of the Project. Information to be provided must be in electronic format (e.g. AutoCAD and/or survey files) along with a PDF set of As-Built drawings. As-Built electronic files must contain information suitable for the City to maintain Utility records to the standards set forth in the new Colorado 811 One Call/Subsurface Utility Law (effective August 8, 2018) and standards as described in the American Society of Civil Engineers (ASCE) Standard Guidelines for the Collection and Depiction of Existing Subsurface Utility Data (ASCE 38-02).

Electronic information for As-Built records shall include, but is not limited to, verification of all horizontal and vertical changes in pipe alignments, elbows, tees, manholes, valves, control structures, service taps, service pipe (horizontal and vertical deflections to ROW line, meter pits, or clean-outs, whichever is closer), beginning and ending of slip-lined segments, tie-in or connection to existing infrastructure, etc. Distance between As-Built data points along pipe alignment is dependent on the amount of deflection used to install the pipe in the field. There must be sufficient point data to create a plan and profile of all infrastructure accurate to within eighteen inches (18") of the physical structures anywhere along the project.

The cost for all surveying the all fittings, both sewer and water, shall be incidental to the project cost, and will not be paid for separately.

- 3.3.35 <u>As-Built Irrigation Manholes/Structures Survey Shots:</u> All new irrigation structures require as-built survey shots on all pipe inverts.
- **3.4. SCOPE OF WORK:** The Project generally consists of installing 710 L.F. of corrugated HDPE irrigation pipe, 5 irrigation structures, removal of concrete irrigation ditches, traffic control, and the restoration of disturbed areas including, gravel and asphalt road surfaces, driveways, and concrete replacement.
- 3.5. Attachments:

Appendix A: Project Submittal FormAppendix B: Project Special Provisions

Construction Plans

- 3.6. Contractor Bid Documents: For Contractor's convenience, the following is a list of forms/items to be submitted with the Contractor's bid response. However, should a form/item not be listed in this section, but required in the solicitation documents, it is the Contractor's responsibility to ensure all forms/items are submitted.
 - Contractor's Bid Form
 - Price Bid Schedule
- 3.7. IFB TENTATIVE TIME SCHEDULE:

Invitation for Bids available: January 29, 2021 February 9, 2021 Mandatory Site Visit Meeting: February 12, 2021 Inquiry deadline, no questions after this date: Addendum Posted: February 16, 2021 Submittal deadline for proposals (Bid Opening): February 19, 2021 City Manager Approval: February 24, 2021 Notice of Award & Contract execution: February 25, 2021 Bonding & Insurance Cert. due: March 8, 2021

Preconstruction meeting: March 9, 2021

Work begins no later than:

Upon Receipt of Notice to

Proceed

Final Completion: 45 Calendar Days from

Notice to Proceed

Holidays: None

4. Contractor's Bid Form

| Bid Date: | 4. <u>Contiductor S</u> | <u> Bia i Giiii</u> | |
|--|--|--|--|
| Project: IFB-4870-21-DH "2021 (| G Road Irrigation Modification Pro | ject" | |
| Bidding Company: | | | |
| Name of Authorized Agent: | | | |
| Email | | | |
| Telephone | Address | | |
| City | State | Zip | |
| Contract Conditions, Statement of of, and conditions affecting the pro all work for the Project in accorda | liance with the Invitation for Bids, he Work, Specifications, and any and a posed work, hereby proposes to fur ance with Contract Documents, with a ses incurred in performing the work to | all Addenda thereto, having invernish all labor, materials and suppin the time set forth and at the | stigated the location olies, and to perform prices stated below. |
| connection to any person(s) provide | s hereby declare and stipulate that ding an offer for the same work, and tions to Bidders, the Specifications, a d. | d that it is made in pursuance o | f, and subject to, all |
| | awarded the Contract, to provide insomittal of this offer will be taken by the ct in its entirety. | | |
| or technicalities and to reject any | nake the award on the basis of the o or all offers. It is further agreed that ne. Submission of clarifications and i | t this offer may not be withdrawn | for a period of sixty |
| Prices in the bid proposal have not | t knowingly been disclosed with anot | ther provider and will not be prior | to award. |
| purpose of restricting competition. No attempt has been made nor will competition. The individual signing this bid prop is legally responsible for the offer was attempted to the offer was at the content of the offer was attempted to the | een arrived at independently, without be to induce any other person or firm cosal certifies they are a legal agent with regard to supporting documental and Junction are tax exempt from Col | n to submit a bid proposal for the p of the offeror, authorized to repre tion and prices provided. | ourpose of restricting |
| The undersigned certifies that no F City of Grand Junction payment ter Prompt payment discount of | Federal, State, County or Municipal ta | ax will be added to the above quobe offered to the Owner if the in | oted prices. nvoice is paid within |
| RECEIPT OF ADDENDA: the und and other Contract Documents. State number of Addenda | dersigned Contractor acknowledges received: | receipt of Addenda to the Solicita | ation, Specifications, |
| It is the responsibility of the Bidder | to ensure all Addenda have been re | eceived and acknowledged. | |
| By signing below, the Undersigned | d agree to comply with all terms and | conditions contained herein. | |
| Company: | | | |
| Authorized Signature: | | | |
| Title: | | | |

Bid Schedule: 2021 G Road Irrigation Modification Project

| Item No. | CDOT, City Ref. | Description | Quantity | Units | Unit Price | Total Price |
|-------------|--------------------|---|----------|----------|------------|-------------|
| 1 | 108.2 | 8" Plastic Starter Coupler (Gasket x Spigot) (8" O.D.) (For use in the Rectangular Box Structure #147) | 1. | Each | \$ | \$ |
| 2 | 108.2 | 10" Irrigation Pipe (AWWA C-900, DR-18) (Structure #23 Water Drain Pipe to Leach Creek) | 25. | Lin. Ft. | \$ | \$ |
| 3 | 108.2 | 10" Irrigation Pipe (CMP) (Galvanized CMP at Structure #23) (Includes cost of connection into existing CMP pipe that crosses Leach Creek) | 10. | Lin. Ft. | \$ | \$ |
| 4 | 108.2 | 12" Irrigation Pipe (AWWA C-900, DR-18) (Includes Type A Bedding and Haunching Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill Material) | 80. | Lin. Ft. | \$ | \$ |
| 5 | 108.2 | 18" Irrigation Pipe (RCP) (Includes Cost of Connection to Existing RCP pipe and Type A Bedding and Haunching Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill Material) | 10. | Lin. Ft. | \$ | \$ |
| 6 | 108.2 | 18" Irrigation Pipe (HDPE) (Corrugated HDPE ADS N-12 Dual-Wall, Water Tight (WTIB) Pipe or Engineer Approved Equal) (20-ft Pipe Lengths) (Includes Type A Bedding and Haunching Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill Material) | 710. | Lin. Ft. | \$ | \$ |
| 7 | 108.2 | 18" Double Wide Field Repair Coupler by ADS or Project Engineer Approved Equal (Use for Connecting new 18" HDPE pipe to Existing 18" HDPE Pipe) (Includes Pouring a Concrete Collar around Repair Coupler for added support) | 2. | Each | \$ | \$ |
| 8 | 108.2 | Imported Trench Backfill (Class 3) (Includes haul and disposal of unsuitable excavated material) (Assumed material unit weight = 133 lbs/ft ³) | 40. | Ton | \$ | \$ |

Bid Schedule: 2021 G Road Irrigation Modification Project

| Item No. | CDOT, City Ref. | Description | Quantity | Units | Unit Price | Total Price |
|-------------|--------------------|--|----------|-----------|------------------|-------------|
| 9 | 108.2 | Imported Trench Backfill (Clean Fill Dirt) (Clean Fill Dirt shall be used where there isn't enough native material available to backfill new irrigation pipe trench) (Anticipated for use between Pipe Stations 1+78 to 14+35) | 250. | Cu. Yd. | \$ \$ | |
| 10 | 108.5 | Irrigation Basic Manhole (36" I.D.) (Includes Concrete Lid Slab with Cast-in-Flush Inverted Aluminum Ring and Cover with the word "Irrigation" Cast into the Cover) | 2. | Each | \$ <u> </u> | |
| 11 | 108.5 | Irrigation Basic Manhole (48" I.D.) (Includes Concrete Lid Slab with Cast-in-Flush Inverted Aluminum Ring and Cover with the word "Irrigation" Cast into the Cover) | 1. | Each | \$ \$ | |
| 12 | 108.5 | Irrigation Structure Manhole (48" I.D.) (See Structure #23 Details) (Includes Fresno Series 5500 Galvanized Toggle Gates (3 Total) or Engineer Approved Equal, and Aluminum Bar Grating and Locking Bar Assembly as shown in detail) | 1. | Each | \$ <u> </u> | |
| 13 | 108.5 | Manhole Barrel Section (48" I.D.) (D>5') | 4. | Vert. Ft. | \$ \$ | |
| 14 | 108.5 | Rectangular Irrigation Structure (24" x 36") (Large Area Inlet Box with Aluminum Bar Grating per Structure #147 Detail) (See City Std. Detail D-10 for Concrete Box Details) | 1. | Each | \$ \$ | |
| 15 | 202 | Removal of Concrete Ditch (Existing Concrete is about 2-3 Inches Thick) | 630. | Lin. Ft. | \$ \$ | |
| 16 | 202 | Removal of Asphalt Mat (Full-Depth) | 71. | Sq. Yd. | \$ \$ | |
| 17 | 202 | Removal of Existing Pipe (Size as Shown on the Plans) | 260. | Lin. Ft. | \$ \$ | |
| 18 | 202 | Remove Existing Irrigation Structures (Concrete) | 2. | Each | \$ \$ | |
| 19 | 202 | Removal of Tree | 1. | Each | \$ \$ | |
| 20 | 202 | Removal of Concrete (Includes, but not limited to, curb, gutter, sidewalk, driveway, slabs, V-pans, curb ramps, intersection corners, aprons, landscape borders, and concrete walls) | 11. | Sq. Yd. | \$ \$ | |
| 21 | 202 | Removal of Fence (5-ft Tall Chain-Link) | 320. | Lin. Ft. | \$ \$ | |

| Item No. | CDOT, City Ref. | Description | Quantity | Units | Unit Price | Total Price |
|-------------|--------------------|---|----------|----------|-----------------|-------------|
| 22 | 210 | Adjust Existing Water Service Pipe (Property 2426 G Road) (Cost of Adjusting Existing Water Service pipe shall be included in the Cost of the Irrigation Pipe and shall include all necessary fittings and pipe required to adjust/relocate water service) (The water service is assumed to be 3/4" dia. Copper service pipe) | 1. | Lump Sum | \$ \$ | |
| 23 | 210 | Reset Sign | 3. | Each | \$ \$ | |
| 24 | 210 | Reset Gate (Chain-Link Gate) (Attached existing gate to the proposed new chain-link fence) | 2. | Each | \$ \$ | |
| 25 | 210 | Reset Landscape Groundcover (Cobble Rock) (Match in Kind) | 1. | Lump Sum | \$ \$ | |
| 26 | 304 | Aggregate Base Course (Class 6) (8" thick) (Concrete Sidewalk) | 11. | Sq. Yd. | \$ \$ | |
| 27 | 304 | Aggregate Base Course (Class 6) (15" thick) (G Road) | 71. | Sq. Yd. | \$ \$ | |
| 28 | 304 | Washed Rock Surface Course for Gravel Driveways (Match Existing Surface Rock as closely as possible) (2" - 3" Thick) | 85. | Sq. Yd. | \$ <u> </u> | |
| 29 | 401 | Cold Mix Asphalt (Temporary Patching) (2" Thick) (To be used on G Road between Stationing 1+21 to 1+62) | 80. | Sq. Yd. | \$ \$ | |
| 30 | 401 | Hot Bituminous Pavement (Patching) (5" Thick) (Grading SX, PG 64-22) (GYR.=75) (One 3" Lift and One 2" Lift) | 80. | Sq. Yd. | \$ \$ | |
| 31 | 407 | Emulsified Asphalt (Tack Coat) | 7. | Gallon | \$ \$ | |
| 32 | 607 | Chain-Link Fence (5' High) (Galvanized) (10' Wide Post Spacing, Typ.) | 320. | Lin. Ft. | \$ \$ | |
| 33 | 608 | Monolithic Vertical Curb, Gutter, and Sidewalk (7-ft wide) | 11. | Sq. Yd. | \$ \$ | |
| 34 | 620 | Portable Sanitary Facility | 1. | Each | \$ \$ | |
| 35 | 625 | Construction Surveying (Includes As-Built Drawings) | 1. | Lump Sum | \$ \$ | |
| 36 | 626 | Mobilization | 1. | Lump Sum | \$ \$ | |
| 37 | 630 | Traffic Control Plan BF-2 (3 of | 1. 4) | Lump Sum | \$ \$ | |

| Item | CDOT, | | | | | |
|------|-----------|-------------------------------------|----------|-------------|------------|--------------|
| No. | City Ref. | Description | Quantity | Units | Unit Price | Total Price |
| 38 | 630 | Traffic Control (Complete in Place) | 1. | Lump Sum \$ | | \$ |
| 39 | 630 | Flagging | 500. | Hour \$ | | \$ |
| MCR | | Minor Contract Revisions | | | | \$ 12,000.00 |
| | | | Ві | d Amount: | \$ | |
| | Bid Am | ount: | | | | dollars |
| | Contrac | ctor Name: | | | | |
| | Contra | ctor Address: | | | | |
| | Contra | ctor Phone #: | | | | |

The undersigned Bidder proposes to subcontract the following portion of Work:

| Name & address of | Description of work | % of |
|-------------------|---------------------|----------|
| Sub-Contractor | to be performed | Contract |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

The undersigned Bidder acknowledges the right of the City to reject any and all Bids submitted and to waive informalities and irregularities therein in the City's sole discretion.

By submission of the Bid, each Bidder certifies, and in the case of a joint Bid each party thereto certifies as to his own organization, that this Bid has been arrived at independently, without collusion, consultation, communication, or agreement as to any matter relating to this Bid with any other Bidder or with any competitor.

Appendix A

Project Submittal Form

PROJECT SUBMITTAL FORM

PROJECT: 2021 G Road Irrigation Modification Project

CONTRACTOR:

PROJECT ENGINEER: Lee Cooper

| | Date | Resubmittal | Resubmittal | Date |
|------------------------------------|----------|-------------|-------------|----------|
| Description | Received | Requested | Received | Accepted |
| | CONSTRUC | TION | T | |
| Irrigation Pipe | | | | |
| (18" Corrugated HDPE Pipe by ADS | | | | |
| Dual-Wall N-12 Watertight Pipe) | | | | |
| Imported Trench Backfill | | | | |
| Slide Gates | | | | |
| Irrigation Structures | | | | |
| Aluminum Bar Grating | | | | |
| Pipe Bedding Material, Type A | | | | |
| Aggregate Base Course, Class 6 | | | | |
| Hot Bituminous Pavement Mix Design | | | | |
| Construction Schedule | | | | |

Appendix B

Project Special Provisions

CITY OF GRAND JUNCTION DEPARTMENT OF PUBLIC WORKS AND UTILITIES ENGINEERING DIVISION

2021 G Road Irrigation Modification Project

SPECIAL PROVISIONS

GENERAL:

The descriptions of the pay items listed in the Bid Schedule for this Project may not agree with those listed in the Standard Specifications. Payment for all Work performed, as required in the Contract Documents, will be in accordance with the items and units listed in the Bid Schedule.

STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION:

The City of Grand Junction Standard Specifications for Road and Bridge Construction are hereby modified or supplemented for this Project by the following modifications to *The Standard Specifications for Road and Bridge Construction*, State Department of Highways, Division of Highways, State of Colorado:

SP-1 SECTION 208 – EROSION CONTROL

Section 208 of the Standard Specifications is hereby revised for this project as follows:

Subsection 208.04 shall include the following:

Any of the materials to be installed or used for the installation of the sewer line shall be stored within the construction area where the Contractor is working unless permission is granted to store materials elsewhere. Any glues and/or adhesives necessary shall be contained at all times within a spill proof and waterproof container when not being used.

All vehicle and equipment maintenance and fueling shall be performed in a designated area within the construction area that will not interfere with roadway traffic operations unless traffic control is provided. The fueling area shall exhibit Best Management Practices in order to minimize and/or eliminate the potential of fuel spillage. Any spillage of fuel onto the ground shall be immediately cleaned up and any contaminated soil disposed of properly at the Mesa County Landfill. Documentation of spills, leaks and overflows that result in the discharge of pollutants, including logging and reporting of the spill is required to the Water Quality Control Division at their toll-free 24-hour environmental emergency spill reporting line — 1-877-518-5608.

The Contractor shall clear the site of all on-site waste daily, including scrap from construction materials.

Concrete trucks will be required to wash out in a portable concrete washout pool supplied by the Contractor or the concrete truck can wait to washout back at the concrete batching facility. The Contractor will be responsible for maintaining the washout pool. The washout pool shall be cleaned out and/or replaced when the washout pool reaches 50% of total capacity. The concrete washout pool needs to be dynamic and durable in its ability to be moved with the progress of construction.

The Contractor shall clear the site of all trash and litter daily. Portable toilets will be maintained (cleaned and emptied) by a local supplier.

SP-2 SECTION 601 – STRUCTURAL CONCRETE

Section 601 of the Standard Specifications is hereby revised for this project as follows:

Delete subsection 601.02 from the City of Grand Junction Standard Specifications and replace with the following:

Concrete for construction of curbs, gutters, sidewalks, irrigation structures, curb ramps, driveway approaches, corner fillets, drainage pans, median cover, and trails shall be CDOT Class D concrete per the 2017 CDOT Standard Specifications for Road and Bridge Construction (Red Book).

Minimum field compressive strength: 4,500 psi at 28 days

• Air Content: 6% +/- 1.5%

Maximum water cement ratio: 0.45

 Maximum slump at delivery shall be 4-inches. In the event that the concrete slump from the first truck of the day exceeds 5-inches the load will be rejected. Subsequent batches shall be adjusted so that the slump at delivery does not exceed 4-inches.

STANDARD SPECIFICATIONS FOR CONSTRUCTION OF WATER LINES, SANITARY SEWERS, STORM DRAINS, UNDERDRAINS AND IRRIGATION SYSTEMS

The City of Grand Junction Standard Specifications for Construction of Water Lines, Sanitary Sewers, Storm Drains, Underdrains and Irrigation Systems are hereby modified for this Project as follows:

SP-4 SECTION 103 - REMOVALS, EXCAVATION, BACKFILLING AND RESTORATION


Section 103 of the Standard Specification is hereby revised for this project as follows:

Subsection 103.16, Earth Backfill Material, shall include the following:

Native material excavated on site shall be used for backfill on all pipelines and appurtenances above the bedding and haunching material unless the native material is too wet and/or otherwise unsuitable for backfill as determined by the Project Engineer or the Project Inspector. In such case, imported trench backfill material, or other approved material, shall be used and paid for per ton of material supplied, placed and compacted. The Contractor will be required to salvage useable materials from the project excavations and mix the useable material with imported trench backfill prior to placing backfill in the trench. The contract price for "Imported Trench Backfill" shall include the disposal of the unsuitable material.

N:\Landproj\(24 Road and G Road Intersection)\dwg\000 IRRIGATION\COVER.dwg, 1/27/2021 3:45:40 PM

CITY OF GRAND JUNCTION 2021 G ROAD IRRIGATION MODIFICATION PROJECT January 27, 2021



Sheet Index

- 1 Cover Sheet
- 2 Standard Abbreviations, Legend, & Symbols
- 3 Summary of Approximate Quantities
- 4 Project Control Map
- 5-11 Subsurface Utility Engineering Plan
- 12-13 Irrigation Details
- 14-17 Irrigation Plan & Profiles

NOTE: NOTIFY AFFECTED UTILITY VENDOR 48 HOURS PRIOR TO EXCAVATIONS THAT WILL EXPOSE UTILITY LINES. THE COVER SHEET WILL HAVE A LISTING OF JTILITY VENDORS AND TELEPHONE NUMBERS.

| DESCRIPTION | DATE |
| REVISION A REV 1 | DATE |
| REVISION A REV 2 | DATE |
| REVISION A REV 3 | DATE |
| REVISION A REV 4 | DATE |



Public Works Engineering Division


| LEGEND | |
|---|---------------------------------------|
| LLOLIND BSWMP DRAINAGE BASIN BOUNDARY | |
| BSWMP ANCHORED STRAW BALES · | HEA GEA HEA GEA |
| BSWMP SILT FENCE | ar ar ar ar ar ar |
| BUILDING | |
| CONCRETE CURB AND GUTTER | 2' GURB AND GUTTER |
| CONCRETE CURB, GUTTER, & SIDEWALK | 7' C, G, & 5W |
| CONCRETE DITCH | CONGRETE |
| CONCRETE SIDEWALK | 4* SW |
| CULVERT | 18" RCP |
| EARTH DITCH | EARTH EARTH EARTH |
| EDGE OF GRAVEL | |
| EDGE OF PAVEMENT | |
| FENCE (HT & MATL NOTED) | X 6, CHVININK X |
| GUARD RAIL | |
| HATCHING: INDICATES ASPHALT REMOVAL | |
| HATCHING: INDICATES CONCRETE REMOVAL | |
| HATCHING: INDICATES STAGING AREA | + + + + + + + + + + + + + + + + + + + |
| LINE (CENTER OF IMPROVEMENTS | CENTERLINE |
| LINE (CITY LIMITS) | CITY LIMITS |
| LINE (CONTROL) | CONTROL LINE |
| LINE (EASEMENT) | |
| LINE (MONUMENT/SECTION) | MONUMENT/SECTION LINE |

| PROPOSED CONCRETE CURB AND GUTTER | |
|--|--|
| PROPOSED CONCRETE CURB,GUTTER,& SIDEWALK | |
| PROPOSED CONCRETE SIDEWALK | |
| PROPOSED "WET" UTILITIES (CONSTRUCTION NOTE WILL INDICATE TYPE, SIZE, AND MATERIAL OF NEW MAIN) | = 8" PVC SANITARY SEWER |
| ALL PROPOSED FEATURES N SHOWN THE SAME AS THEIR INDICATED BY BOLDER LINE | NOT SHOWN IN LEGEND WILL BE R EXISTING COUNTERPART, BUT TYPE |
| RAIL ROAD | |
| RETAINING WALL | 1' RETAINING WALL |
| STRIPING (CONTINUOUS WHITE) | WHITE |
| STRIPING (DASHED WHITE) | WHTE |
| STRIPING (CONTINUOUS YELLOW | AEITOM. |
| STRIPING (DASHED YELLOW) | METTOM. |
| TOP OF SLOPE | |
| CONTOUR LINES (SHOWN BETWEEN TOP & TOE) | |
| TOE OF SLOPE | 4570 |
| TRAFFIC DETECTOR LOOP | [] |
| UTILITY LINE (ABANDON) (THIS CASE A WATER LINE) | (ADANDONICO) ett |
| UTILITY LINE (CABLE TV) | тvтv |
| UTILITY LINE (ELECTRIC) | EE |
| UTILITY LINE (FIBER OPTIC) | F0 OWEST F0 |
| UTILITY LINE (GAS) | |
| UTILITY LINE (HIGH VOLTAGE OVERHEAD POWER | HVOHP |
| UTILITY LINE (OVERHEAD POWER) | OHP — |
| UTILITY LINE (OVERHEAD TELEPHONE) | |
| UTILITY LINE (SANITARY SEWER) | 8" SAN |
| UTILITY LINE (SANITARY SEWER FORCE MAIN) | 8" FM |
| UTILITY LINE (SANITARY SEWER SERVICE) | |
| UTILITY LINE (STORM SEWER) | 8" STM |
| UTILITY LINE (STORM SEWER, PERFORATED) | |
| UTILITY LINE (STORM/SANITARY SEWER SEWER COMBINATION) | 15" COMB |
| UTILITY LINE (TELEPHONE) | тт |
| | |

| _ | 1/1 | | \sim |
|-----|-----|----|--------|
| - 5 | YΝ | ΙD | U |

| 01111010 | |
|--|-------------------|
| BENCH MARK | A |
| CATCH BASIN | = |
| CLEAN OUT | ssgco |
| CURB STOP | 4 |
| FIRE HYDRANT | гф |
| GUY WIRE ANCHOR | \rightarrow |
| HEADGATE | ⊞ |
| IRRIGATION PUMP | P |
| MAILBOX | f |
| MANHOLE (ELECTRIC) | (E) |
| MANHOLE (GAS) | © |
| MANHOLE (SANITARY/STORM) | 0 |
| MANHOLE (TELEPHONE) | T |
| MANHOLE (TV) | € |
| MANHOLE (WATER) | w |
| METER (GAS) | 뙁 |
| METER (WATER) | 0 |
| PEDESTAL (TELEPHONE) | Δ |
| PEDESTAL (TV) | Δ^{TV} |
| PROPERTY PIN | PIN- |
| PULL. BOX | |
| REDUCER FITTING | • |
| SIGN OR POST (SIGN TYPE NOTED) | + _{STOP} |
| SPRINKLER HEAD | Ω |
| STREET LIGHT | 0-0 |
| SURVEY MONUMENT (CITY) | ◆ CSM |
| SURVEY MONUMENT (TYPE NOTED) | ◆ MCSM |
| TEST HOLE | ™ TH #1 |
| TRAFFIC PAINT MARKING | \Rightarrow |
| TRAFFIC SIGNAL POLE AND MAST ARM | 0 |
| UTILITY POLE | -0- |
| VALVE (GAS) | SV |
| VALVE (IRRIGATION) | æ∑ X |
| VALVE (WATER) | × |
| VEGETATION (HEDGE OR BUSH) | \Box |
| VEGETATION (TREE STUMP) | A |
| VEGETATION (TREE) (CALIPER SIZE NOTED) | , © |
| WATER HYDRANT | WH |
| WEIR | ⊻ |
| YARD LIGHT | ф |

NORTH ARROW:



BAR SCALE:



DESCRIPTION DATE. DRAWN BY ____JCS__ . DATE 2021 REVISION A REV 1 DESIGNED BY JCS . DATE 2021 REVISION A REV 2 REVISION A REV 3
REVISION A REV 4 CHECKED BY ALC DATE 2021 DATE DATE APPROVED BY TCP DATE 2021

SEE PLAN FOR SCALE INFO

MATCH LINE

_ 4" SIPHON

MATCH LINE

PIPE (IRRIGATION)

PIPE (SIPHON)

Grand Junction

PUBLIC WORKS ENGINEERING DIVISION PROJECT NO.207-F2109

STANDARD ABREVIATIONS LEGENDS AND SYMBOLS


N:\Landproj\(24 Road and G Road Intersection)\dwg\000 IRRIGATION\STANDARD ABREVIATIONS LEGENDS AND SYMBOLS.dwg, 1/27/2021 3:45:41 PM

| ltem | CDOT, | | | | ltem | CDOT, | | | |
|------------|-------|--|----------|----------|------|-------|--|----------|-----------|
| <u>No.</u> | | Description | Quantity | Units | No. | - | Description | Quantity | Units |
| 1 | 108.2 | 8" Plastic Starter Coupler (Gasket x Spigot) (8" O.D.) (For use in the Rectangular Box Structure #147) | 1. | Each | 11 | 108.5 | Irrigation Basic Manhole (48" I.D.) (Includes Concrete Lid Slab with Cast-in-Flush Inverted Aluminum Ring and Cover with the word "Irrigation" Cast into the Cover) | 1. | Each |
| 2 | 108.2 | 10" Irrigation Pipe (AWWA C-900, DR-18) (Structure #23 Water Drain Pipe to Leach Creek) | 25. | Lin. Ft. | 12 | 108.5 | Irrigation Structure Manhole (48" I.D.) (See Structure #23 Details) (Includes Fresno Series 5500 Galvanized Toggle Gates | 1. | Each |
| 3 | 108.2 | 10" Irrigation Pipe (CMP) (Galvanized CMP at Structure #23) (Includes cost of connection into existing CMP pipe that crosses Leach Creek) | 10. | Lin. Ft. | | | (3 Total) or Engineer Approved Equal, and Aluminum Bar Grating and Locking Bar Assembly as shown in detail) | | |
| 4 | 108.2 | 12" Irrigation Pipe (AWWA C-900, DR-18) | 80. | Lin. Ft. | 13 | 108.5 | Manhole Barrel Section (48" I.D.) (D>5') | 4. | Vert. Ft. |
| | | (Includes Type A Bedding and Haunching Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill Material) | | | 14 | 108.5 | Rectangular Irrigation Structure (24" x 36") (Large Area Inlet Box with Aluminum Bar Grating per Structure #147 Detail) (See City Std. Detail D-10 for Concrete Box Details) | 1. | Each |
| 5 | 108.2 | 18" Irrigation Pipe (RCP) (Includes Cost of Connection to Existing RCP pipe and Type A Bedding and Haunching | 10. | Lin. Ft. | 15 | 202 | Removal of Concrete Ditch (Existing Concrete is about 2-3 Inches Thick) | 630. | Lin. Ft. |
| | | Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill | | | 16 | 202 | Removal of Asphalt Mat (Full-Depth) | 71. | Sq. Yd. |
| | | Material) | | | 17 | 202 | Removal of Existing Pipe (Size as Shown on the Plans) | 260. | Lin. Ft. |
| 6 | 108.2 | 18" Inigation Pipe (HDPE) (Corrugated HDPE ADS N-12 Dual-Wall, Water Tight (WTIB) Pipe or Engineer Approved Equal) (20-ft Pipe Lengths) | 710. | Lin. Ft. | 18 | 202 | Remove Existing Irrigation Structures (Concrete) | 2. | Each |
| | | (Includes Type A Bedding and Haunching Material and Backfill of Trench with Native | | | 19 | 202 | Removal of Tree | 1. | Each |
| | | Materials meeting 103.16 Earth Backfill Material) | | | 20 | 202 | Removal of Concrete (Includes, but not limited to, curb, gutter, sidewalk, driveway, slabs, V-pans, curb ramps, | 11. | Sq. Yd. |
| 7 | 108.2 | 18" Double Wide Field Repair Coupler by ADS or Project Engineer Approved Equal (Use for Connecting new 18" HDPE pipe to | 2. | Each | | | intersection comers, aprons, landscape borders, and concrete walls) | | |
| | | Existing 18" HDPE Pipe) (Includes Pouring a Concrete Collar around Repair Coupler | | | 21 | 202 | Removal of Fence (5-ft Tall Chain-Link) | 320. | Lin. Ft. |
| | | for added support) | | | 22 | 210 | Adjust Existing Water Service Pipe (Property 2426 G Road) (Cost of Adjusting | 1. | Lump Sum |
| 8 | 108.2 | Imported Trench Backfill (Class 3) (Includes haul and disposal of unsuitable excavated material) (Assumed material unit weight = 133 lbs/ft ³) | 40. | Ton | | | Existing Water Service pipe shall be included in the Cost of the Irrigation Pipe and shall include all necessary fittings and pipe required to adjust/relocate water service) (The water service is assumed to | | |
| 9 | 108.2 | Imported Trench Backfill (Clean Fill Dirt) (Clean Fill Dirt shall be used where there | 250. | Cu. Yd. | | | be 3/4" dia. Copper service pipe) | | |
| | | isn't enough native material available to backfill new irrigation pipe trench) | | | 23 | 210 | Reset Sign | 3. | Each |
| | | (Anticipated for use between Pipe Stations 1+78 to 14+35) | | | 24 | 210 | Reset Gate (Chain-Link Gate) (Attached existing gate to the proposed new chain-link fence) | 2. | Each |
| 10 | 108.5 | Irrigation Basic Manhole (36" I.D.) (Includes Concrete Lid Slab with Cast-in- Flush Inverted Aluminum Ring and Cover with the word "Irrigation" Cast into the Cover) | 2. | Each | 25 | 210 | Reset Landscape Groundcover (Cobble Rock) (Match in Kind) | 1. | Lump Sum |

| | tem | CDOT, | | | |
|---|-----------|------------------|--|-----------------|------------------|
| _ | No. 26 | City Ref. 304 | Description Aggregate Base Course (Class 6) (8" thick) (Concrete Sidewalk) | Quantity 11. | Units Sq. Yd. |
| | 27 | 304 | Aggregate Base Course (Class 6) (15" thick) (G Road) | 71. | Sq. Yd. |
| | 28 | 304 | Washed Rock Surface Course for Gravel Driveways (Match Existing Surface Rock as closely as possible) (2" - 3" Thick) | 85. | Sq. Yd. |
| | 29 | 401 | Cold Mix Asphalt (Temporary Patching) (2" Thick) (To be used on G Road between Stationing 1+21 to 1+62) | 80. | Sq. Yd. |
| | 30 | 401 | Hot Bituminous Pavement (Patching) (5" Thick) (Grading SX, PG 64-22) (GYR.=75) (One 3" Lift and One 2" Lift) | 80. | Sq. Yd. |
| | 31 | 407 | Emulsified Asphalt (Tack Coat) | 7. | Gallon |
| | 32 | 607 | Chain-Link Fence (5' High) (Galvanized) (10' Wide Post Spacing, Typ.) | 320. | Lin. Ft. |
| | 33 | 608 | Monolithic Vertical Curb, Gutter, and Sidewalk (7-ft wide) | 11. | Sq. Yd. |
| | 34 | 620 | Portable Sanitary Facility | 1. | Each |
| | 35 | 625 | Construction Surveying (Includes As-Built Drawings) | 1. | Lump Sum |
| | 36 | 626 | Mobilization | 1. | Lump Sum |
| | 37 | 630 | Traffic Control Plan | 1. | Lump Sum |
| | 38 | 630 | Traffic Control (Complete in Place) | 1. | Lump Sum |
| | 39 | 630 | Flagging | 500. | Hour |
| | | | | | |

| DESCRIPTION | DAIE | DRAWN BYJCS DATE 2021 | |
|---------------------|--------|---------------------------|-------------|
| REVISION A REV 1 | _ DATE | | |
| REVISION A REV 2 | _ DATE | DESIGNED BY JCS DATE 2021 | VIO. 0011 F |
| REVISION AREV J | _ DATE | CHECKED BY ALC DATE 2021 | NO SCALE |
| REVISION A REV 4 | _ DATE | | |
| NET IOION 244 DEL 7 | | APPROVED BY TCP DATE 2021 | |





GENERAL NOTES:

- 1 PURPOSE: TO SEARCH, INTERPRET, AND DEPICT SPECIFIC EXISTING UNDERGROUND UTILITIES AS PER THE SCOPE OF WORK FOR THE 24 ROAD AND G ROAD PROJECT.
- 2 THE SUBSURFACE UTILITIES SHOWN ON THE SUBSURFACE UTILITY INVESTIGATION WERE IDENTIFIED USING APPROPRIATE INDUSTRY STANDARD DETECTION METHODOLOGIES IN ACCORDANCE WITH THE AMERICAN SOCIETY OF CIVIL ENGINEERS (ASCE) STANDARD GUIDELINE FOR THE COLLECTION AND DEPICTION OF EXISTING SUBSURFACE UTILITY DATA. QUALITY LEVELS AND DEFINITIONS PER CI/ASCE STANDARD NO. 38.
- 3 QUALITY LEVEL "D" QL—D DEPICTED ACCORDING TO UTILITY RECORD INFORMATION AND IN-FIELD VISUAL INSPECTION. NO ELECTRONIC DESIGNATING INFORMATION WAS OBTAINED. UTILITIES WITH A QL—D LABEL ARE DEPICTED ON THE PLANS USING PROFESSIONAL JUDGMENT IN INTERPRETING THIRD-PARTY RECORDS OR OTHER INFORMATION.
- 4 QUALITY LEVEL "C" QL-C EXISTING UTILITY STRUCTURES HAVE BEEN FIELD LOCATED AND SURVEYED TO ASSIST IN THE DEPICTING OF THE UTILITIES SHOWN ON THE RECORDS. NO ELECTRONIC DESIGNATING INFORMATION WAS OBTAINED. UTILITIES WITH A QL-C LABEL ARE DEPICTED ON THE PLANS USING PROFESSIONAL JUDGMENT IN INTERPRETING AND CORRELATING THE SURVEYED UTILITY APPURTENANCES, WITH THIRD-PARTY RECORDS INFORMATION.
- 5 QUALITY LEVEL "B" QL-B INFORMATION WAS OBTAINED THROUGH THE APPLICATION OF APPROPRIATE SURFACE GEOPHYSICAL METHODS TO DETERMINE THE EXISTENCE AND APPROXIMATE HORIZONTAL POSITION OF THE SUBSURFACE UTILITIES. QL-B DATA SHOULD BE REPRODUCIBLE BY SURFACE GEOPHYSICS AT ANY POINT OF THEIR DEPICTION. ALL UTILITIES ARE QL-B UNLESS OTHERWISE NOTED. THEY ARE DEPICTED ON THE PLANS USING PROFESSIONAL JUDGMENT IN SELECTING AND INTERPRETING APPROPRIATE GEOPHYSICAL DATA, SURVEYING TO APPROPRIATE PROJECT ACCURACIES, AND USING JUDGMENT TO CORRELATE THIRD-PARTY RECORDS OR OTHER INFORMATION, IF AVAILABLE, TO THESE QL-B DEPICTIONS.
- 6 QUALITY LEVEL "A" QL-A OBTAIN PRECISE HORIZONTAL AND VERTICAL POSITION OF THE UTILITY LINE BY EXCAVATING A TEST HOLE. THE TEST HOLE SHALL BE DONE USING VACUUM EXCAVATION OR COMPARABLE NON-DESTRUCTIVE EQUIPMENT IN A MANNER AS TO CAUSE NO DAMAGE TO UTILITY LINE.
- 7 RELIANCE UPON SUBSURFACE UTILITY DATA FOR RISK MANAGEMENT PURPOSES DURING BIDDING DOES NOT RELIEVE THE EXCAVATOR OR UTILITY OWNER FROM FOLLOWING ALL APPLICABLE UTILITY DAMAGE PREVENTION STATUTES, POLICIES, AND/OR PROCEDURES DURING EXCAVATION.
- 8 IT IS IMPORTANT THAT THE CONTRACTOR INVESTIGATES AND UNDERSTANDS THE SCOPE OF WORK AND LIMITS OF THE UTILITY INVESTIGATIONS LEADING TO THESE UTILITY DEPICTIONS.
- 9 UTILITY SIZE AND TYPE ARE DETERMINED THROUGH AVAILABLE UTILITY OWNER INFORMATION OR FIELD OBSERVATIONS: UTILITIES LABELED AS UNKNOWN HAVE NO CORRELATED RECORDS OR VISIBLE APPURTENANCES TO DETERMINE FUNCTION OR TYPE.
- 10 UTILITY MAPPING WAS COMPLETED IN THE FIELD ON 6/18/2020. UTILITIES MAY HAVE BEEN CHANGED OR ADDED AFTER THIS DATE.
- "END OF INFORMATION" (EOI) SIGNIFIES GEOPHYSICAL EQUIPMENT LOST THE SIGNAL OF THE TARGET UTILITY AND THE LINE WAS UNABLE TO BE DESIGNATED ANY FURTHER, LINES MAY CONTINUE ON OR MAY STOP. POSITIVE VERIFICATION BY EXCAVATION IS REQUIRED TO CONFIRM PRESENCE BEYOND END OF SIGNAL.
- 12 THE FOLLOWING EQUIPMENT WAS USED IN THE UTILITY INVESTIGATION: VM-810 METROTECH UTILITY LINE LOCATOR, TRIMBLE GPS SURVEY CONTROL AND/OR TOTAL STATION.
- 13 HORIZONTAL COORDINATE SYSTEM: PROJECT COORDINATES ARE BASED ON MESA COUNTY LOCAL COORDINATE SYSTEM, MCLS ZONE GVA.
- 14 VERTICAL DATUM: WGS 1984
- 15 SEE THE STANDARD ABBREVIATIONS, LEGENDS, AND SYMBOLS FOR UTILITY LINE LINE TYPE DEPICTIONS, UTILITY APPURTENANCES SYMBOLS, AND ABBREVIATIONS USED FOR THE SUBSURFACE UTILITY ENGINEERING PLAN.
- 16 THE FOLLOWING COMPANIES HAVE NOT SUPPLIED RECORDS AS OF 11/05/2020: CHARTER CABLE

DATE 2021


__ DATE 2021


17 THE OWNERS WITHIN THE PROJECT LIMITS ARE LISTED IN THE TABLE BELOW BUT MAY NOT BE LIMITED TO THOSE LISTED IN THE TABLE.


NO SCALE


| UTILITIES AND AGENCIES | | | | | | | | | | |
|---------------------------------|-----------------|------------------------------|----------------|-----------------------|-----------------------|-------------------------|----------------|----------------|--|--|
| AGENCY | NAME | POSITION | ROLE | MAILING ADDRESS | STREET ADDRESS | CITY, STATE | VOICE-WK | FAX | | |
| CITY OF GRAND JUNCTION | LEE COOPER | PROJECT ENGINEER | SANITARY SEWER | 333 WEST AVE BLDG C | 333 WEST AVE BLDG C | GRAND JCT., CO 81501 | (970) 256-4155 | (970) 256-4022 | | |
| CITY OF GRAND JUNCTION | TOM LANAM | TRAFFIC SUPERVISOR | TRAFFIC | 333 WEST AVE BLDG D | 333 WEST AVE BLDG D | GRAND JCT., CO 81501 | (970) 2441573 | (970) 256-4022 | | |
| GRAND VALLEY IRRIGATION COMPANY | PHIL BERTRAND | IRRIGATION SUPERINTENDENT | IRRIGATION | 988 26 RD | 988 26 RD | GRAND JCT., CO 81506 | (970) 242-2762 | | | |
| SPECTRUM | MARK KOSTELECKY | MANAGER | CABLE TV | 2502 FORESIGHT CIRCLE | 2502 FORESIGHT CIRCLE | GRAND JCT., CO 81504 | (970) 245-8750 | (970) 245-6803 | | |
| CENTURYLINK | CHRIS JOHNSON | ENGINEER | TELEPHONE | 2524 BLICHMANN AVE | 2524 BLICHMANN AVE | GRAND JCT., CO 81504 | (970) 244–4311 | (970) 240-4349 | | |
| UTE WATER | JUSTIN BATES | SUPERVISOR | WATER | PO BOX 460 | 2190 H 1/4 RD | GRAND JCT., CO 81502 | (970) 242-7491 | (970) 242-9189 | | |
| XCEL | BRENDA BOES | UNIT MANAGER | ELECTRIC | 2538 BLICHMANN AVE | 2538 BLICHMANN AVE | GRAND JCT., CO 81506 | (970) 244-2664 | (970) 244-2664 | | |
| XCEL | SARAH DARRICAU | UNIT MANAGER | GAS | 2538 BLICHMANN AVE | 2538 BLICHMANN AVE | GRAND JCT., CO 81506 | (970) 244–2656 | (970) 244-2656 | | |
| GRAND VALLEY POWER | MIKE GARDNER | SUPERVISOR | ELECTRIC | 845 22 RD | 845 22 RD | GRAND JCT., CO 81505 | (970) 242-0040 | | | |
| UNITE PRIVATE NETWORKS | | | COMMUNICATION | 123 N 7TH ST., #100 | 123 N 7TH ST., #100 | GRAND JCT., CO 81501 | (866) 813-3608 | | | |


Grand Junction





















ALUMINUM GRATING AND LOCKING BAR DETAIL FOR **IRRIGATION STRUCTURES #23 & #147**




TYPICAL IRRIGATION MANHOLE DETAIL

| DESCRIPTION | DATE. | DRAWN BYJCS DATE 2021 | |
|------------------|-------|--|-----------------------|
| REVISION A REV 1 | DATE | F | |
| REVISION A REV 2 | DATE | DESIGNED BY JCS DATE 2021 | SEE PLAN FOR SCALE IN |
| REVISION A REV 3 | DATE | CHECKED BY ALC DATE 2021 | |
| REVISION A REV 4 | DATE | APPROVED BY TCP DATE 2021 | |
| 1 | | ALL DATE OF THE PARTY OF THE PA | 1 |



STRUCTURE - (147) IRRIGATION BOX DETAIL

NTS



STRUCTURE - (23) IRRIGATION MANHOLE DETAIL


NIS


Grand Junction

PUBLIC WORKS
ENGINEERING DIVISION
PROJECT NO. 207-F2109

2021 G ROAD IRRIGATION MODIFICATION PROJECT
IRRIGATION DETAILS — 2

Landproj\(24 Road and G Road Intersection)\dwg\000 IRRIGATION\IRRIGATION DETAILS.dwg, 1/27/2021 3:46:01 PM





CONSTRUCTION NOTES

- 1) 202 REMOVAL OF ASPHALT MAT. CUT AND REMOVE ASPHALT AS SHOWN. (INDICATED BY DOT
- HATCH PATTERN)
- (SIZE AND TYPE AS SHOWN ON PLAN) 202 - REMOVAL OF CONCRETE DITCH (2" - 3" THICK CONCRETE)
- 202 REMOVE EXISTING IRRIGATION STRUCTURE (CONCRETE)
- (36) 202 REMOVAL OF TREE
- 37) 202 REMOVE OF CONCRETE (SAW CUT AND REMOVE CONCRETE AS SHOWN) (EXISTING MONOLITHIC CURB, GUTTER, AND SIDEWALK) (REMOVAL DIMENSIONS ARE ABOUT 14 x 7"
- (40) 202 REMOVAL OF FENCE (5-FT TALL CHAIN-LINK)
- 210 -- ADJUST EXISTING WATER SERVICE PIPE TO FACILITATE NEW IRRIGATION PIPE INSTALLATION. (COST OF ADJUSTING WATER SERVICE PIPE SHALL BE INCLUDED IN THE COST OF IRRIGATION PIPE AND SHALL INCLUDE ALL NECESSARY FITTINGS AND PIPE REQUIRED TO ADJUST/RELOCATE EXISTING WATER SERVICES
- 103 210 RESET SIGN
 109 210 RESET GATE
 (CONTRACTOR SHALL) 210 - RESET GATE (CHAIN-LINK GATE) (CONTRACTOR SHALL CAREFULLY REMOVE EXISTING GATE FOR FUTURE ATTACHMENT TO NEW CHAIN-LINK FENCE)
- 210 RESET LANDSCAPE GROUNDCOVER
 (COBISLE ROCK) (CONTRACTION SHALL REMOVE
 GROUND COVER AND ANY UNIDERLYING WEED
 BARRIER AS NEEDED AND STOCKPILE MATERIALS.
 CONTRACTOR SHALL RESET THESE MATERIALS. AND
 PROVIDE ADDITIONAL MATERIALS AS NEEDED TO
 RESTIGHT LANDSCAPING. ANY AND ALL ADDITIONAL.
 MATERIALS ARE INCIDENTAL)
- 102.10/108.2 8" PLASTIC STARTER COUPLER (GASKET × SPIGOT) (6" O.D.) (FOR USE IN THE RECTANGULAR IRRIGATION BOX STRUCTURE AT STATION 0+12 FOR GATED IRRIGATION PIPE CONNECTION) (THIS FITTING IS INSTALLED ON THE
- 102.10/108.2 12" IRRIGATION PIPE (AWWA C-900, DR-18) (INCLUDES TYPE A BEDDING AND HAUNCHING MATERIAL AND BACKFILL OF TRENCH WITH NATIVE MATERIALS MEETING 103.16 EARTH BACKFILL MATERIAL)
- 102.10/108.2 10" IRRIGATION PIPE (AWWA C-900, DR-18) (STRUCTURE #23 WATER DRAIN PIPE TO LEACH CREEK)
- 102.10/108.2 -- 10" IRRIGATION PIPE (CMP)
 (GALVANIZED CMP AT STRUCTURE #23) (INCLUDES
 COST OF CONNECTION INTO EXISTING CMP PIPE THAT CROSSES LEACH CREEK)
- 192.19/108.2 18" IRRIGATION PIPE 102.10/108.2 — 18" RRIGATION PIPE:

 (CORRUGATED HIDPE ADS N-12 DUAL-WALL,

 WATER TIGHT (WTIB) PIPE OR ENGINEER APPROVED


 EQUAL) (20-FT PIPE LENGTHS) (INCLUDES TYPE A


 BEDDING AND HAUNCHING MATERIAL AND BACKFILL

 OF TRENCH WITH NATIVE MATERIALS MEETING 103.16 EARTH BACKFILL MATERIAL)
- 102.12 /108.5 IRRIGATION BASIC MANHOLE (36" LD.) (CITY STD. DETAIL D-15) (INCLUDES CONCRETE LID SLAB WITH CAST IN FLUSH INVERTED ALLUMINUM RING AND COVER WITH THE WORD "IRRIGATION" CAST INTO THE COVER)
- CONNECT TO EXISTING IRRIGATION PIPE. THE CONTRACT PRICE FOR IRRIGATION PIPE SHALL INCLUDE THE COST OF CONNECTION TO EXISTING PIPELINE.
- 102.12/108.5 IRRIGATION BASIC MANHOLE (48" LD.) (CITY STD. DETAIL D-15) (INCLUDES CONCRETE LID SLAB WITH CAST IN FLUSH INVERTED ALUMINUM RING AND COVER WITH THE WORD "IRRIGATION" CAST INTO THE COVER)
- 102.12/108.5 IRRIGATION STRUCTURE MANHOLE 102.12/108.5 - HERBALION STRUCTURE MANHOLE
 (48" L.D.) (SEE STRUCTURE M22 DETAILS)
 (INCLUDES FRESNO SERIES 5500 GALVANIZED
 TOGGIE GATES (3 TOTAL) OR ENGREER APPROVED
 EQUAL, AND ALUMINUM BAR GRATING AND
 LOCKING BAR ASSEMBLY AS SHOWN IN DETAIL)
- 256 102.11/108.5 -- MANHOLE BARREL SECTION (D>5") (48" I.D.)
- 102.12/108.5 RECTANGULAR IRRIGATION STRUCTURE (24" × 35" I.D.) (LARGE AREA INLET BOX WITH ALUMINUM GRATING PER STRUCTURE #147 DETAIL) (SEE CITY STD. DETAIL D-10 FOR CONCRETE BOX DETAILS)
- 108.2 IMPORTED TRENCH BACKFILL. (CLEAN FILL DIRT) (USED AS TRENCH BACKFILL. ABOVE THE NEW 18" IRRIGATION PIPE)
- 304 AGGREGATE BASE COURSE (CLASS 6) (8" THICK) (CONCRETE SIDEWALK)
- 304 AGGREGATE BASE COURSE (CLASS 6) (15" THICK) (G ROAD)

2021 G ROAD IRRIGATION MODIFICATION

15







Purchasing Division

ADDENDUM NO. 1

DATE: February 16, 2021

FROM: City of Grand Junction Purchasing Division

TO: All Offerors

RE: 2021 G Road Irrigation Modification Project

IFB-4870-21-DH

Offerors responding to the above referenced solicitation are hereby instructed that the requirements have been clarified, modified, superseded and supplemented as to this date as hereinafter described.

Please make note of the following clarifications:

- 1. Q. What are the dates of spring break for Caprock Academy?
 - A. Caprock Academy is located on 24½ Road north of G Road and their spring break is March 19th through March 26th.
- 2. Q. Will the City be able to provide variable message boards?
 - A. Depending on message board availability, the City can provide at least two, maybe three, variable message boards on G Road and possibly one on 24 Road to inform motorists of the G Road work; as well as, inform the motorists of the temporary G Road closure needed to get irrigation pipe installed across G Road.
- 3. The project Bid Schedule has been updated. Pay Item #10, Irrigation Basic Manhole (36" I.D.), has had its bid quantity increased to three (3). The updated Bid Schedule is attached to this Addendum.

The original solicitation for the project noted above is amended as noted.

All other conditions of subject remain the same.

Respectfully,

Duane Hoff Jr., Senior Buyer City of Grand Junction, Colorado

| Item | CDOT, | ADDEND | <u> </u> | • | | |
|------|-------|---|----------|----------|-----------|---------------|
| No. | • | Description | Quantity | Units | Unit Pric | e Total Price |
| 1 | 108.2 | 8" Plastic Starter Coupler (Gasket x Spigot) (8" O.D.) (For use in the Rectangular Box Structure #147) | 1. | Each | \$ | \$ |
| 2 | 108.2 | 10" Irrigation Pipe (AWWA C-900, DR-18) (Structure #23 Water Drain Pipe to Leach Creek) | 25. | Lin. Ft. | \$ | . \$ |
| 3 | 108.2 | 10" Irrigation Pipe (CMP) (Galvanized CMP at Structure #23) (Includes cost of connection into existing CMP pipe that crosses Leach Creek) | 10. | Lin. Ft. | \$ | \$ |
| 4 | 108.2 | 12" Irrigation Pipe (AWWA C-900, DR-18) (Includes Type A Bedding and Haunching Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill Material) | 80. | Lin. Ft. | \$ | . \$ |
| 5 | 108.2 | 18" Irrigation Pipe (RCP) (Includes Cost of Connection to Existing RCP pipe and Type A Bedding and Haunching Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill Material) | 10. | Lin. Ft. | \$ | . \$ |
| 6 | 108.2 | 18" Irrigation Pipe (HDPE) (Corrugated HDPE ADS N-12 Dual-Wall, Water Tight (WTIB) Pipe or Engineer Approved Equal) (20-ft Pipe Lengths) (Includes Type A Bedding and Haunching Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill Material) | 710. | Lin. Ft. | \$ | . \$ |
| 7 | 108.2 | 18" Double Wide Field Repair Coupler by ADS or Project Engineer Approved Equal (Use for Connecting new 18" HDPE pipe to Existing 18" HDPE Pipe) (Includes Pouring a Concrete Collar around Repair Coupler for added support) | 2. | Each | \$ | . \$ |
| 8 | 108.2 | Imported Trench Backfill (Class 3) (Includes haul and disposal of unsuitable excavated material) (Assumed material unit weight = 133 lbs/ft ³) | 40. | Ton | \$ | . \$ |

| •• | 0D0T | ADDEND | OIVI # I | • | | |
|-------------|--------------------|--|----------|-----------|------------|-------------|
| Item No. | CDOT, City Ref. | Description | Quantity | Units | Unit Price | Total Price |
| 9 | 108.2 | Imported Trench Backfill (Clean Fill Dirt) (Clean Fill Dirt shall be used where there isn't enough native material available to backfill new irrigation pipe trench) (Anticipated for use between Pipe Stations 1+78 to 14+35) | 250. | Cu. Yd. | \$ | \$ |
| 10 | 108.5 | Irrigation Basic Manhole (36" I.D.) (Includes Concrete Lid Slab with Cast-in-Flush Inverted Aluminum Ring and Cover with the word "Irrigation" Cast into the Cover) | 3. | Each | \$ | \$ |
| 11 | 108.5 | Irrigation Basic Manhole (48" I.D.) (Includes Concrete Lid Slab with Cast-in-Flush Inverted Aluminum Ring and Cover with the word "Irrigation" Cast into the Cover) | 1. | Each | \$ | \$ |
| 12 | 108.5 | Irrigation Structure Manhole (48" I.D.) (See Structure #23 Details) (Includes Fresno Series 5500 Galvanized Toggle Gates (3 Total) or Engineer Approved Equal, and Aluminum Bar Grating and Locking Bar Assembly as shown in detail) | 1. | Each | \$ | \$ |
| 13 | 108.5 | Manhole Barrel Section (48" I.D.) (D>5') | 4. | Vert. Ft. | \$ | \$ |
| 14 | 108.5 | Rectangular Irrigation Structure (24" x 36") (Large Area Inlet Box with Aluminum Bar Grating per Structure #147 Detail) (See City Std. Detail D-10 for Concrete Box Details) | 1. | Each | \$ | \$ |
| 15 | 202 | Removal of Concrete Ditch (Existing Concrete is about 2-3 Inches Thick) | 630. | Lin. Ft. | \$ | \$ |
| 16 | 202 | Removal of Asphalt Mat (Full-Depth) | 71. | Sq. Yd. | \$ | \$ |
| 17 | 202 | Removal of Existing Pipe (Size as Shown on the Plans) | 260. | Lin. Ft. | \$ | \$ |
| 18 | 202 | Remove Existing Irrigation Structures (Concrete) | 2. | Each | \$ | \$ |
| 19 | 202 | Removal of Tree | 1. | Each | \$ | \$ |
| 20 | 202 | Removal of Concrete (Includes, but not limited to, curb, gutter, sidewalk, driveway, slabs, V-pans, curb ramps, intersection corners, aprons, landscape borders, and concrete walls) | 11. | Sq. Yd. | \$ | \$ |
| 21 | 202 | Removal of Fence (5-ft Tall Chain-Link) | 320. | Lin. Ft. | \$ | \$ |

| Item | CDOT, | ABBEND | <u> </u> | • | | | |
|------|-----------|---|----------|----------|--------|--------------------|-------------|
| No. | City Ref. | Description | Quantity | Units | Unit P | rice | Total Price |
| 22 | 210 | Adjust Existing Water Service Pipe (Property 2426 G Road) (Cost of Adjusting Existing Water Service pipe shall be included in the Cost of the Irrigation Pipe and shall include all necessary fittings and pipe required to adjust/relocate water service) (The water service is assumed to be 3/4" dia. Copper service pipe) | 1. | Lump Sum | \$ | \$ <u></u> | |
| 23 | 210 | Reset Sign | 3. | Each | \$ | \$ | |
| 24 | 210 | Reset Gate (Chain-Link Gate) (Attached existing gate to the proposed new chain-link fence) | 2. | Each | \$ | \$ | |
| 25 | 210 | Reset Landscape Groundcover (Cobble Rock) (Match in Kind) | 1. | Lump Sum | \$ | \$ | |
| 26 | 304 | Aggregate Base Course (Class 6) (8" thick) (Concrete Sidewalk) | 11. | Sq. Yd. | \$ | \$ | |
| 27 | 304 | Aggregate Base Course (Class 6) (15" thick) (G Road) | 71. | Sq. Yd. | \$ | \$ | |
| 28 | 304 | Washed Rock Surface Course for Gravel Driveways (Match Existing Surface Rock as closely as possible) (2" - 3" Thick) | 85. | Sq. Yd. | \$ | \$ | |
| 29 | 401 | Cold Mix Asphalt (Temporary Patching) (2" Thick) (To be used on G Road between Stationing 1+21 to 1+62) | 80. | Sq. Yd. | \$ | \$ | |
| 30 | 401 | Hot Bituminous Pavement (Patching) (5" Thick) (Grading SX, PG 64-22) (GYR.=75) (One 3" Lift and One 2" Lift) | 80. | Sq. Yd. | \$ | \$ | |
| 31 | 407 | Emulsified Asphalt (Tack Coat) | 7. | Gallon | \$ | \$ | |
| 32 | 607 | Chain-Link Fence (5' High) (Galvanized) (10' Wide Post Spacing, Typ.) | 320. | Lin. Ft. | \$ | \$ | |
| 33 | 608 | Monolithic Vertical Curb, Gutter, and Sidewalk (7-ft wide) | 11. | Sq. Yd. | \$ | \$ | |
| 34 | 620 | Portable Sanitary Facility | 1. | Each | \$ | \$ | |
| 35 | 625 | Construction Surveying (Includes As-Built Drawings) | 1. | Lump Sum | \$ | \$ | |
| 36 | 626 | Mobilization | 1. | Lump Sum | \$ | \$ | |
| 37 | 630 | Traffic Control Plan BF-2 (3 of | 1. 4) | Lump Sum | \$ | \$ | |

| Item No. | CDOT, City Ref. | Description | Quantity | Units | Unit Price | Total Price |
|-------------|--------------------|-------------------------------------|----------|-------------|------------|--------------|
| | • | · | · | | , | Α. |
| 38 | 630 | Traffic Control (Complete in Place) | 1. | Lump Sum \$ | | > |
| 39 | 630 | Flagging | 500. | Hour \$ | ; | \$ |
| MCR | | Minor Contract Revisions | | | | \$ 12,000.00 |
| | | | Bie | d Amount: | \$ | |
| | Bid Am | ount: | | | | |
| | | odni. | | | | dollars |
| | <u> </u> | | | | | 1 |
| | Contrac | ctor Name: | | | | |
| | Contrac | ctor Address: | | | | |
| | Contrac | ctor Phone #: | | | | |
| | | οιοι ι ποπ ο π . | | | | |
| | Contra | ctor Phone #: | | | | |

| 4. Contractor's Bid Form |
|--|
| Bid Date: 2/19/2021 |
| Project: IFB-4870-21-DH "2021 G Road Irrigation Modification Project" |
| Bidding Company: DIRTWORKS CINST., LC |
| Name of Authorized Agent: Hayley G. Hughes |
| Email dirtworks construction Edmail. com |
| Telephone 970-256-1691 Address 846 2012 RD |
| City PRUITA State CO zip 8/521 |
| The undersigned Bidder, in compliance with the Invitation for Bids, having examined the Instruction to Bidders, General Contract Conditions, Statement of Work, Specifications, and any and all Addenda thereto, having investigated the location of, and conditions affecting the proposed work, hereby proposes to furnish all labor, materials and supplies, and to perform all work for the Project in accordance with Contract Documents, within the time set forth and at the prices stated below These prices are to cover all expenses incurred in performing the work required under the Contract Documents, of which this Contractor's Bid Form is a part. |
| The undersigned Contractor does hereby declare and stipulate that this offer is made in good faith without collusion of connection to any person(s) providing an offer for the same work, and that it is made in pursuance of, and subject to, all terms and conditions of the Instructions to Bidders, the Specifications, and all other Solicitation Documents, all of which have been examined by the undersigned. |
| The Contractor also agrees that if awarded the Contract, to provide insurance certificates within ten (10) working days of the date of Notification of Award. Submittal of this offer will be taken by the Owner as a binding covenant that the Contractor will be prepared to complete the project in its entirety. |
| The Owner reserves the right to make the award on the basis of the offer deemed most favorable, to waive any formalities or technicalities and to reject any or all offers. It is further agreed that this offer may not be withdrawn for a period of sixty (60) calendar days after closing time. Submission of clarifications and revised offers automatically establish a new thirty day (30) period. |
| Prices in the bid proposal have not knowingly been disclosed with another provider and will not be prior to award. |
| Prices in this bid proposal have been arrived at independently, without consultation, communication or agreement for the purpose of restricting competition. No attempt has been made nor will be to induce any other person or firm to submit a bid proposal for the purpose of restricting competition. |
| The individual signing this bid proposal certifies they are a legal agent of the offeror, authorized to represent the offeror and is legally responsible for the offer with regard to supporting documentation and prices provided. |
| Direct purchases by the City of Grand Junction are tax exempt from Colorado Sales or Use Tax. Tax exempt No. 98-903544 The undersigned certifies that no Federal, State, County or Municipal tax will be added to the above quoted prices. City of Grand Junction payment terms shall be Net 30 days. |
| Prompt payment discount of percent of the net dollar will be offered to the Owner if the invoice is paid within days after the receipt of the invoice. The Owner reserves the right to take into account any such discounts when determining the bid award. |
| RECEIPT OF ADDENDA: the undersigned Contractor acknowledges receipt of Addenda to the Solicitation, Specifications and other Contract Documents. State number of Addenda received: |
| It is the responsibility of the Bidder to ensure all Addenda have been received and acknowledged. |
| By signing below, the Undersigned agree to comply with all terms and conditions contained herein. |
| company: DIRTWORKS Construction, LCC |
| Authorized Signature: Hay ley le Hughes |
| Title: OFFICETE |

| Item No. | CDOT, City Ref. | Description | Quantity | Units | Unit Price | Total Price |
|-------------|--------------------|---|----------|----------|---------------|-------------|
| 1 | 108.2 | 8" Plastic Starter Coupler (Gasket x Spigot) (8" O.D.) (For use in the Rectangular Box Structure #147) | 1. | Each | \$_175.00 \$_ | |
| 2 | 108.2 | 10" Irrigation Pipe (AWWA C-900, DR-18) (Structure #23 Water Drain Pipe to Leach Creek) | 25. | Lin. Ft. | \$ 29.00 \$ | 725,00 |
| 3 | 108.2 | 10" Irrigation Pipe (CMP) (Galvanized CMP at Structure #23) (Includes cost of connection into existing CMP pipe that crosses Leach Creek) | 10. | Lin. Ft. | \$_56,00 \$_ | 560.00 |
| 4 | 108.2 | 12" Irrigation Pipe (AWWA C-900, DR-18) (Includes Type A Bedding and Haunching Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill Material) | 80. | Lin. Ft. | \$ 31,25 \$ | 2,500,00 |
| 5 | 108.2 | 18" Irrigation Pipe (RCP) (Includes Cost of Connection to Existing RCP pipe and Type A Bedding and Haunching Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill Material) | 10. | Lin. Ft. | \$_58.00 \$_ | 580.00 |
| 6 | 108.2 | 18" Irrigation Pipe (HDPE) (Corrugated HDPE ADS N-12 Dual-Wall, Water Tight (WTIB) Pipe or Engineer Approved Equal) (20-ft Pipe Lengths) (Includes Type A Bedding and Haunching Material and Backfill of Trench with Native Materials meeting 103.16 Earth Backfill Material) | 710. | Lin. Ft. | \$ 35.00 \$ | 24,850.0 |
| 7 | 108.2 | 18" Double Wide Field Repair Coupler by ADS or Project Engineer Approved Equal (Use for Connecting new 18" HDPE pipe to Existing 18" HDPE Pipe) (Includes Pouring a Concrete Collar around Repair Coupler for added support) | 2. | Each | \$ 525.00 \$ | 1,050.00 |
| 8 | 108.2 | Imported Trench Backfill (Class 3) (Includes haul and disposal of unsuitable excavated material) (Assumed material unit weight = 133 lbs/ft ³) | 40. | Ton | \$ 32,00 \$ | 1,280.00 |

| Item | CDOT, | Description | | | 11-97 15-1-1 | T D |
|------|-----------|--|----------|-----------|--------------|-------------|
| No. | City Ref. | Description | Quantity | Units | Unit Price | Total Price |
| 9 | 108.2 | Imported Trench Backfill (Clean Fill Dirt) (Clean Fill Dirt shall be used where there isn't enough native material available to backfill new irrigation pipe trench) (Anticipated for use between Pipe Stations 1+78 to 14+35) | 250. | Cu. Yd. | \$ | \$ 312.00 |
| 10 | 108.5 | Irrigation Basic Manhole (36" I.D.) (Includes Concrete Lid Slab with Cast-in-Flush Inverted Aluminum Ring and Cover with the word "Irrigation" Cast into the Cover) | 3. | Each | \$ 3,200.00 | \$ 9,600.00 |
| 11 | 108.5 | Irrigation Basic Manhole (48" I.D.) (Includes Concrete Lid Slab with Cast-in-Flush Inverted Aluminum Ring and Cover with the word "Irrigation" Cast into the Cover) | 1. | Each | \$ 3,800.00 | |
| 12 | 108.5 | Irrigation Structure Manhole (48" I.D.) (See Structure #23 Details) (Includes Fresno Series 5500 Galvanized Toggle Gates (3 Total) or Engineer Approved Equal, and Aluminum Bar Grating and Locking Bar Assembly as shown in detail) | 1. | Each | \$_5,800.00 | \$ 5,800.00 |
| 13 | 108.5 | Manhole Barrel Section (48" I.D.) (D>5") | 4. | Vert. Ft. | \$_150.00 | \$ 600.00 |
| 14 | 108.5 | Rectangular Irrigation Structure (24" x 36") (Large Area Inlet Box with Aluminum Bar Grating per Structure #147 Detail) (See City Std. Detail D-10 for Concrete Box Details) | 1. | Each | \$_6,200.00 | 6,200.00 |
| 15 | 202 | Removal of Concrete Ditch (Existing Concrete is about 2-3 Inches Thick) | 630. | Lin. Ft. | \$_1,50 | \$ 945.00 |
| 16 | 202 | Removal of Asphalt Mat (Full-Depth) | 71. | Sq. Yd. | \$ 30.00 | \$ 2,130.00 |
| 17 | 202 | Removal of Existing Pipe (Size as Shown on the Plans) | 260. | Lin, Ft. | \$_5,25 | 1,365,00 |
| 18 | 202 | Remove Existing Irrigation Structures (Concrete) | 2. | Each | \$ 400.00 | 800.00 |
| 19 | 202 | Removal of Tree | 1. | Each | \$ 500.00 | 500.00 |
| 20 | 202 | Removal of Concrete (Includes, but not limited to, curb, gutter, sidewalk, driveway, slabs, V-pans, curb ramps, intersection corners, aprons, landscape borders, and concrete walls) | 11. | Sq. Yd. | \$ 50.00 | 550.00 |
| 21 | 202 | Removal of Fence (5-ft Tall Chain-Link) | 320. | Lin. Ft. | \$_4,00 | 1,280.00 |
| | | | | | | |

| Item No. | CDOT, | Description | Quantity | | | Unit Price | | Total Price |
|-------------|-------|--|----------|----------|-----|------------|-----|-------------|
| 22 | 210 | Adjust Existing Water Service Pipe | | | \$_ | | | 700.00 |
| | | (Property 2426 G Road) (Cost of Adjusting Existing Water Service pipe shall be included in the Cost of the Irrigation Pipe and shall include all necessary fittings and pipe required to adjust/relocate water service) (The water service is assumed to be 3/4" dia. Copper service pipe) | | | | | | |
| 23 | 210 | Reset Sign | 3. | Each | \$_ | 150.00 | \$_ | 450.00 |
| 24 | 210 | Reset Gate (Chain-Link Gate) (Attached existing gate to the proposed new chain-link fence) | 2. | Each | \$_ | 500.00 | \$_ | 1,000.00 |
| 25 | 210 | Reset Landscape Groundcover (Cobble Rock) (Match in Kind) | 1, | Lump Sum | \$_ | 1,500.00 | \$_ | 1,500.00 |
| 26 | 304 | Aggregate Base Course (Class 6) (8" thick) (Concrete Sidewalk) | 11. | Sq. Yd. | \$_ | 48.00 | \$_ | 528.00 |
| 27 | 304 | Aggregate Base Course (Class 6) (15" thick) (G Road) | 71. | Sq. Yd. | \$_ | 15.95 | \$_ | 1,132.45 |
| 28 | 304 | Washed Rock Surface Course for Gravel Driveways (Match Existing Surface Rock as closely as possible) (2" - 3" Thick) | 85. | Sq. Yd. | \$_ | 4.25 | \$_ | 361.25 |
| 29 | 401 | Cold Mix Asphalt (Temporary Patching) (2" Thick) (To be used on G Road between Stationing 1+21 to 1+62) | 80. | Sq. Yd. | \$_ | 30,00 | \$_ | 2,400.00 |
| 30 | 401 | Hot Bituminous Pavement (Patching) (5" Thick) (Grading SX, PG 64-22) (GYR.=75) (One 3" Lift and One 2" Lift) | 80. | Sq. Yd. | \$_ | 76.00 | \$_ | 6,080.00 |
| 31 | 407 | Emulsified Asphalt (Tack Coat) | 7. | Gallon | \$_ | 15,00 | \$_ | 105.00 |
| 32 | 607 | Chain-Link Fence (5' High) (Galvanized) (10' Wide Post Spacing, Typ.) | 320. | Lin. Ft. | \$_ | 15.25 | \$_ | 4,880.00 |
| 33 | 608 | Monolithic Vertical Curb, Gutter, and Sidewalk (7-ft wide) | 11. | Sq. Yd. | \$_ | 137.00 | \$_ | 1,507.00 |
| 34 | 620 | Portable Sanitary Facility | 1. | Each | \$_ | 200,00 | \$_ | 200.00 |
| 35 | 625 | Construction Surveying (Includes As-Built Drawings) | 1. | Lump Sum | \$_ | 2,950.00 | \$_ | 2,950.00 |
| 36 | 626 | Mobilization | 1. | Lump Sum | \$_ | 1,000.00 | \$_ | 1,000.00 |
| 37 | 630 | Traffic Control Plan BF-2 (3 of 4 | 1. | Lump Sum | \$_ | 300.60 | \$_ | 300.00 |

| Item No. | CDOT, City Ref. | Description | Quantity | Units | Unit Pric | ce Total Price |
|-------------|--------------------|-------------------------------------|----------|-------------|-----------|----------------|
| 38 | 630 | Traffic Control (Complete in Place) | 1. | Lump Sum \$ | 4,800.00 | \$ 4,800.00 |
| 39 | 630 | Flagging | 500. | Hour \$ | 28.00 | \$ 14,000.00 |
| MCR | | Minor Contract Revisions | | | | \$ 12,000.00 |
| | | | Bi | d Amount: | | \$ 124.495.70 |

Bid Amount:

ONE HUNDRED TWENTY FOUR THOUSAND, FOUR DINETY FIVE & 70/100 dollars

| Contractor Na | me: | 3 (| ons | TRUCTION | UC |
|---------------|--------------|-----|-----|------------|----|
| SUL BUL | dress: | , | | FRUITA, CO | |
| Contractor Ph | one #: 25 | 0-1 | 691 | | |



Bid Bond

CONTRACTOR:

(Name, legal status and address)
Dirtworks Construction, LLC
846 20 ½ Road
Fruita, CO 81521

OWNER:

(Name, legal status and address)
City of Grand Junction
250 N. 5th Street
Grand Junction, CO

BOND AMOUNT: Five Percent of Amount Bid Not To Exceed Twenty Thousand and

00/100 Dollars (\$20,000.00)

Bond Number: BND1006448-00

SURETY:

(Name, legal status and principal place of business)
Fair American Insurance and
Reinsurance Company
365 Northridge Road, Suite 400
Atlanta, GA 30350

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

PROJECT:

(Name, location or address, and Project number, if any)
IFB-4870-21-DH / 2021 G Road Irrigation Modification Project

Project Number, if any: IFB-4870-21-DH

The Contractor and Surety are bound to the Owner in the amount set forth above, for the payment of which the Contractor and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, as provided herein. The conditions of this Bond are such that if the Owner accepts the bid of the Contractor within the time specified in the bid documents, or within such time period as may be agreed to by the Owner and Contractor, and the Contractor either (1) enters into a contract with the Owner in accordance with the terms of such bid, and gives such bond or bonds as may be specified in the bidding or Contract Documents, with a surety admitted in the jurisdiction of the Project and otherwise acceptable to the Owner, for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof; or (2) pays to the Owner the difference, not to exceed the amount of this Bond, between the amount specified in said bid and such larger amount for which the Owner may in good faith contract with another party to perform the work covered by said bid, then this obligation shall be null and void, otherwise to remain in full force and effect. The Surety hereby waives any notice of an agreement between the Owner and Contractor to extend the time in which the Owner may accept the bid. Waiver of notice by the Surety shall not apply to any extension exceeding sixty (60) days in the aggregate beyond the time for acceptance of bids specified in the bid documents, and the Owner and Contractor shall obtain the Surety's consent for an extension beyond sixty (60) days.

If this Bond is issued in connection with a subcontractor's bid to a Contractor, the term Contractor in this Bond shall be deemed to be Subcontractor and the term Owner shall be deemed to be Contractor.

When this Bond has been furnished to comply with a statutory or other legal requirement in the location of the Project, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. When so furnished, the intent is that this Bond shall be construed as a statutory bond and not as a common law bond.

| Signed and sealed this 19th | day of February | , 2021 | | |
|---|-----------------|----------------|----------------|--------------------|
| 16 / // // | l D | irtworks Cons | struction, LLC | |
| Theyley a. Trug | nes (P | rincipal) | - | (Seal) |
| (Witness) | | THAT OUNGET | P Down a son | |
| $(\Lambda \Lambda \cap \Lambda \cap \Lambda)$ | (I Fa | ir American In | R /PRESIDEN | urance Company |
| Alie A. Duares | _10 | (Surety) | The h | (Seal) |
| (Witness) | S | tefan E. Taug | ger | , Attorney In Fact |
| V | (T | itle) | | |

FAIR AMERICAN INSURANCE AND REINSURANCE COMPANY One Liberty Plaza, 165 Broadway, New York, NY 10006 POWER OF ATTORNEY

Know all men by these Presents, that Fair American Insurance and Reinsurance Company ("Company"), a New York corporation, had made, constituted and appointed, and by these presents does make, constitute and appoint, Andrew C. Heaner of Atlanta, Georgia; Stefan E. Tauger of Parker, Colorado; Arthur S. Johnson of Atlanta, Georgia; James E. Feldner of West Lake, Ohio; Jeffery L. Booth of Blacklick, Ohio; Melanie J. Stokes of Atlanta, Georgia; David R. Brett of Columbia, South Carolina; Scott E. Stoltzner of Birmingham, Alabama; Jason S. Centrella of Jacksonville, Florida; Matthew W. Hollingsworth of Addison, TX; Michael J. Brown of Cumming, Georgia; Tamara D. Johnson of Atlanta, Georgia; Omar G. Guerra of Overland Park, Kansas; or Douglas Berrett Miller of Jacksonville, Florida EACH as its true and lawful attorney-in-fact to sign, execute, seal, deliver for, and on behalf of the said Company, and as its act and deed any place in the United States any and all surety, bonds, undertakings, recognizances and contracts of suretyship to be given to all obligees provided that no bond or undertaking or contract of suretyship executed under this authority shall exceed in amount of the sum of \$5,000,000 (Five Million Dollars), any single instance. Provided, however, that this power of attorney limits the acts of those named herein; and they shall have no authority to bind the Company except in the manner stated and to the extent of any limitation herein.

This Power of Attorney is granted and is signed and sealed by facsimile under and by the authority of the following Resolutions adopted pursuant to due authorization by the Board of Directors of the Company on the 2nd day of February, 2016.

RESOLVED, that the President, Chairman, or any Senior Vice President or Vice President of the Company, in conjunction with any Senior Vice President or Vice President, be, and that each or any of them hereby is, authorized to appoint Attorneys-in-fact of the Company as may be necessary to act on behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all bonds, undertakings, recognizances, contracts of suretyship and other surety obligations. Such Attorneys-in-fact, subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Company by their signature and execution of any such instruments and to attach thereto the seal of the Company. When so executed such instruments shall be as binding as if signed by the President and attested by the Secretary.

FURTHER RESOLVED, that any and all Powers of Attorney and Certified Copies of such Powers of Attorney and certification in respect thereto, granted and executed by the President or Senior Vice President, in conjunction with any Senior Vice President or Vice President of the Company, shall be binding on the Company to the same extent as if all signatures therein were manually affixed, even though one or more of any such signatures thereon may be facsimile.

IN WITNESS WHEREOF, the Company has caused its official seal to be hereto affixed, and these presents to be sealed with its corporate seal and duly attested to by these Senior Vice Presidents this 7th day of January 2020.

STATE of NEW YORK

Fair American Insurance and Reinsurance Company

Christopher O'Gwen, Senior Vice President

Suzanne A. Spantidos, Senior Vice President

On January 07, 2020 before me, the above named Senior Vice Presidents, personally appeared, who proved to me on the basis of satisfactory evidence to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same in their authorized capacities, that they know the seal of Fair American Insurance and Reinsurance Company, and that their signatures and the seals of Fair American Insurance and Reinsurance Company were duly affixed and subscribed to said instrument by the authority and direction of the Company. I certify under PENALTY OF PERJURY under the laws of the State of New York that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature / wort 7 - (Seal)

I, Christopher O'Gwen, the undersigned, an Officer of Fair American Insurance and Reinsurance Company, a New York Corporation, DO HEREBY CERTIFY that the foregoing and attached Power of Attorney is a true and correct copy of the original power of attorney, and do hereby further certify that the said Powers are still in force and effect.

Signed and sealed at the City of New York. Dated the 19th day of February 2021

New York County

Christopher O'Gwen, Senior Vice President

For Bid Bond # BND1006448-00



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 02/12/2021

\$

S

1,000,000

1,000,000

1,000,000

375,000

25,000

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER. AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

| PRODUCER Beckner Power Insurance, Inc. 2415 F Road #B P.O. Box 1329 Grand Junction, CO 81502-1329 Shari L. Shear | | NAME: Shari Shear | | |
|--|---|---|--|------------|
| | | PHONE (A/C, No, Ext): 970-242-6136 FAX (A/C, No): 9 | | 0-242-8293 |
| | | E-MAIL ADDRESS: shari@bpigj.com | | |
| | | PRODUCER CUSTOMER ID #: DIRTW-1 | | |
| | | INSURER(S) AFFORDING COVERAGE | | NAIC # |
| INSURED | Dirtworks Construction LLC 846 20 1/2 Road Fruita, CO 81521 | INSURER A: United Fire & Casualty | | |
| | | INSURER B: Pinnacol Assurance | | |
| | | INSURER C: | | |
| | | INSURER D : | | |
| | | INSURER E : | | |
| | | Maybern F | | |

COVERAGES CERTIFICATE NUMBER: REVISION NUMBER: THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. ADDL SUBR TYPE OF INSURANCE LIMITS POLICY NUMBER INSR WVD GENERAL LIABILITY 1,000,000 EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) 04/06/2020 04/06/2021 60349358 100,000 X A COMMERCIAL GENERAL LIABILITY \$ CLAIMS-MADE X OCCUR 5,000 MED EXP (Any one person) \$ 1,000,000

PERSONAL & ADV INJURY X Pollution 2,000,000 GENERAL AGGREGATE \$ 2,000,000 GEN'L AGGREGATE LIMIT APPLIES PER: PRODUCTS - COMP/OP AGG \$ POLICY X PRO-100,000 Pollution AUTOMOBILE LIABILITY COMBINED SINGLE LIMIT X 1,000,000 \$ (Ea accident) 60349358 04/06/2020 04/06/2021 Α X ANY AUTO BODILY INJURY (Per person) \$ ALL OWNED AUTOS BODILY INJURY (Per accident) \$ SCHEDULED AUTOS PROPERTY DAMAGE \$ (PER ACCIDENT) HIRED AUTOS NON-OWNED AUTOS \$ \$ UMBRELLA LIAB X 1,000,000 OCCUR EACH OCCURRENCE \$ **EXCESS LIAB** 1,000,000 CLAIMS-MADE AGGREGATE \$ 04/06/2020 04/06/2021 A X 60349358 DEDUCTIBLE \$ 10000 RETENTION \$ \$ WORKERS COMPENSATION WC STATU-TORY LIMITS X OTH AND EMPLOYERS' LIABILITY

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required) RE:2021 G Road Irrigation Modification Project.

NIA

4151863

60349358

Below certificate holder is added as additional insured.

ANY PROPRIETOR/PARTNER/EXECUTIVE

If yes, describe under DESCRIPTION OF OPERATIONS below

OFFICER/MEMBER EXCLUDED? (Mandatory in NH)

Equipment

| CERTIFICATE HOLDER | |
|--------------------|--|
| | |

City of Grand Junction 250 N 5th St Grand Junction, CO 81501 CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

E.L. EACH ACCIDENT

Rented eq Installat

E.L. DISEASE - EA EMPLOYEE \$

E.L. DISEASE - POLICY LIMIT

AUTHORIZED REPRESENTATIVE

11/01/2020 11/01/2021

04/06/2020 04/06/2021

Shari L. Shear

© 1988-2009 ACORD CORPORATION. All rights reserved.

B