



Invitation for Bids
IFB-5205-23-KH

**UTILITY BUCKET TRUCK WITH AERIAL
DEVICE**

RESPONSES DUE:

March 17, 2023 prior to 2:30 P.M. Local Time

Accepting Electronic Responses Only
Responses Only Submitted Through the Rocky Mountain E-
Purchasing System (BidNet)

www.bidnetdirect.com/colorado

(Purchasing Representative does not have access or control of the vendor side of RMEPS. If website or other problems arise during response submission, vendor **MUST** contact RMEPS to resolve issue prior to the response deadline. 800-835-4603).

PURCHASING REPRESENTATIVE:

Kassy Hackett
Phone (970) 244-1546
kassyh@gjcity.org

NOTE: All City solicitation openings will continue to be held virtually.
See Section 3A for details.

Table of Contents

Section I.	INTRODUCTION
Section II.	INSTRUCTION TO BIDDERS
Section III.	GENERAL TERMS AND CONDITIONS
Section IV.	SPECIFICATION/COMPLIANCE FORM
Section V.	BID FORM

SECTION I. INTRODUCTION

A. Purpose: The Owner is interested in purchasing **three (3) new 14K dump bed trailers**. In comparing responses, consideration will not be confined to price only. The successful vendor will be one whose product is judged to best serve the interests of the City.

With the exception of Pre-Bid or Site Visit Meeting(s) all questions, inquiries, comments, or communication pertaining to this solicitation (whether process, specifications, scope, etc.) must be directed in writing to the Purchasing Agent. Other communication may result in disqualification.

B. The Owner: The Owner is the City of Grand Junction, Colorado and is referred to throughout this Solicitation. The term Owner means the Owner or its authorized representative.

C. Procurement Process: The most current version of the City of Grand Junction [Purchasing Policy and Procedure Manual](#) is contracting.

D. Timeline:

- | | |
|---|-------------------|
| • Invitation for Bids Available on or about | February 23, 2023 |
| • Last Day for Questions, prior to 5:00 PM | March 9, 2023 |
| • Addenda Issued (If required) | March 10, 2023 |
| • Responses Due prior to 2:30 P.M. | March 17, 2023 |

SECTION II. INSTRUCTIONS TO BIDDER

A. Equipment Details and Literature Required: All bids must be accompanied by specification sheets and/or descriptive brochures showing the detailed specifications of the equipment you propose to furnish for the bid price. All equipment will be furnished with all standard equipment as described by the literature presented with the bid proposal. References to items shown on the literature, which the bidder does not intend to supply, must be so noted in writing as an amendment to the literature. It is the bidder's responsibility to provide specific equipment details to permit proper evaluation of the bid; failure to do so may result in disqualification of the bid.

The body, finish, fittings and all components shall be the latest and most current model and shall not have been used as a demonstrator or any other service and shall be factory standard in all respects not in conflict with the attached Owner bid specifications. If the Owner is interested in a demonstrator, such information will be supplied in the bid specifications.

The design of the vehicle/equipment must be such that it does not hamper or restrict subsequent installation and use of emergency equipment, such as emergency lights and backup alarms.

When specifications for particular items are not defined, manufacturer's standards are satisfactory, provided the item is required for the proper performance of the equipment.

B. Emissions Standards: As applicable by law: Vehicles/Equipment must be supplied with manufacturer's standard equipment and all devices necessary to be in compliance with the most current State of Colorado code, and the Federal Motor Vehicle Safety Standards. Vehicle must comply with all Federal and Colorado motor vehicle pollution control requirements and be capable of passing State emissions tests. Delivery must include any EPA documentation. Vehicles and/or Equipment not meeting the aforementioned standards will not be accepted.

C. Error and Omissions: If the bidder discovers any errors, omissions, lack of clarity or desires further information about the specifications, the Purchasing Representative should be contacted immediately.

D. Guarantee: All equipment, units and components shall be guaranteed in accordance with the following clauses:

- a. Guarantee that the equipment offered is free from defects in design and construction and that it will give continuous and efficient service under normal conditions for the duration of the warranty period.
- b. Guarantee that the equipment or vehicle is the manufacturer's standard design in construction and that no changes or substitutes have been made, unless otherwise stated.

E. Warranty: All equipment bids must include the manufacturer's standard warranty, and this information shall be provided with the bid. Additional or extended warranties may be requested; if so, specific warranty information must be provided with the bid. The warranty period shall commence after the equipment/vehicle is received and accepted by the Owner, unless special provisions are made with the successful provider.

F. Operating/Maintenance Instruction: Where specifically requested in the specifications, the bidder/supplier will instruct a given number of Owner employees in the operation and maintenance of equipment. The instructions shall be of the scope and length to orient personnel in: operating techniques, safety precautions, frequent inspection and servicing requirements, mechanical adjustments and repairs unique to the equipment or vehicle. Instructions will be required at the Owner site specified and provided on a schedule arranged after delivery of the equipment. If available, manufacturer shall provide an operational safety video for specialty equipment (chippers, stump cutters, leaf machines, etc.) Instruction schedules will be agreed to prior to invoice payment.

G. Delivery Date: All bids must be submitted with a delivery date.

H. Pre-delivery: Prior to delivery, new equipment/vehicle must be completely serviced in accordance with standard new vehicle "Make Ready" and to the manufacturer's specifications.

I. Delivery: All costs for delivery of the new unit will be assumed by the Bidder and included in the net price. Unless stated elsewhere in this bid document, all deliveries will be made to the City of Grand Junction, Fleet Services, 333 West Avenue, Building C, Grand Junction, CO 81501.

J. Prices: Prices quoted shall exclude Federal Excise and State taxes. Prices quoted shall be F.O.B. City of Grand Junction, CO 81501.

K. Final Payment: Final payment for equipment and vehicles delivered under these specifications will not be made until all terms and conditions have been satisfied.

L. Bid Evaluation Criteria: The evaluation of this bid will be based on, but not limited to, the following: Compliance with specifications; proven performance; ease of operation, life-cycle cost, net cost, supplier performance history; delivery time; compatibility with existing equipment, parts or supplies; service/parts availability; and, advantageous superior design features.

M. Repair and Parts Manuals: An *Operator's and Service manual* will be supplied with each new unit, except when units are duplicate orders and then only one of each is required. Manuals must be received prior to payment. Whenever available, the Owner prefers the manual in a CD format.

N. Additional Information: For information concerning the bid process, please contact the Purchasing Department at (970) 244-1533 or check the City of Grand Junction web page at www.gjcity.org. Copies of this bid document can be obtained online electronically on Bidnet at www.bidnetdirect.com/colorado, from the Purchasing Division, **250 North 5th Street, Grand**

Junction, CO 81501 or on the City of Grand Junction website, <http://www.gjcity.org/501/Purchasing-Bids>.

O. Manufacturer's Statement of Origin: The new Unit shall be delivered with the Manufacturer's Statement of Origin (MSO). Failure to provide MSO shall be grounds to refuse to accept vehicle.

P. Title: The awarded supplier shall provide Title work for the new vehicle within 10 days after the receipt of payment from the City. **Mail or deliver the Title to:** Fleet Services, 333 West Avenue, Building C, Grand Junction, CO 81501. If a problem arises in obtaining the Title within the 10 day window contact Tim Barker in Fleet Services at (970)-244-1532, or via E-mail timba@gjcity.org. Name on title shall read "**City of Grand Junction**".

SECTION III. GENERAL TERMS AND CONDITIONS

A. Submission of Bids: No bids will be considered in which the specifications, provisions or conditions of the price proposal have been modified. Bids shall be received and acknowledged only so as to avoid disclosure of process. However, all bids shall be open for public inspection after the contract is awarded. Trade secrets and confidential information contained in the bid so identified by Bidder as such will be treated as confidential by the Owner to the extent allowable in the Open Records Act.

Solicitation Opening, Utility Bucket Truck with Aerial Device IFB-5205-23-KH
Mar 17, 2023, 2:30 – 3:00 PM (America/Denver)

Please join my meeting from your computer, tablet or smartphone.
<https://meet.goto.com/165916141>

You can also dial in using your phone.
Access Code: 165-916-141
United States: +1 (872) 240-3212
- One-touch: tel:+18722403212,,165916141#

Join from a video-conferencing room or system.
Meeting ID: 165-916-141
Dial in or type: 67.217.95.2 or inroomlink.goto.com
Or dial directly: 165916141@67.217.95.2 or 67.217.95.2##165916141

Get the app now and be ready when your first meeting starts:
<https://meet.goto.com/install>

B. Assignment/Contract not used as Collateral: Neither party shall assign or otherwise transfer any of the rights or delegate any of the duties set forth in this contract without prior written consent of the other party. The bidder shall not use this contract, or any portion thereof, for collateral for any financial obligation.

C. Audits/Access to Records: The Owner and any of its representatives shall have access to any books, documents, papers and records of the bidder which are pertinent to this solicitation and prospective contract.

D. Availability of Funds: Any Owner Contract resulting from a submission of a bid shall be deemed executor only to the extent of appropriations available to each Owner Department for purchases of such articles and services. The Owner's extended obligation on those contracts, which envision extended funding through successive fiscal periods shall be contingent upon actual appropriations for the following fiscal year.

E. Award and Purchase: The Owner reserves the right to reject any or all bids, to waive any informalities or technical defects in bids, and unless otherwise specified by the Owner or by the bidder, to accept any items or group of items in the bid, as may be in the best interest of the Owner. No verbal explanations, clarifications, additions or instructions will be binding to either the Owner or the bidders, except those confirmed in writing.

A signed purchase order/contract furnished to the successful bidder results in a binding contract without further action by either party.

F. Questions: Any questions concerning this project shall be directed to: Kassy Hackett at the City of Grand Junction, 250 North 5th Street, Grand Junction, Colorado 81501, (970)-244-1546, E-mail kassyh@gjcity.org between the hours of 8:00 a.m. and 4:00 p.m., Monday through Friday, excluding Holidays. ALL QUESTIONS MUST BE SUBMITTED IN WRITING.

G. Legal Compliance: The bidder shall keep informed of all Federal, State and local laws; ordinances, regulations and all orders and decrees of bodies or tribunals having any jurisdiction or authority which may affect those engaged or employed on the work or affect the conduct of the work. The bidder shall observe and comply with all such laws, ordinances, regulations, orders and decrees. The bidder shall protect and indemnify the Owner and its representatives against any claim or liability arising from or based on the violation of any such law, ordinance, regulation, order or decree whether by the supplier, subcontractor, supplier or the supplier's employees or any others engaged by the supplier. The laws of the State of Colorado will govern as to the interpretation, validity and effect for any contract that is entered into as a result of this solicitation. Venue for any lawsuit will be in Mesa County, Colorado.

H. Force Majeure: The Firm shall not be held responsible for failure to perform the duties and responsibilities imposed by the Contract due to legal strikes, fires, riots, rebellions, and acts of God beyond the control of the Firm, unless otherwise specified in the Contract.

I. Indemnification: Firm shall defend, indemnify and save harmless the Owner and all its officers, employees, insurers, and self-insurance pool, from and against all liability, suits, actions, or other claims of any character, name and description brought for or on account of any injuries or damages received or sustained by any person, persons, or property on account of any negligent act or fault of the Firm, or of any Firm's agent, employee, sub-Firm or supplier in the execution of, or performance under, any contract which may result from proposal award. Firm shall pay any judgment with costs which may be obtained by and/or against the Owner arising out of or under the performance.

J. Gratuities: The Firm certifies and agrees that no gratuities or kickbacks were paid in connection with this Contract, nor were any fees, commissions, gifts or other considerations made contingent upon the award of this Contract. If the Firm breaches or violates this warranty, the Owner may, at its discretion, terminate the Contract without liability to the Owner.

K. Material Availability: Bidders must accept responsibility for verification of material availability, production schedules and other pertinent data prior to submission of bid and delivery time. It is the responsibility of the bidder to notify the Owner immediately if materials specified are discontinued, replaced or not available for an extended period of time.

L. OSHA Standards: All bidders agree and warrant that services performed in response to this invitation shall conform to the standards declared by the U.S. Department of Labor under the OCCUPATIONAL Safety and Health Act of 1970 (OSHA). In the event the services do not conform to OSHA Standards, the Owner may require the services to be redone at no additional expense to the Owner.

M. Non-collusion: Neither the said Bidder nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, has in any way colluded, conspired, connived or

agreed, directly or indirectly with any other bidder, firm or person to submit a collusive or sham bid in connection with the contract for which the attached bid has been submitted or to refrain from bidding in connection with such contract, or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other bidder, firm or person or fix the price or prices in the attached bid or of any other bidder, or to fix any overhead, profit or cost element of the bid price or the bid price of any other bidder, or to secure through any collusion, conspiracy, connivance or unlawful agreement and advantage against the Owner, or any person interested in the proposed contract.

The price or prices quoted in this bid are fair and proper and are not tainted by a collusion, conspiracy, connivance, or unlawful agreement on the part of the bidder or any of its agents, representatives, owners, employees, or parties in interest.

N. Public Disclosure Record: If the Offeror has knowledge of its employee(s) or sub-contractors having an immediate family relationship with an Owner employee or elected official, the Offeror must provide the Purchasing Agent with the name(s) of the individuals. The individuals are required to file a "Public Disclosure Record", a statement of financial interest, before conducting business with the Owner.

O. Preparation of Bids: Bidders are expected to examine any drawings, specifications, schedules and instructions included in the bid package. Failure to do so will be at the bidder's risk.

In case of error in the extension of prices in the bid proposal, the unit price will govern. Unit price shown must be net.

P. Tax Exemption: Direct purchases of materials by the Owner are exempt from Colorado State sales or use tax. The bidder certifies that no Federal, State, County or Municipal tax will be added to the price shown on the Bid Price sheet. An Owner Tax Exemption Certificate will be supplied to the successful bidder upon request.

Q. Bids Binding – 60 Days: Unless otherwise specified all formal bids submitted shall be binding for sixty calendar days following the bid opening date unless bidders, at the request of the Owner, agree to an extension.

R. Multiple Bids: Bidders must determine for themselves which product to offer. If said bidder chooses to submit more than one bid, THE ALTERNATE BID must be clearly marked "**Alternate Bid.**" The Owner reserves the right to make award in the best interest of the Owner.

S. Brand Names or Equal: Whenever in this bid invitation any particular materials, process, mechanism, and/or equipment are indicated, described or specified by patent, proprietary, or brand name, or by name of manufacturer, such wording will be deemed to be used for the purpose of facilitating minimum acceptable requirements and will be deemed to be followed by the words, "or equal." At the Owner's discretion, after the bid opening proof satisfactory must be provided by Bidder to show that the alternative product/equipment/vehicle is in fact, equal to specification requirements.

The Owner reserves the right to determine products of equal value. Suppliers will not be allowed to make unauthorized substitutions after award is made.

T. Termination of Contract: If at any time during the performance of the contract awarded as a result of this bid, in the opinion of the Owner, the work is not progressing satisfactorily or within the terms of this contract, then at the discretion of the Owner and after written notice to the supplier, the Owner may terminate the contract or any part of it.

U. Modification or Withdrawal of Bids: A bid that is in the possession of the Purchasing Division may be altered by facsimile, telegram or letter bearing the signature of name of the legal agent for the bidder, provided it is received prior to the time and date of the opening. Alterations should not

reveal the price but should indicate the addition, subtraction or other changes in the bid. A bid that is in the possession of the Purchasing Manager may be withdrawn by the bidder up to the time of the bid opening. Bids may not be withdrawn after the bid opening. Failure of the successful bidder to furnish the service awarded from this bid may eliminate the bidder from the active bidder's list.

V. Addenda and Interpretations: If it becomes necessary to revise any part of an Owner bid, a written addendum shall be posted to the BidNetDirect.com/Colorado website. The bidder shall be responsible for obtaining all solicitation documents. The Owner is not bound by any oral representations, clarifications, or changes made in the written specifications by Owner employees, unless such clarification or change is provided in written addendum from the Owner. Receipt of addenda shall be acknowledged by initialing the bid price sheet in the designated place.

W. Cooperative Purchasing: Purchases as a result of this solicitation are primarily for the Owner. Other governmental entities may be extended the opportunity to utilize the resultant contract award with the agreement of the successful provider and the participating agencies. All participating entities will be required to abide by the specifications, terms, conditions and pricings established in this solicitation.

The quantities furnished in this bid document are for only the Owner. It does not include quantities for any other jurisdiction.

The Owner will be responsible only for the orders placed for our jurisdiction. Other participating entities will place its orders on its respective Purchase Orders through its Purchasing office or use its purchasing card for purchase/payment as authorized or agreed upon between the provider and the individual entity. The Owner accepts no liability for payment of orders placed by other participating jurisdictions that choose to piggy-back on our solicitation.

Orders placed by participating jurisdictions under the terms of this solicitation will indicate its specific delivery and invoicing instructions.

X. Award: All bids will be awarded to the lowest responsive and responsible bidder. The Owner reserves the right to determine the lowest responsive and responsible bidder.

The Owner may involve all or some of the following factors: price; conformity to specifications; financial capacity to perform the services and/or provide commodities; previous performance and reputation; location of required and necessary facilities and/or equipment; availability and proximity of repair parts and/or warranty work; similar experience; delivery promise; terms of payments; compatibility as required in the bid documents; other associated and necessary costs; other objective and accountable factors which are reasonable.

Y. Inspections: Inspection and acceptance of materials or supplies will be made after delivery. Final inspection shall be conclusive except as regard to latent defects, fraud, or such gross mistakes as amount to fraud. Final inspection and acceptance or rejection of material or supplies shall be accomplished as promptly as practical, but failure to inspect and accept or reject material or supplies shall not impose liability on the Owner for such supplies as are not in accordance with the specifications. All delivered materials shall be accepted subject to inspection and physical count.

SECTION IV. SPECIFICATION/COMPLIANCE FORM

MINIMUM SPECIFICATION FOR: Three (3) new 14K dump bed trailers. Bids must be offered as a complete, turn-key unit. All specifications must be met or exceeded or may be considered non-responsive. Incomplete responses will not be considered. Bidder shall note any exceptions to the bid on the Comment section. Bidder shall list in a separate attachment detail concerning the exception. This sheet shall be labeled "Exception(s) to Bid Conditions and Specifications".

All equipment furnished under this contract shall be new, unused, and the latest model offered by the manufacturer's current production (unless otherwise stated). Accessories not specifically mentioned herein, but necessary to furnish a complete unit ready for use shall also be included.

	Description	Meets	Does Not Meet	Comments
1	Color: Exterior White,			
2	GVWR: 33,000			
3	Indicate Base Chassis Model on Bid Form			
4	Wheelbase: to be determined by body builder			
5	Engine: Minimum 245 HP, diesel Allison 3500_RDS_P or equivalent. Please quote electric hybrid option on Bid Form.			
6	Transmission, Automatic: Wide Ratio, 5-Speed with Overdrive: on/off Hwy: Oil level sensor, PTO provision, Indicate Brand & Model No.			Brand: _____ Model No.: _____
7	Axle, Front Non-Driving; I-Beam Type, 12,000-lb Capacity			
8	Axle, Rear, Single: Dana Spicer 2106D or equivalent Single Reduction, 21,000-lb Capacity, with Driver Control Locking, differential, with 200-wheel ends gear ratio: 4:33			
9	Cab: Conventional, Steel			
10	2 each Tire, Front: 11R22.5 x ZE 501 rev/mile, load range G, 14 ply			
11	4 each Tire, Rear: 11R22.5 XDE M/S 498 rev/mile, load range G, 14 ply			
12	Clearance marker lights flush mounted			
13	Coat Hook			
14	Floor covering rubber			
15	Glass windows all tinted			
16	Grab Handles			
17	Two (2) steps per door			
18	Arm Rest on Each Door			
19	Air Conditioning with integral heater & defroster			
20	Suspension, RR, Spring, Single: 21,000-lb capacity, with 4500 lb Auxiliary Rubber Spring			
21	Suspension, Front Spring parabolic taper leaf; 12,000-lb capacity; with shock absorbers			
22	Interior Color, Flint or Grey			
23	Tow Hook, (2) Front, inside rail frame mounted			

	Description	Meets	Does Not Meet	Comments
24	Frame Rails			
25	Front bumper			
26	Brake System: Air dual			
27	Air compressor air supply line- naturally aspirated			
28	Brake Chamber, Spring Rear Parking			
29	Brake Lines – color coded nylon			
30	Spring Brake Modulator Valve			
31	Air Brake ABS, Full Vehicle Wheel Control System			
32	Brakes, Front, Air CAM S-cam:			
33	Brakes, Rear Air CAM			
34	Drain valve twist type			
35	Air Pressure Gauge, air 1 and air 2 gauges			
36	Air Compressor 13.2 CFM			
37	Slack Adjusters, Front Automatic			
38	Slack Adjusters, Rear Automatic			
39	Trailer Connections: Four-wheel, with hand control valve and tractor protection valve			
40	Steering Column stationary			
41	Steering Wheel 18"			
42	Steering Gear power			
43	Exhaust System, single, horizontal, stainless-steel muffler, frame mounted right side,			
44	Electrical System 12-Volt, Standard Equipment			
45	Data Link Connector for vehicle programming and diagnostic in cab			
46	Horn, Electric			
47	Parking Light, integral with front turn signal and rear taillight			
48	Starter Switch, electric key operated			
49	Stop, Turn, Tail & B/U Lights Dual, Rear, Combination with Reflector			
50	Turn Signal Switch Self-cancelling, Headlight Dimmer			
51	Turn Signals, Front includes reflectors and auxiliary side turn signals, solid state flasher; flush mounted			
52	Windshield wiper switch – 2-speed with wash and intermittent feature, integral with turn signal switch			
53	Windshield wipers single motor electric			
54	Wiring, Chassis – color coded and continuously numbered			
55	Power Point			
56	Alternator – brush type, 12 volts 110-amp capacity, pad mounted			
57	Body Builder Wiring – back of cab, includes sealed connectors for tail/amber turn/marker/backup/accessory power/ground and sealed connector for stop/turn			
58	Electric Trailer Brake/Lights accommodation package to rear of frame: for combined trailer stop, tail, turn, marker light circuits, includes electric trailer brake accommodation package with cab connections for mounting customer installed electric brake unit, less trailer socket			
59	Battery System – maintenance free 12-volt 1300CCA total			
60	Radio – AM/FM Stereo with speakers			

	Description	Meets	Does Not Meet	Comments
61	Jump Start Stud			
62	Headlights halogen,			
63	Switch, Body circuits, MID for bodybuilder			
64	Indicator, Low Coolant Level with audible alarm			
65	Starting Motor, 12 volts; thermal over-crank protection			
66	Circuit Breakers Manual-Reset SAE Type III with Trip Indicators, Replaces All Fuses Except for 5-Amp Fuses			
67	Block Heater, Engine 120Volt/1250 Watt			
68	Block Heater socket receptacle type			
69	Cruise Control			
70	Exhaust: Single horizontal, stainless steel muffler, with catalytic converter, frame mounted right side			
71	Emission regeneration warning system (actuate/inhibit DPF burn switch preferred) Provide a description of the System.			Description: _____ _____ _____
72	Fuel Tank 50 Gallon			
73	Over Center Aerial Device- 70' working height			
74	Upper Controls: an all-weather 3D single stick control with hydraulic enabling lever controls the upper boom, lower boom and rotation			
75	Lower Controls: <ul style="list-style-type: none"> Individual control levers are located on the side of the turntable. The lower controls activate lower boom, upper boom, and rotation. Lower controls are capable of fully overriding the platform controls.			
76	Engine Throttle Advance: Automatic two speed engine throttle control. Engine advances to a pre-set speed when needed			
77	Platform Leveling: <ul style="list-style-type: none"> A leveling system utilizing hydraulic cylinders, wire cable, roller chain, and fiberglass rods contained within the booms. Meets dielectric requirements per ANSI A92.2			
78	Lower Boom: <ul style="list-style-type: none"> High strength, rectangular steel tube with a rectangular bi-axial epoxy resin filament wound, high strength fiberglass insert with an insulation gap of 18 in. 0 to 102 degrees' lower boom articulation using one (1) double acting hydraulic cylinder, equipped with two (2) integral holding valves. Boom rest supports the boom when it is at rest. 			
79	Upper Boom: <ul style="list-style-type: none"> High strength steel with a rectangular filament wound fiberglass boom. 			

	Description	Meets	Does Not Meet	Comments
	<ul style="list-style-type: none"> Single acting articulating hydraulic cylinder, with one (1) integral holding valve Articulation of up to 250 degrees Stored by a padded boom rest with tie down. Insulation of 20.3 ft. 			
80	Boom Compensation System: <ul style="list-style-type: none"> Maintains the angle of the upper boom while the lower boom is articulated. Independently articulated 			
81	Lift Cylinders: <ul style="list-style-type: none"> Lower and upper boom cylinders with integral holding valves and a burst factor of 4 to 1 Emergency release screws for lowering of booms 			
82	Boom Interlock <ul style="list-style-type: none"> Outriggers must be extended to operate the boom 			
83	Pedestal and Turntable: <ul style="list-style-type: none"> Welded high strength steel with access holes for maintenance. Top and bottom plate bearing surface is machined after welding. Fabricated steel turntable and has a steel guard. 			
84	Continuous and Unrestricted Rotation <ul style="list-style-type: none"> Hydraulic rotary manifold provides a rotating oil distribution system for continuous and unrestricted rotation. Self-locking worm gear rotation drive with a bi-directional motor. 7/8-inch external hex shaft 			
85	Rotation bearing: <ul style="list-style-type: none"> Heavy duty "shear ball" rotation bearing with external teeth utilizing polished alloy steel balls. Heat treated high-strength steel inner and outer races. High strength grade 8 bolts attach inner and outer races to the pedestal and turntable 			
86	ANSI Rating <ul style="list-style-type: none"> Dielectrically tested and certified for operation up to 46,000 volts AC 			
87	Hydraulic System <ul style="list-style-type: none"> Closed-center, parallel-circuit hydraulic system. 2100 PSI operating pressure 32-gallon hydraulic oil reservoir with a 200-mesh filler neck filter Suction screen, high pressure filter, 10 micron return filter and shut off valve Permanent type hose ends on the hydraulic hoses 			
88	Reverse Mount aerial Device behind cab			

	Description	Meets	Does Not Meet	Comments
89	Platform will stow above cab			
90	Platform 24" x 30" x 42" <ul style="list-style-type: none"> One (1) person, end mounted, fiberglass platform. One (1) outside access step with a non-skid surface Safety harness with lanyard and built in 'D' ring lanyard attachment			
91	Platform scuff pad with non-skid standing surface			
92	Insulated Platform Liner with one (1) inside/outside step for 24" x 30" x 42" Platform: Certified at 50 KV AC			
93	Vinyl Platform cover for 24" x 30" Platform Waterproof with internal cord around edge			
94	Auxiliary Let Down:			
95	Insulated Engine Stop/Start controlled form platform			
96	Hot shift power takeoff with indicator light			
97	Electrical mini-box system			
98	Sub frame length as needed for body builder			
99	Tie Down Kit			
100	Heavy Duty A-Frame Outriggers <ul style="list-style-type: none"> Hydraulic double acting outriggers including holding valves and two spool control valves for independent control of each outrigger 144.4" spread pin to pin and 155.9" to outside of pads at 8" penetration and 42" frame height. 13" x 12" swivel type stabilizer pads			
101	Hydraulic dumping chip box. 132" Long x 60 high x 93' wide 14.5 cubic yard capacity 3" channel floor cross members Rear body reinforced for boom rest Tailgate assembly Two (2) towing eyes Light panel assembly at rear 10-ton capacity hydraulic link type body dumping assembly Chipper box body support rod Wheel chock holders Sign box Outriggers pad holders Paint – white to match the cab ICC rear bumper Fabricate and install handrail around perimeter of cab guard and incorporate ladder into cab guard design			
102	48" tread plate flatbed. State Width on Bid Form			
103	12 Ga. tread plate floor			
104	4" structural steel channel cross members on 12" centers			
105	StreetSide compartments			
106	Vertical 40" wide with 5 fixed material hooks 1-3-1			
107	Barn type compartment doors			
108	Curbside compartmentation			
109	40 inches wide with 5 fixed material hooks 1-3-1			

	Description	Meets	Does Not Meet	Comments
110	Tool Boxes 94" x 18" high x 18" wide with vertical access door on street side and curbside			
111	94 long x 12" high x 12" wide with vertical access door on street side and curbside			
112	Rear body reinforced for boom rest			
113	Light panel assembly at rear			
114	Wheel chock holders			
115	Sign box			
116	Outriggers pad holders			
117	Paint – white to match the cab			
118	ICC rear bumper			
119	Grab handle for stair type side access steps			
120	Insulated platform liner with (1) inside/outside step			
121	Waterproof vinyl platform cover with elastic cord			
122	3-gallon plastic water cask			
123	Mounting bracket for water cask for exterior mounting			
124	Post style cone holders, one each side of body at front bumper			
125	Laminated wood outrigger pad 24" 24" x 1-1'4" with rope handle			
126	Outrigger pad storage brackets			
127	Rubber wheel chocks with eye bolt			
128	Wheel chock brackets for mounting under the body			
129	Heavy duty expanded metal Tree trimmer cab with access steps to top of the cab guard and hand railing around perimeter			
130	Integral wiring and switches in chassis for electrical accessories			
131	Mud flaps			
132	Hour meter for power take off engagement time			
133	Backup alarm			
134	Push button throttle control, one (1) installed at each side of vehicle at outrigger controls			
135	Amber strobe light with 4" lens and mounting bracket. 2 front & 2 rear			
136	Pintle Hook and 2 5/6' Ball: <ul style="list-style-type: none"> • Safety chain eyes Chassis frame reinforcements			
137	7 prong flat blade RV style trailer plug			
138	10 lb fire extinguisher with bracket			
139	Two (2) Operator's Manuals			

SECTION V. BID FORM

The Owner will receive electronic bids through the BidNet website, www.bidnetdirect.com/colorado prior to the date and time indicated on the front of this document at which time the bids will be publicly opened and read, for furnishing the materials, supplies, equipment and/or services, as shown below and/or attached hereto: **FOB DESTINATION** delivered at Grand Junction, Colorado. **TRANSPORTATION CHARGES INCLUDED IN BID PRICE.** All in accordance with the bid conditions, special provisions, and specifications attached or as indicated below.

Purchasing Representative: Kassy Hackett kassyh@gjcity.org 970-244-1546

Price for One (1) Unit: \$ _____

Price Written: _____ Dollars

Year/Manufacture/Model No.: _____

Delivery: State expected delivery time after receipt of order. _____ days ARO

Warranty: Specify Warranty. **Bidder must supply a copy of manufacturer's documentation:**

OPTIONAL EQUIPMENT: Electric Hybrid System

\$ _____

Written: _____ Dollars

Description: _____

RECEIPT OF ADDENDA: the undersigned Firm acknowledges receipt of Addenda to the Solicitation, Specifications, and other Contract Documents.

State number of Addenda received: _____.

It is the responsibility of the Bidder to ensure all Addenda have been received and acknowledged.

NOTES:

DATE _____

- Direct purchases by the City of Grand Junction are tax exempt from Colorado Sales or Use Tax. Tax exempt #98-903544.
- The undersigned certifies that no Federal, State, County or Municipal tax will be added to the above quoted prices.
- Prompt payment discount of _____ percent of the net dollar amount will be offered to the City if the invoice is paid within _____ days after the receipt of the invoice. The Owner reserves the right to consider any such discounts when determining the bid award that are no less than Net 10 days.

- The undersigned certifies and agrees that this bid is submitted in accordance with all applicable Federal, State, County, and City laws.
- Standard Payment terms are N30

(Company Name of Bidder – Typed or Printed)

(Phone Number of Bidder)

(Address of Bidder)

(Authorized Agent or Contact Name – Printed)

(City, State, and Zip Code)

(Authorized Signature)

(E-mail Address of Agent or Sales Contact)