

## **Purchasing Division**

## **ADDENDUM NO. 1**

DATE: February 7, 2025

FROM: City of Grand Junction Purchasing Division

TO: All Offerors

RE: Operations Center Polished Concrete Flooring IFB-5602-25-DD

Offerors responding to the above referenced solicitation are hereby instructed that the requirements have been clarified, modified, superseded, and supplemented as to this date as hereinafter described.

Please make note of the following questions/answers/clarifications:

- 1. Polished Concrete Flooring 333 West Ave Bldg A Photos Click this link for access.
- 2. Click the link for Asbestos Report for 333 West Ave Building A
- 3. Question: Are you looking to have base cover removed and replaced with new cove? Answer: Yes
- **4. Question:** I noticed you have saw cuts and joints in the concrete. These are usually filled with a 1:1 ratio Polyurea material and shaved off after running a joint saw down them to clean them out. This will seal them from allowing dirt to build up in the joint. The material color is usually matched to the color of the floor

**Answer:** Yes, the saw cuts and joints will need to be filled with polyurea.

5. Question: You mention grinding to aggregate. There are 3 classes. I have included a picture for reference. The class that is most popular is Class B which is Fine Aggregate. (Referred to most flooring contractors as Salt and Pepper finish.

**Answer:** The finish the City is going for is a coarse aggregate.

**6. Question:** There are benches in the locker rooms. Are you looking for us to polish around them or will you guys have them removed?

**Answer:** The benches will be removed but the bolts holding down the benches will stay.

- 7. Question: In the bathrooms, will the toilets be removed or would you need us to grind around them?

  Answer: The toilets will be removed.
- **8. Question:** Are you looking to have the edges up to the wall polished as well? This is done with hand grinders.

Answer: No

**9. Question:** When polishing to an 800, it is standard practice to densify the concrete after 200 grit resins. Then apply a 2 coat penetrating sealer after 800 resins are run. Is this what you would like to happen?

**Answer:** This process will be included in the bid form as an add alternate and must be provided with your bid. (See attached)

The original solicitation for the project noted above is amended as noted. All other conditions of the subject remain the same.

Respectfully,

Saley Sanie bo

Dolly Daniels, Senior Buyer

City of Grand Junction, Colorado

## 3. Contractor's Bid Form

Bid Date:			
Project: IFB-5602-25-DD "Operation	ons Center Polished Concrete	Flooring"	
Bidding Company:			
Name of Authorized Agent:			
Email			
Telephone	Address		
City	State	Zip	_
The undersigned Bidder, in complia Contract Conditions, Statement of W and conditions affecting the propose Work for the Project in accordance v prices are to cover all expenses in Contractor's Bid Form is a part.	ork, Specifications, and any and d Work, hereby proposes to ful with Contract Documents, within	d all Addenda thereto, having inv rnish all labor, materials and sup n the time set forth and at the pri	estigated the location of pplies, and to perform all ces stated below. These
The undersigned Contractor does it connection to any person(s) providing and conditions of the Instructions to examined by the undersigned.	g an offer for the same Work, an	nd that it is made in pursuance of	, and subject to, all terms
The Contractor also agrees that if av date of Notification of Award. Submit be prepared to complete the project	ttal of this offer will be taken by		
The Owner reserves the right to mak technicalities and to reject any or all calendar days after closing time. Sul period.	offers. It is further agreed that	this offer may not be withdrawn	for a period of sixty (60)
Prices in the bid proposal have not k	nowingly been disclosed with a	nother provider and will not be p	rior to award.
<ul> <li>Prices in this bid proposal have be purpose of restricting competition.</li> <li>No attempt has been made nor of restricting competition.</li> <li>The individual signing this bid proposally responsible for the offer with operating purchases by the City of 03544. The undersigned certifies that city of Grand Junction payment</li> <li>Prompt payment discount of</li></ul>	will be to induce any other personoposal certifies it is a legal ager regard to supporting documenta Grand Junction are tax exemp at no Federal, State, County or Naterms shall be Net 30 days.  percent of the net dollar of the invoice. The Owner reservences	on or Contractor to submit a bid of the Bidder, authorized to repation and prices provided. It from Colorado Sales or Use Touricipal tax will be added to the	proposal for the purpose present the Bidder and is ax. Tax exempt No. 98-e above quoted prices.
RECEIPT OF ADDENDA: the under and other Contract Documents. State number of Addenda received:		es receipt of Addenda to the Sc	olicitation, Specifications
It is the responsibility of the Bidder to	o ensure all Addenda have beer	n received and acknowledged.	
By signing below, the Undersigned a	agree to comply with all terms ar	nd conditions contained herein.	
Company:			
Authorized Signature:			
Title:			

Name & address of Sub-Contractor	Description of Work to be performed	% of <u>Contract</u>

The undersigned Bidder proposes to subcontract the following portion of Work:

The undersigned Bidder acknowledges the right of the City to reject any and all Bids submitted and to waive informalities and irregularities therein in the City's sole discretion.

By submission of the Bid, each Bidder certifies, and in the case of a joint Bid each party thereto certifies as to its own organization, that this Bid has been arrived at independently, without collusion, consultation, communication, or agreement as to any matter relating to this Bid with any other Bidder or with any competitor.

## PRICE BID SCHEDULE ADDENDUM NO 1 Operations Center Polished Concrete Flooring IFB-5602-25-DD

Description	Lump Sum
Provide all labor, equipment, and materials for the Operations Center Polished Concrete Flooring.as described in Section 3.4	\$

Total Lump Sum Amount Written:	
Dollars	
Bid Add Alternate: Densify the concrete after 200 grit resins. Then apply a 2 coat penetrating sealer after 800 resins an.	are
Bid Alternate Pricing \$	
By signing below, the Undersigned agree to comply with all terms and conditions contained herein.	
Company:	
Authorized Signature:	
Fitle:	
Nata.	