


LINCOLN PARK STADIUM IMPROVEMENTS

LOCKER BUILDING RENOVATION & ADDITION



100% CONSTRUCTION DOCUMENTS



NOVEMBER 7, 2011

SINK COMBS DETHLEFS
A Professional Corporation for Architecture

PROJECT 91153.0001 SUPPLIES FIELDWORK/PROJECT DOWNLOAD.dwg, 11/2/2011 10:36:35 AM, DWG To PDF.pc3

1. FIELD VERIFY DEMOLITION CONDITIONS AT PRE-DEMOLITION MEETING TO BE SCHEDULED WITH PROJECT TEAM PRIOR TO COMMENCEMENT OF WORK.
2. OWNER HAS FIRST RIGHT OF SALVAGE FOR ALL DEMOLISHED PLUMBING/ELECTRICAL FIXTURES, HARDWARE, EQUIPMENT, ETC.
3. COORDINATE REMOVAL OF GAS, ELECTRICAL, TELE/DATA AND CABLE.
4. REMOVE EXISTING EXTERIOR LIGHT FIXTURES FROM AREAS IMPACTED BY NEW ADDITION ON SOUTH AND WEST WALLS.
5. COORDINATE ALL DEMOLITION OF ALL, SITE WORK AND M.E.P. ITEMS. IF A DISCREPANCY IS FOUND NOTIFY THE DESIGN TEAM IMMEDIATELY.

1. REMOVE EXISTING EXTERIOR CONCRETE RAMP, LANDING, STAIR, WALLS & SCREEN WALL.
2. REMOVE PORTION OF EXISTING MASONRY WALL, CUT IN NEW LINE/TOE TO SUPPORT MASONRY ABOVE, CUTTING IN NEW LINE/TOE.
3. REMOVE EXISTING DOOR. FRAME TO REMAIN. BOND TO FRAME TO CONCRETE. HIDE LOCATIONS. REPAIR FRAME.
4. REMOVE EXISTING RUBBER FLOORING, GRIND ALL MASTIC AND ADHESIVES OFF AT TOILET AND TREATMENT ROOMS. REMOVE EXISTING FLOORING. NEW FLOORING TO BE INSTALLED WITH MATERIAL IN ROOM FINISH SPECIFICATIONS.
5. REMOVE EXISTING METAL LOCKERS ABOVE CONCRETE BENCH. BENCH TO REMAIN.
6. REMOVE EXISTING CURB BASE & CONCRETE CAP TO THE FLOORING LINE.
7. REMOVE EXISTING GAS METER. REFER TO MECHANICAL FOR ACTION.
8. REMOVE EXISTING CARPET.
9. ABANDON EXISTING FLOOR DRAINS IN MAIN LOCKER ROOMS. PROVIDE CLEANOUT COVER TO CAP EACH LOCATION.
10. EXISTING LOCKERS / TOILET PARTITIONS TO REMAIN.



GENERAL FLOOR PLAN NOTES:



- 1. RE: SHEET A8.00 FOR WALL TYPES.
- 2. RE: FLOOR FINISHES. SEE SCHEDULE FOR ALL FINISHES. IF ANY DISCREPANCY OCCURS VERIFY WITH ARCHITECT
- 3. RE: FLOOR STUDY AND CODE PLANS FOR FIRE RATINGS
- 4. ALL CHANGES IN FLOOR MATERIAL OCCUR FROM THE CENTER LINE OF THE DOOR OR THE CLOSED POSITION UNLESS INDICATED OTHERWISE
- 5. ALL DIMENSIONS ARE TO CENTER LINE OF COLUMBIA FACE OF CMU AND EDGE OF METAL STUD TWO GYP. BD. AT INTERIOR WALLS. DIMENSIONS AT EXTERIOR METAL STUD WALLS ARE TO INSIDE EDGE OF SHEATHING.
- 6. SLOPE ALL WET AREA FLOORS TO DRAINS TO BE INDICATED FOR NOTES AND DIMENSIONS FOR RESTROOMS AND TOILETS. REFER TO PLUMBING DRAWINGS FOR ALL FLOOR LOCATIONS.
- 7. CONTRACTOR TO REVIEW ALL SLOPES AND ADVISE IF CURRENT CONFIGURATION NEEDS TO BE CHANGED
- 8. IMPACT RESISTANT GYP. BD. IS TO BE USED IN ALL HALLWAYS AND HIGH TRAFFIC AREAS.

[illegible]

SCD Project No.: 1033.1

Drawn By:
Checked By:

A2.10



MATCH WALL TYPE M-1 ON SUSPENDED METAL
CEILING.

GENERAL ELEVATION NOTES:

1. REFER TO CIVIL DRAWINGS FOR GRADING ELEVATIONS.
2. REFER TO STRUCTURAL FOR ALL STRUCTURAL STEEL ELEVATIONS.
3. REFER TO PLANS FOR PARTITION TYPES.
4. REFER TO A5.80 FOR ALL FRAME TYPES.
5. REFER TO A5.80 FOR ALL GLAZING ELEVATIONS AND SIZES.
6. CONTRACTOR TO VERIFY LOCATION OF ALL INTERFERED GLASS/PERFECTLY APPLICABLE CODES AND NOTES ON A5.80.
7. REFER TO ROOM FINISH SCHEDULE FOR ALL INTERIOR FLOORING & WALL MATERIALS.
8. DIMENSIONS AT EXTERIOR METAL STUD WALLS ARE TO FACE OF EXTERIOR SHEATHING.

A3.10