



Purchasing Division

ADDENDUM NO. 1

DATE: March 2, 2026
FROM: City of Grand Junction Purchasing Division
TO: All Offerors
RE: Electric Scissor Lift RFQ-5867-26-KN

Offerors responding to the above referenced solicitation are hereby instructed that the requirements have been clarified, modified, superseded and supplemented as to this date as hereinafter described.

Please make note of the following clarifications:

1. Section 3.2. Specifications shall be modified as follows:
3.2. Specifications: The electric-powered scissor lift should be designed for indoor/outdoor elevated maintenance and construction applications.

The lift needs to be **brand name or approved equal to JLG Model ES2632**. Firms shall email material specification sheets and other pertinent information before the inquiry deadline to become an approved equivalent.

3.2.1. Performance Requirements:

- Elevated platform height
 - Indoor: **25 ft 5 in. (7.8 m)**
 - Outdoor: **21 ft (6.4 m)**
- Platforms Capacity
 - Rated platform capacity: **Indoor 507 lb / Outdoor 275 lb (230 / 125 kg)**
 - Capacity on platform extension: **265 lb (120 kg)**
- Lift/Lower Time
 - Lift time (no load): **33 seconds**
 - Lower time (no load): **36 seconds**
 - Lift time (rated load): **39 seconds**
 - Lower time (rated load): **29 seconds**
- Maximum Drive Height: **Drivable at full height**
- Machine Weight
 - Approximate operating weight: **4,400 lb (1,996 kg)**
- Ground Bearing Pressure: **107 psi (7.5 kg/cm²)**

- Drive Speed
 - Elevated: **0.5 mph (0.8 km/h)**
 - Lowered: **2.75 mph (4.43 km/h)**
- Gradeability: **25%**
- Turning Radius
 - Inside: **Zero**
 - Outside: **88.2 in. (2.24 m)**

3.2.2. **Dimensions:** (All dimensions approximate)

- Platform Height – Lowered: **43.6 in (1.1 m)**
- Platform Railing Height: **44.6 in (1.13 m)**
- Overall Height – Rails Raised: **88.2 in (2.2 m)**
- Overall Height – Rails Lowered: **70.3 in (1.8 m)**
- Platform Size: **25.4 in. x 84 in. (0.7 m x 2.1 m)**
- Platform Extension: **34 in (86.5 cm)**
- Overall Width: **32 in (81 cm)**
- Overall Length: **94.3 in (2.4 m)**
- Wheelbase: **74 in (1.9 m)**
- Ground Clearance: **3.9 in (9.8 cm)**

3.2.3. **Power and Drive System:**

- **Batteries:** Four (4) 6V, 220 amp-hour batteries
- **Charger:** 27 Amp multi-function universal charger
- **Drive:** 24V AC electric drive
- **Hydraulic System**
 - Reservoir capacity: **3.2 gal (12 L)**
 - Fixed displacement gear pump

3.2.4. **Tires and Brakes:**

- **Tires:** 16 x 5 in non-marking solid tires
- **Brakes:** Multi-disc friction braking system

3.2.5. **Standard Features:** Unit shall include, at minimum, the following factory standard features.

- 27 Amp multi-function universal charger

- AC receptacle in platform
- Active pothole protection system
- All motion alarm
- Analyzer port for diagnostics
- Battery condition indicator
- CAN-enabled charger
- ClearSky Smart Fleet™ hardware (CS550)
- Diamond tread steel deck
- Dynamic braking
- Electric drive
- Foot-actuated deck extension
- Fork lift pockets
- Greaseless kingpin joints
- Horn
- Hourmeter
- Lanyard attach points
- LED motion/amber beacon (CS550)
- Lifting and tie down points
- Load sensing system
- Lubrication-free scissor arm bushings
- Manual descent cable
- Movable, removable platform control
- Nickel plated pins
- Proportional controls
- Removable ladder
- Scissor maintenance prop
- Self-closing gate
- Steel swing-out doors
- Tilt alarm and light
- USB charger and phone holder
- Variable tilt visual zone indicator

3.2.6. Compliance: Machine must meet or exceed OSHA regulations, ANSI A92, and CSA CAN/CSA-B354.2-01.

2. **Q:** Is this for a brand new scissor lift?

A: Yes, we are wanting a new lift.

3. **Q:** If this is for a brand new scissor lift, JLG no longer produces the 2630ES. The current production model would be ES2632.

A: Please reference the change in specifications above.

4. **Approved Alternates List:**

- Genie GS-2632
- Skyjack SJ-3226E
- Snorkel Lift S3226E
- Ballymore DMSL-26

The original solicitation for the project noted above is amended as noted.

All other conditions of subject remain the same.

Respectfully,

A handwritten signature in black ink that reads "K Nelson". The letter "K" is large and stylized, with a long vertical stroke. The word "Nelson" is written in a cursive, flowing script.

Kassy Nelson, Buyer
City of Grand Junction, Colorado