

10:00 A.M.

COLORADO DEPARTMENT OF HEALTH

4210 EAST 11TH AVENUE • DENVER, COLORADO 80220 • PHONE 388-6111 Anthony Robbins, M.D., M.P.A. Executive Director

WATER QUALITY CONTROL COMMISSION

REGULAR MEETING

Tuesday, February 7, 1978, Room 150, Colorado Department of Health Bldg., 4210 E. 11th Avenue, Denver, Colorado, 9:30 A.M.

AGENDA

9:30 A.M. I. Approval of Agenda

9:40 A.M. II. Approval of Minutes

1V.

9:50 A.M. III. Executive Committee Minutes

Site Approvals

#2603 - Sanford Homes, Inc., Homestead West Filing #1
#2604 - American Investments, Inc., Tollgate Village #7 (sout
#2605 - American Investments, Inc., Tollgate Village #7 (nort
#2606 through 2616 - City of Aurora
#2617 - Town of Yuma
#2618 - Town of Yuma - Yuma Industrial Park
#2619 - City of Greeley
#2620 - Beeler & Clausen
#2621 - Stanley J. Beeler
#2623 - Colorado City Water & San. District
#2623 - Colorado City Water & San. District
#2623 - Colorado City Water & Sanitation District
#2625 - Avondale Water & Sanitation District
#2627 - City of Colorado Springs - R.D. Nixon Power Plant
#2628 - Horizons West Development Corp., Rainbow Roller Rink
#2630 - Gary C. Rinderle, High View Subdivision
#2631 - Rio Blanco Oil Shale Co.
#2632 - Empire Energy Corporation
#2633 - Spruce Knoll Subdivision
#2636 - Larry Heckel, Lehala Estates
#2637 - Milt Alsum - North Woods Park Subdivision
#2638 - City of Pueblo - Himes Avenue Area

(

Site Approvals (continued) #2639 - City of Pueblo - Maryland Avenue Area #2640 - AMAX, Inc., Mt. Emmons Project #2641 - The Way International #2642 - Bernard Bardy - Bernie's Trailer Park #2643 - Dave James, James Ranch, Inc. #2644 - Bayfield Sanitation District #2645 - City of Rocky Ford #2646 - ColoWyo Coal Company #2647 - Upper Thompson San. District #2470 - City of Grand Junction and Mesa County ۷. Site Approval Appeals VI. Plans and Specifications Review (#2318)

- 1. Presbyterian Mountain Center
- Town of Empire (#2584) 2. 3. Morrison Sanitation District (2583)
- Arkansas Valley Homes, Inc., Midland Meadows Filing #1(26 4.
- Colorado City Water & Sanitation District (#2623) 5.
- City of Pueblo (#2626, 2638, 2639) 6.
- Mobile City Mobile Home Park (2437) 7.
- Hudson Sanitation District (2439) 8.
- Town of Yuma (#2532) 9.
- Glacier View Meadows Development (#2352) 10.
- City of Loveland (#2440) 11.
- City of Colorado Springs (#2627) 12.
- Spruce Knoll Subdivision (#2633) 13.
- Empire Energy Corporation (#2632) 14.
- City of Greeley (#2619) 15.
- Country View Care Center (#2580) 16.
- So. Fort Collins San. Dist. (#2582) 17.
- Riverbend Subdivision (#1807) 18.
- 19. Rifle Village South Metropolitan District
- VII. Grant Reports

a. EPA Status and Requests

1	. Canon City Metro (Eastern Fremont
2	. City of Grand Junction
3	. City of Greeley
4	. City of Pueblo
5	5. City of Loveland
b. State Status and Requests	
	. Lightner Creek San. Dist.
3	Hudson Sanitation District

- Hudson Sanitation District
 - 3. Rifle Village South Metro Dist.
 - Commitments
- 1. Town of La Jara 5%2. Calman San. Dist90%4. Town of Empire 90%5. Morrison San. District
- #13540 (continued)

Water Quality Control Commission Agenda - February 7, 1978 Page 3

.

	11:30	A.M.	VIII.	Report from State Auditor on Rifle Village South Metro District - (30 minutes)
	12:00	Noon	mathered ix.	Lunch - Jerry Raisch - P.L. 92-500
	12:30	Ρ.Μ.	(15min) X.	EPA Grant Review Procedures - Harvey Hormberg
	1:00	P.M.	Cnot done (x1.	Enforcement Actions
			X11.	Gary Broetzman - DRCOG - (15 minutes)
	1:15	P.M.	XIII.	Public Notice Requirements for Site Applications (30 m
	1:45	P.M.	∕; xıv.	Denver Metro Report on Nitrites in So. Platte (15 min)
	2:00	P.M.	1 xv.	Salinity Report on Colorado River (60 minutes) (Jehn Kays, Larry Morrill, Earl Hess)
	3:00	P.M.	XVI.	Salinity Control Regulations for Colorado River (30 mi
	3:30	Ρ.Μ.	XVII.	Permit Regulations (60 minutes)
-	4:30	P.M.	XVIII.	Procedural Regulations (30 minutes)
	5:00	Ρ.Μ.	XIX.	Dinner Recess
	7:30	P.M.	XX.	Site Application Regulations (60 minutes)
	8:30	P.M.	XXI.	Change of Commission Meeting Date (15 minutes)
	8:45	P.M.	XXII.	Technical Secretary Items (Design guidelines) hearing notices to be mailed as usual; additional staff; rule- making procedures; Fort Collins suit; effluent limi- tations to irrigation ditches; flexi-time for Technical Secretary)

COMMITTEE MEETINGS

February 24, 1978 - Executive Committee Meeting - Room 250 - Colorado Dept of Health Building; 4210 E. 11th Avenue, 9:30 A.M.

Colorado River Flow = 1977 5.3-5.4 million Acre Lut Sittle lower Than 1934