



Mesa County  
Health  
Department

515 Patterson Road  
P.O. Box 20,000-5033  
Grand Junction, Colorado  
81502-5033

Administration  
(303) 244-1743

Environmental Health  
(303) 244-1750

Nursing  
(303) 244-1759

Animal Control Center  
362 28 Road  
P.O. Box 20,000-5002  
Grand Junction, Colorado  
81502-5002

(303) 244-1892

"WELLNESS IN A SAFE ENVIRONMENT"

September 16, 1987

TO: Greg Trainor  
Bennett Boeschstein  
Martha Teas  
Mark Eckert  
Andy Anderson  
Stan Schweissing  
Bob Carman

FROM: Don Whetstone

Enclosed for your information you will find a study of the individual sewage disposal systems located in the Preliminary Banner report on sewer line extensions. During our recent meeting I was requested to perform the study which would give us accurate information on individual sewage disposal systems in these areas. The results are self-explanatory, although I find the most interesting percentage is found in Column 5. The average failure rate of all the designated areas amounted to 48%.

The average lot size is .54 acres. This is the minimum lot size required for an individual sewage disposal system. The size is adequate, providing that there are no adverse soil conditions and the home owner does not add out buildings, swimming pool, etc. onto his lot.

If you have any questions pertaining to this study, please contact me at 244-1752.

DW:tlm

cc: Dr. Kenneth Lampert  
Dr. George Cianko