



**Purchase Order
No. 2016-00000403**

DATE 05/16/2016

Ph. (970) 244-1533

Fax (970) 256-4022

Ship To
City of Grand Junction
333 West Ave
Building C
GRAND JUNCTION, CO 81501

Bill To
City of Grand Junction
333 West Ave
Building C
GRAND JUNCTION, CO 81501

Vendor
VENDOR NO. 2318
Johnson Auto Plaza, Inc.
12410 E 136th Ave
Brighton, CO 80601
Phone: (800) 880-1940 Fax: (720) 685-1032

PAGE 1 of 1
SHIP VIA Vendor Delivery
DELIVER BY
FREIGHT TERMS FOB Destination
Buyer Name: Nicholas C. Jones
Buyer Email: nickj@gjcity.org

Reference Contract Documents for IFB-4226-16-NJ

QUANTITY	UNIT	DESCRIPTION	UNIT COST	TOTAL COST
1.0000	Each	VEHICLES/EQUIPMENT - 2016 Chevrolet 3500Double Cab 4x2 with Utility Body	37,217.2600	\$37,217.26
PURCHASE ORDER TOTAL				\$37,217.26

Special Instructions: PURCHASE ORDER No. MUST APPEAR ON ALL INVOICES, SHIPPERS, PACKAGES, CORRESPONDENCE
Tax Exempt No. 98-03544

Requestor: Tim Barker. Invoice to be processed by Fleet Maintenance. Contract comprises of this Purchase Order, PO terms and conditions, the solicitation documents, and the vendors response to the solicitation.

By: Nicholas C Jones



Invitation for Bids
IFB-4226-16-NJ

**One Ton Pickup with
Utility Body**

RESPONSES DUE:
May 3, 2016 Prior to 10:00 AM MDT

Accepting Electronic Responses Only
**Responses Only Submitted Through the Rocky Mountain E-
Purchasing System**

www.rockymountainbidsystem.com

**(Purchasing Representative does not have access or control of the vendor side of RMEPS.
If website or other problems arise during response submission, vendor MUST contact
RMEPS to resolve issue prior to the response deadline. 800-835-4603).**

PURCHASING REPRESENTATIVE:

Nicholas C Jones, Buyer
Phone (970)244-1533
Nickj@gjcity.org

This document has been developed specifically to solicit competitive responses for this solicitation, and may not be the same as previous City of Grand Junction/Mesa County solicitations. All vendors are urged to thoroughly review this solicitation prior to responding. Submittal by **FAX, EMAIL OR HARD COPY IS NOT ACCEPTABLE** for this solicitation.

Table of Contents

Section I.	INTRODUCTION
Section II.	INSTRUCTION TO BIDDERS
Section III.	GENERAL TERMS AND CONDITIONS
Section IV.	SPECIFICATION/COMPLIANCE FORM
Section V.	BID FORM

SECTION I. INTRODUCTION

A. Purpose: The Owner is interested in purchasing **One (1), New, Current Model Year, Extended Cab, One-Ton, dual rear wheel, 2x4 Pickup with Utility Body**. In comparing responses, consideration will not be confined to price only. The successful vendor will be one whose product is judged to best serve the interests of the Owner.

B. The Owner: The Owner is the City of Grand Junction, Colorado and is referred to throughout this Solicitation. The term Owner means the Owner or his authorized representative.

C. Timeline:

- Invitation for Bids Available April 13, 2016
- Last Day for Questions, prior to 12:00 PM MDT April 28, 2016
- Addenda Issued (If required) by: April 29, 2016
- Responses Due prior to 10:00 AM MDT May 3, 2016

SECTION II. INSTRUCTIONS TO BIDDER

A. Equipment Details and Literature Required: *Each bid shall be submitted in electronic format only, and only through the Rocky Mountain E-Purchasing website (www.rockymountainbidsystem.com). This site offers both "free" and "paying" registration options that allow for full access of the Owner's documents and for electronic submission of proposals. (Note: "free" registration may take up to 24 hours to process. Please Plan accordingly.)* Please view our "Electronic Vendor Registration Guide" at <http://www.gjcity.org/BidOpenings.aspx> for details. (Purchasing Representative does not have access or control of the vendor side of RMEPS. If website or other problems arise during response submission, vendor **MUST** contact RMEPS to resolve issue prior to the response deadline. **800-835-4603**). All bids must be accompanied by specification sheets and/or descriptive brochures showing the detailed specifications of the equipment you propose to furnish for the bid price. All equipment will be furnished with all standard equipment as described by the literature presented with the bid proposal. References to items shown on the literature, which the bidder does not intend to supply, must be so noted in writing as an amendment to the literature. It is the bidder's responsibility to provide specific equipment details to permit proper evaluation of the bid; failure to do so may result in disqualification of the bid.

The body, finish, fittings and all components shall be the latest and most current model, and shall not have been used as a demonstrator or any other service, and shall be factory standard in all respects not in conflict with the attached Owner bid specifications. If the Owner is interested in a demonstrator, such information will be supplied in the bid specifications.

The design of the vehicle/equipment must be such that it does not hamper or restrict subsequent installation and use of emergency equipment, such as emergency lights and backup alarms.

When specifications for particular items are not defined, manufacturer's standards are satisfactory, provided the item is required for the proper performance of the equipment.

B. Emissions Standards: As applicable by law: Vehicles/Equipment must be supplied with manufacturer's standard equipment and all devices necessary to be in compliance with the most current State of Colorado code, and the Federal Motor Vehicle Safety Standards. Vehicle must comply with all Federal and Colorado motor vehicle pollution control requirements and be capable of passing State emissions tests. Delivery must include any EPA documentation. Vehicles and/or Equipment not meeting the aforementioned standards will not be accepted.

C. **Error and Omissions:** If the bidder discovers any errors, omissions, lack of clarity or desires further information about the specifications, the Purchasing Representative should be contacted immediately.

D. **Guarantee:** All equipment, units and components shall be guaranteed in accordance with the following clauses:

a. Guarantee that the equipment offered is free from defects in design and construction and that it will give continuous and efficient service under normal conditions for the duration of the warranty period.

b. Guarantee that the equipment or vehicle is the manufacturer's standard design in construction and that no changes or substitutes have been made, unless otherwise stated.

E. **Warranty:** All equipment bids must include the manufacturer's standard warranty, and this information shall be provided with the bid. Additional or extended warranties may be requested; if so, specific warranty information must be provided with the bid. The warranty period shall commence after the equipment/vehicle is received and accepted by the Owner, unless special provisions are made with the successful provider.

F. **Operating/Maintenance Instruction:** Where specifically requested in the specifications, the bidder/supplier will instruct a given number of Owner employees in the operation and maintenance of equipment. The instructions shall be of the scope and length to orient personnel in: operating techniques, safety precautions, frequent inspection and servicing requirements, mechanical adjustments and repairs unique to the equipment or vehicle. Instructions will be required at the Owner site specified and provided on a schedule arranged after delivery of the equipment. If available, manufacturer shall provide an operational safety video for specialty equipment (chippers, stump cutters, leaf machines, etc.) Instruction schedules will be agreed to prior to invoice payment.

G. **Delivery Date:** All bids must be submitted with a delivery date.

H. **Pre-delivery:** Prior to delivery, new equipment/vehicle must be completely serviced in accordance with standard new vehicle "Make Ready" and to the manufacturer's specifications.

I. **Delivery:** All costs for delivery of the new unit will be assumed by the Bidder and included in the net price. Unless stated elsewhere in this bid document, all deliveries will be made to the City of Grand Junction, Fleet Services, 333 West Avenue, Building C, Grand Junction, CO 81501.

J. **Prices:** Prices quoted shall exclude Federal Excise and State taxes. Prices quoted shall be F.O.B. City of Grand Junction, CO 81501.

K. **Final Payment:** Final payment for equipment and vehicles delivered under these specifications will not be made until all terms and conditions have been satisfied.

L. **Bid Evaluation Criteria:** The evaluation of this bid will be based on, but not limited to, the following: Compliance with specifications; proven performance; ease of operation, life-cycle cost, net cost, supplier performance history; delivery time; compatibility with existing equipment, parts or supplies; service/parts availability; and, advantageous superior design features.

M. **Repair and Parts Manuals:** An *Operator's and Service manual* will be supplied with each new unit, except when units are duplicate orders and then only one of each is required. Manuals must be received prior to payment. Whenever available, the Owner prefers the manual in a CD format.

N. **Additional Information:** For information concerning the bid process, please contact the Purchasing Department at (970) 244-1533 or check the City of Grand Junction web page at www.gjcity.org. Copies of this bid document can be obtained online electronically on Bidnet at www.rockymountainbidsystem.com, from the Purchasing Division, 250 North 5th Street, Grand Junction, CO 81501, 970-244-1533, or on the City of Grand Junction website, www.gjcity.org, click on “Bids”.

O. **Manufacturer’s Statement of Origin:** The new Unit shall be delivered with the Manufacturer’s Statement of Origin (MSO). Failure to provide MSO shall be grounds to refuse to accept vehicle.

P. **Title:** The awarded supplier shall provide Title work for the new vehicle within 10 days after the receipt of payment from the Owner.

For City Purchases, mail or deliver the Title to: Fleet Services, 333 West Avenue, Building C, Grand Junction, CO 81501. If a problem arises in obtaining the Title within the 10 day window contact Tim Barker in Fleet Services at (970)-244-1532, or via E-mail timba@gjcity.org. Name on title shall read “City of Grand Jctn”.

For County Purchases, mail or deliver the Title to: Fleet Management, 1000 South 9th, Grand Junction, CO 81501. If a problem arises in obtaining the Title within the 10 day window contact Scott Forsgren in Fleet Management at (970)-244-1820 or via E-mail scott.forsgren@mesacounty.us.

SECTION III. GENERAL TERMS AND CONDITIONS

A. **Submission of Bids:** *Each bid shall be submitted in electronic format only, and only through the Rocky Mountain E-Purchasing website (www.rockymountainbidsystem.com). This site offers both “free” and “paying” registration options that allow for full access of the Owner’s documents and for electronic submission of proposals. (Note: “free” registration may take up to 24 hours to process. Please Plan accordingly.)* Please view our “Electronic Vendor Registration Guide” at <http://www.gjcity.org/BidOpenings.aspx> for details. (Purchasing Representative does not have access or control of the vendor side of RMEPS. If website or other problems arise during response submission, vendor **MUST** contact RMEPS to resolve issue prior to the response deadline. 800-835-4603).

No bids will be considered in which the specifications, provisions or conditions of the price proposal have been modified. Bids shall be received and acknowledged only so as to avoid disclosure of process. However, all bids shall be open for public inspection after the contract is awarded. Trade secrets and confidential information contained in the bid so identified by Bidder as such will be treated as confidential by the Owner to the extent allowable in the Open Records Act.

B. **Assignment/Contract not used as Collateral:** Neither party shall assign or otherwise transfer any of the rights or delegate any of the duties set forth in this contract without prior written consent of the other party. The bidder shall not use this contract, or any portion thereof, for collateral for any financial obligation.

C. **Audits/Access to Records:** The Owner and any of its representatives shall have access to any books, documents, papers and records of the bidder which are pertinent to this solicitation and prospective contract.

D. **Availability of Funds:** Any Owner Contract resulting from a submission of a bid shall be deemed executor only to the extent of appropriations available to each Owner Department for purchases of such articles and services. The Owner’s extended obligation on those contracts, which envision extended

funding through successive fiscal periods shall be contingent upon actual appropriations for the following fiscal year.

E. Award and Purchase: The Owner reserves the right to reject any or all bids, to waive any informalities or technical defects in bids, and unless otherwise specified by the Owner or by the bidder, to accept any items or group of items in the bid, as may be in the best interest of the Owner. No verbal explanations, clarifications, additions or instructions will be binding to either the Owner or the bidders, except those confirmed in writing.

A signed purchase order/contract furnished to the successful bidder results in a binding contract without further action by either party.

F. Questions: Any questions concerning this project shall be directed to: Nicholas C Jones at the City of Grand Junction, 250 North 5th Street, Grand Junction, Colorado 81501, (970)-244-1533, E-mail Nickj@gicity.org, between the hours of 8:00 a.m. and 4:00 p.m., Monday through Friday, excluding Holidays. ALL QUESTIONS MUST BE SUBMITTED IN WRITING.

G. Legal Compliance: The bidder shall keep informed of all Federal, State and local laws; ordinances, regulations and all orders and decrees of bodies or tribunals having any jurisdiction or authority which may affect those engaged or employed on the work or affect the conduct of the work. The bidder shall observe and comply with all such laws, ordinances, regulations, orders and decrees. The bidder shall protect and indemnify the Owner and its representatives against any claim or liability arising from or based on the violation of any such law, ordinance, regulation, order or decree whether by the supplier, subcontractor, supplier or the supplier's employees or any others engaged by the supplier. The laws of the State of Colorado will govern as to the interpretation, validity and effect for any contract that is entered into as a result of this solicitation. Venue for any lawsuit will be in Mesa County, Colorado.

H. Force Majeure: Neither party shall be liable for failure to perform under this contract if such failure to perform arises out of causes beyond the control and without the fault or negligence of the non-performing party. Such causes may include, but are not limited to, acts of God or the public enemy, fires, floods, epidemics, quarantine restrictions, freight embargoes and unusually severe weather. This provision shall become effective only if the party failing to perform immediately notifies the other party of the extent and nature of the problem, limits delay in performance to that required by the event, and takes all reasonable steps to minimize delays. The provision shall not be effective unless the failure to perform is beyond the control and without the fault or negligence of the non-performing party.

I. Indemnification: The bidder shall release, indemnify and hold harmless the Owner, their officers, agents, employees, successors and assignees from any cause of action, or claims or demands arising out of the Bidder's performance under this contract.

J. Gratuities: The bidder certifies and agrees that no gratuities, kickbacks or contingency fees were paid in connection with this contract, nor were any fees, commissions, gifts or other considerations made contingent upon the award of this contract. If the bidder breaches or violates this warranty, the Owner may, at its discretion, terminate this contract without liability to the Owner.

K. Material Availability: Bidders must accept responsibility for verification of material availability, production schedules and other pertinent data prior to submission of bid and delivery time. It is the responsibility of the bidder to notify the Owner immediately if materials specified are discontinued, replaced or not available for an extended period of time.

L. OSHA Standards: All bidders agree and warrant that services performed in response to this invitation shall conform to the standards declared by the U.S. Department of Labor under the OCCUPATIONAL

Safety and Health Act of 1970 (OSHA). In the event the services do not conform to OSHA Standards, the Owner may require the services to be redone at no additional expense to the Owner.

M. Non-collusion: Neither the said Bidder nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, has in any way colluded, conspired, connived or agreed, directly or indirectly with any other bidder, firm or person to submit a collusive or sham bid in connection with the contract for which the attached bid has been submitted or to refrain from bidding in connection with such contract, or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other bidder, firm or person or fix the price or prices in the attached bid or of any other bidder, or to fix any overhead, profit or cost element of the bid price or the bid price of any other bidder, or to secure through any collusion, conspiracy, connivance or unlawful agreement and advantage against the Owner, or any person interested in the proposed contract.

The price or prices quoted in this bid are fair and proper and are not tainted by a collusion, conspiracy, connivance, or unlawful agreement on the part of the bidder or any of its agents, representatives, owners, employees, or parties in interest.

N. Public Disclosure Record: If the bidder has knowledge of their employee(s) or sub-contractors having an immediate family relationship with a Owner employee or elected official, the bidder must provide the Purchasing Representative with the name(s) of these individuals. These individuals are required to file an acceptable "Public Disclosure Record", a statement of financial interest, before conducting business with the Owner.

O. Preparation of Bids: Bidders are expected to examine any drawings, specifications, schedules and instructions included in the bid package. Failure to do so will be at the bidder's risk.

In case of error in the extension of prices in the bid proposal, the unit price will govern. Unit price shown must be net.

P. Tax Exemption: Direct purchases of materials by the Owner are exempt from Colorado State sales or use tax. The bidder certifies that no Federal, State, County or Municipal tax will be added to the price shown on the Proposal Price sheet. An Owner Tax Exemption Certificate will be supplied to the successful bidder upon request.

Q. Bids Binding – 60 Days: Unless otherwise specified all formal bids submitted shall be binding for sixty calendar days following the bid opening date unless bidders, at the request of the Owner, agree to an extension.

R. Multiple Bids: Bidders must determine for themselves which product to offer. If said bidder chooses to submit more than one bid, THE ALTERNATE BID must be clearly marked "**Alternate Bid.**" The Owner reserves the right to make award in the best interest of the Owner.

S. Brand Names or Equal: Whenever in this bid invitation any particular materials, process, mechanism, and/or equipment are indicated, described or specified by patent, proprietary, or brand name, or by name of manufacturer, such wording will be deemed to be used for the purpose of facilitating minimum acceptable requirements and will be deemed to be followed by the words, "or equal." At the Owner's discretion, after the bid opening proof satisfactory must be provided by Bidder to show that the alternative product/equipment/vehicle is in fact, equal to specification requirements.

The Owner reserves the right to determine products of equal value. Suppliers will not be allowed to make unauthorized substitutions after award is made.

T. Termination of Contract: If at any time during the performance of the contract awarded as a result of this bid, in the opinion of the Owner, the work is not progressing satisfactorily or within the terms of this contract, then at the discretion of the Owner and after written notice to the supplier, the Owner may terminate the contract or any part of it.

U. Modification or Withdrawal of Bids: A bid that is in the possession of the Purchasing Division may be altered by facsimile, telegram or letter bearing the signature of name of the legal agent for the bidder, provided it is received prior to the time and date of the opening. Alterations should not reveal the price but should indicate the addition, subtraction or other changes in the bid. A bid that is in the possession of the Purchasing Manager may be withdrawn by the bidder up to the time of the bid opening. Bids may not be withdrawn after the bid opening. Failure of the successful bidder to furnish the service awarded from this bid may eliminate the bidder from the active bidder's list.

V. Addenda and Interpretations: If it becomes necessary to revise any part of an Owner bid, a written addendum shall be posted to the [Rocky Mountain E-Purchasing website](#). The bidder shall be responsible for obtaining all solicitation documents. The Owner is not bound by any oral representations, clarifications, or changes made in the written specifications by Owner employees, unless such clarification or change is provided in written addendum from the Owner. Receipt of addenda shall be acknowledged by initialing the proposal price sheet in the designated place.

W. Cooperative Purchasing: Purchases as a result of this solicitation are primarily for the Owner. Other governmental entities may be extended the opportunity to utilize the resultant contract award with the agreement of the successful provider and the participating agencies. All participating entities will be required to abide by the specifications, terms, conditions and pricings established in this solicitation.

The quantities furnished in this bid document are for only the Owner. It does not include quantities for any other jurisdiction.

The Owner will be responsible only for the orders placed for our jurisdiction. Other participating entities will place their orders on their respective Purchase Orders through their Purchasing office or use their purchasing card for purchase/payment as authorized or agreed upon between the provider and the individual entity. The Owner accepts no liability for payment of orders placed by other participating jurisdictions that choose to piggy-back on our solicitation.

Orders placed by participating jurisdictions under the terms of this solicitation will indicate their specific delivery and invoicing instructions.

X. Award: All bids will be awarded to the lowest responsive and responsible bidder. The Owner reserves the right to determine the lowest responsive and responsible bidder.

The Owner may involve all or some of the following factors: price; conformity to specifications; financial capacity to perform the services and/or provide commodities; previous performance and reputation; location of required and necessary facilities and/or equipment; availability and proximity of repair parts and/or warranty work; similar experience; delivery promise; terms of payments; compatibility as required in the bid documents; other associated and necessary costs; other objective and accountable factors which are reasonable.

Y. Inspections: Inspection and acceptance of materials or supplies will be made after delivery. Final inspection shall be conclusive except as regard to latent defects, fraud, or such gross mistakes as amount to fraud. Final inspection and acceptance or rejection of material or supplies shall be accomplished as promptly as practical, but failure to inspect and accept or reject material or supplies shall not impose liability on the Owner for such supplies as are not in accordance with the specifications. All delivered materials shall be accepted subject to inspection and physical count.

SECTION IV. SPECIFICATION/COMPLIANCE FORM

MINIMUM SPECIFICATION FOR One (1), New, Current Model Year, Extended Cab, One-Ton, dual rear wheel, 2x4 Pickup with Utility Body. Bids must be offered as a complete, turn-key unit. All specifications must be met or exceeded or may be considered non-responsive. Incomplete responses will not be considered. Bidder shall note any exceptions to the bid on the Comment section. Bidder shall list in a separate attachment details concerning the exception. This sheet shall be labeled “Exception(s) to Bid Conditions and Specifications”.

All equipment furnished under this contract shall be new, unused, and the latest model offered by the manufacturer’s current production (unless otherwise stated). Accessories not specifically mentioned herein, but necessary to furnish a complete unit ready for use shall also be included.

	<u>Specification/Description</u>	<u>As Specified</u>	<u>Comments:</u> <u>(If not exactly as specified, Explain any Deviation.)</u>
1	Engine: 5.7 – 6.2 liter range gasoline engine.		
2	Cooling System: Heavy duty corrosion resistant with long life coolant		
3	Transmission: Heavy duty 5-speed automatic with overdrive and external transmission cooler		
4	Extended cab with appropriate wheel base to accommodate an 8 foot utility bed		
5	GVWR: 10,000 lb. rating (approximate)		
6	Gear Ratio: 3.73		
7	Power Steering: With oil cooler		
8	Suspension: Heavy duty with shocks and steering stabilizer		
9	Brakes: 4-wheel antilock (ABS)		
10	Box: 8 foot utility – see specs below		
11	Air Bags: Driver and passenger		
12	Battery: 12 volt heavy duty		
13	Alternator: 130 amp		
14	Instrumentation: Manufacturers Standard		
15	Comfort Group: Tilt wheel and cruise control		
16	Air Conditioning: Temperature control		
17	Heater/Defrost: High output		
18	Wipers: Intermittent settings		
19	Radio: AM/FM		
20	Mirrors: Extendable tow type mirrors (black)		

	<u>Specification/Description</u>	<u>As Specified</u>	<u>Comments:</u> <u>(If not exactly as specified, Explain any Deviation.)</u>
21	Fuel Tank: 30 gallon capacity		
22	Floor Covering: Black rubber or vinyl with floor mats		
23	Front Seat: 40/20/40split with cloth upholstery		
24	Tires/Wheels: Steel wheels with all terrain radials		
25	Spare Tire/Wheel: Full size spare		
26	Jack/Lug Wrench:		
27	Bumpers: Front (manufacturers standard)		
28	Tow Hooks: Front frame mounted		
29	Trailer Package: Class IV trailer hitch/receiver with electronic brake controller and trailer wiring harness with 4 and 7 pin RV connectors.		
30	Exterior Color: Fleet White		
31	Interior Trim: Charcoal Gray or Stone		
32	Warranty: Manufacturer's warranty statement for basic and power train protection		
33	Warning Light: Total of (5) Five consisting of (1) One amber LED light bar with directional arrow mounted on cab roof, (reference Whelen Towman justice JF0DAAAA or equivalent). (2) Two split Amber/ Clear LED lights (equivalent to a Code 3 XT4 AW) incorporated in rear of bed and (2) two split Amber/ Clear LED lights (equivalent to a Code 3 XT4 AW) mounted on or behind front grill All controlled from one switch, accessible to driver.		

UTILITY BODY SPECIFICATIONS

Unit shall conform to the best practice known to the body trade design, quality of material and workmanship. The equipment furnished shall conform to all ANSI safety standards Z245.1. Utility body is to be painted to match the color of the truck cab.

	<u>Utility Body Description</u>	<u>As Specified</u>	<u>Comments:</u> <u>(If not exactly as specified,</u> <u>Explain any Deviation.)</u>
34	Body: (dimensions) 96 inch x 94 inch (approximate)		
36	Floor: 1/8 inch tread plate with 3 inch longitudinal flange at each body side		
37	Structural: 4 inch structural channel front, rear and extension cross members. Three (3) full length 12 gauge formed “C” channel longitudinal and ½ inch x 3 inch flat bar runners		
38	Driver Side Compartments: Front Compartment (44 inch x 28 inch) Center Compartment above wheel well (45 inch x 20 inch) Rear Compartment (44 inch x 18 inch). Stainless steel hinges and pins. Top rail of bed shall be non-opening to accommodate installation of accessory brackets such as generators, pumps and water jugs.		
39	Passenger Side Compartments: Front Compartment (44 inch x 28 inch) Center Compartment above wheel well (45 inch x 20 inch) Rear Compartment (44 inch x 18 inch). Stainless steel hinges and pins. Top rail of bed shall be non-opening to accommodate installation of accessory brackets such as generators, pumps and		
40	Weather Protection: Top panel drip rail system		
41	Compartment Latches: Stainless steel paddle type compartment latches (lockable)		
42	Shelving: Include removable shelving for each compartment		
43	Tailgate: 53 inch x 12 inch (approximate)		
44	Rear Bumper: Reinforced extended step		
45	Lighting: Lighting must meet Federal and State requirements and is to include brake, tail and marker lights mounted in rubber insulated grommets. All wiring is to be run in a protective loom		
46	Undercoating: Body is to be fully undercoated		
47	Paint Color: White – color matched to cab		
48	Power Inverter: 120 Volt A/C with 1000 continuous watts.		
49	Power inverter and 12 Volt deep cycle battery are to be mounted in front most curb side cabinet		
50	Inverter battery will be charged when the vehicle is running and must be isolated from the vehicle starting battery		
51	Warranty: Provide manufacturer warranty statement and provisions		

SECTION V. BID FORM

The Owner will receive electronic bids through the Rocky Mountain E-Purchasing website, www.rockymountainbidsystem.com, prior to the date and time indicated on the front of this document at which time the bids will be publicly opened and read, for furnishing the materials, supplies, equipment and/or services, as shown below and/or attached hereto: **FOB DESTINATION** delivered at Grand Junction or Mesa County, Colorado. **TRANSPORTATION CHARGES PREPAID.** All in accordance with the bid conditions, special provisions, and specifications attached or as indicated below.

Purchasing Representative: Nicholas C Jones

Nickj@gjcity.org

970-244-1533

1) Net Price for One (1), New, Current Model Year, One-ton Pickup with Utility Body: \$ _____

Written: _____ Dollars

Year/Manufacture/Model No.:

Delivery: State expected delivery time after receipt of order. _____ days ARO

Order Cutoff Date (Please specify the order cutoff date if any): _____

WARRANTY: Specify Warranty and supply manufacturer’s documentation:

Additional Comments:

ADDENDA: State number of Addenda received: _____.

- In compliance with the above, and subject to all the conditions hereon, the undersigned offers and agrees to furnish items upon which prices are quoted, at the price(s) set forth if this bid is accepted within _____ days from the award.
- Direct purchases by the City of Grand Junction are tax exempt from Colorado Sales or Use Tax. Tax exempt #98-903544.
- The undersigned certifies that no Federal, State, County or Municipal tax will be added to the above quoted prices.
- Prompt payment discount of _____ percent of the net dollar amount will be offered to the Owner if the invoice is paid within _____ days after the receipt of the invoice.
- The undersigned certifies and agrees that this bid is submitted in accordance with all applicable Federal, State, County, and City laws.

(Company Name of Bidder – Typed or Printed)

(Phone Number of Bidder)

(Address of Bidder)

(Authorized Dealer Agent – Typed or Printed)

(City, State, and Zip Code)

(Authorized Signature)

(E-mail Address of Agent or Sales Contact)

(Date)



ADDENDUM NO. 1

DATE: April 21, 2016
FROM: City of Grand Junction Purchasing Division
TO: All Offerors
RE: One Ton Pickup with Utility Body IFB-4226-16-NJ

Offerors responding to the above referenced solicitation are hereby instructed that the requirements have been clarified, modified, superseded and supplemented as to this date as hereinafter described.

Please make note of the following clarifications:

1. **Question 1:** "Without going through the bid process, with the chassis being a 4x4, vs. 4x2, and the utility body being the 108" length, I was inquiring if this combination would be acceptable for the City of Grand Junction?"

Response: Yes, the Owner will evaluate all bids received and make award in the best interest of the Owner.

The original solicitation for the project noted above is amended as noted.

All other conditions of subject remain the same.

Respectfully,

A handwritten signature in blue ink that reads "Nicholas C. Jones".

Nicholas C Jones, Buyer
City of Grand Junction, Colorado

SECTION IV. SPECIFICATION/COMPLIANCE FORM

MINIMUM SPECIFICATION FOR One (1), New, Current Model Year, Extended Cab, One-Ton, dual rear wheel, 2x4 Pickup with Utility Body. Bids must be offered as a complete, turn-key unit. All specifications must be met or exceeded or may be considered non-responsive. Incomplete responses will not be considered. Bidder shall note any exceptions to the bid on the Comment section. Bidder shall list in a separate attachment details concerning the exception. This sheet shall be labeled "Exception(s) to Bid Conditions and Specifications".

All equipment furnished under this contract shall be new, unused, and the latest model offered by the manufacturer's current production (unless otherwise stated). Accessories not specifically mentioned herein, but necessary to furnish a complete unit ready for use shall also be included.

	<u>Specification/Description</u>	<u>As Specified</u>	<u>Comments: (If not exactly as specified, Explain any Deviation.)</u>
1	Engine: 5.7 – 6.2 liter range gasoline engine.		6.0 LITER V8
2	Cooling System: Heavy duty corrosion resistant with long life coolant		STD
3	Transmission: Heavy duty 5-speed automatic with overdrive and external transmission cooler		6SP TRANS
4	Extended cab with appropriate wheel base to accommodate an 8 foot utility bed		DOUBLE CAB
5	GVWR: 10,000 lb. rating (approximate)		13025 lbs
6	Gear Ratio: 3.73		OK
7	Power Steering: With oil cooler		STD
8	Suspension: Heavy duty with shocks and steering stabilizer		STD
9	Brakes: 4-wheel antilock (ABS)		STD
10	Box: 8 foot utility – see specs below		OK
11	Air Bags: Driver and passenger		STD
12	Battery: 12 volt heavy duty		720 AMP
13	Alternator: 130 amp		150 AMP
14	Instrumentation: Manufacturers Standard		STD
15	Comfort Group: Tilt wheel and cruise control		STD
16	Air Conditioning: Temperature control		STD
17	Heater/Defrost: High output		STD
18	Wipers: Intermittent settings		STD
19	Radio: AM/FM		STD
20	Mirrors: Extendable tow type mirrors (black)		STD

	<u>Specification/Description</u>	<u>As Specified</u>	<u>Comments:</u> <u>(If not exactly as specified, Explain any Deviation.)</u>
21	Fuel Tank: 30 gallon capacity		36 Gallon
22	Floor Covering: Black rubber or vinyl with floor mats		STD
23	Front Seat: 40/20/40split with cloth upholstery		OK
24	Tires/Wheels: Steel wheels with all terrain radials		OK
25	Spare Tire/Wheel: Full size spare		OK
26	Jack/Lug Wrench:		OK
27	Bumpers: Front (manufacturers standard)		OK
28	Tow Hooks: Front frame mounted		OK
29	Trailer Package: Class IV trailer hitch/receiver with electronic brake controller and trailer wiring harness with 4 and 7 pin RV connectors.		Brake controller Factory Body Company The Rest
30	Exterior Color: Fleet White		OK
31	Interior Trim: Charcoal Gray or Stone		OK
32	Warranty: Manufacturer's warranty statement for basic and power train protection		36 mos / 36,000 miles Bumper/Bumpers 5yr / 100,000 Power Train
33	Warning Light: Total of (5) Five consisting of (1) One amber LED light bar with directional arrow mounted on cab roof, (reference Whelen Towman justice JF0DAAAA or equivalent). (2) Two split Amber/ Clear LED lights (equivalent to a Code 3 XT4 AW) incorporated in rear of bed and (2) two split Amber/ Clear LED lights (equivalent to a Code 3 XT4 AW) mounted on or behind front grill All controlled from one switch, accessible to driver.		SEE! AUTO TRUCK GROUP SPEC

UTILITY BODY SPECIFICATIONS

Unit shall conform to the best practice known to the body trade design, quality of material and workmanship. The equipment furnished shall conform to all ANSI safety standards Z245.1. Utility body is to be painted to match the color of the truck cab.

	<u>Utility Body Description</u>	<u>As Specified</u>	<u>Comments:</u> <u>(If not exactly as specified, Explain any Deviation.)</u>
34	Body: (dimensions) 96 inch x 94 inch (approximate)		AUTO TRUCK GRP spec
36	Floor: 1/8 inch tread plate with 3 inch longitudinal flange at each body side		✓
37	Structural: 4 inch structural channel front, rear and extension cross members. Three (3) full length 12 gauge formed "C" channel longitudinal and 1/2 inch x 3 inch flat bar runners		✓
38	Driver Side Compartments: Front Compartment (44 inch x 28 inch) Center Compartment above wheel well (45 inch x 20 inch) Rear Compartment (44 inch x 18 inch). Stainless steel hinges and pins. Top rail of bed shall be non-opening to accommodate installation of accessory brackets such as generators, pumps and water jugs.		✓
39	Passenger Side Compartments: Front Compartment (44 inch x 28 inch) Center Compartment above wheel well (45 inch x 20 inch) Rear Compartment (44 inch x 18 inch). Stainless steel hinges and pins. Top rail of bed shall be non-opening to accommodate installation of accessory brackets such as generators, pumps and		✓
40	Weather Protection: Top panel drip rail system		✓
41	Compartment Latches: Stainless steel paddle type compartment latches (lockable)		✓
42	Shelving: Include removable shelving for each compartment		✓
43	Tailgate: 53 inch x 12 inch (approximate)		✓
44	Rear Bumper: Reinforced extended step		✓
45	Lighting: Lighting must meet Federal and State requirements and is to include brake, tail and marker lights mounted in rubber insulated grommets. All wiring is to be run in a protective loom		✓
46	Undercoating: Body is to be fully undercoated		✓
47	Paint Color: White – color matched to cab		✓
48	Power Inverter: 120 Volt A/C with 1000 continuous watts.		✓
49	Power inverter and 12 Volt deep cycle battery are to be mounted in front most curb side cabinet		✓
50	Inverter battery will be charged when the vehicle is running and must be isolated from the vehicle starting battery		✓
51	Warranty: Provide manufacturer warranty statement and provisions		✓

SECTION V. BID FORM

The Owner will receive electronic bids through the Rocky Mountain E-Purchasing website, www.rockymountainbidsystem.com, prior to the date and time indicated on the front of this document at which time the bids will be publicly opened and read, for furnishing the materials, supplies, equipment and/or services, as shown below and/or attached hereto: **FOB DESTINATION** delivered at Grand Junction or Mesa County, Colorado. **TRANSPORTATION CHARGES PREPAID.** All in accordance with the bid conditions, special provisions, and specifications attached or as indicated below.

Purchasing Representative: Nicholas C Jones

Nickj@gjcity.org

970-244-1533

1) Net Price for One (1), New, Current Model Year, One-ton Pickup with Utility Body: \$ 37,217²⁶

Written: THIRTY SEVEN THOUSAND TWO HUNDRED SEVENTEEN + 26/100 Dollars

Year/Manufacture/Model No.:

2016 CHEVROLET 3500 Double Cab 4X2

Delivery: State expected delivery time after receipt of order. 90 TO 120 days ARO

Order Cutoff Date (Please specify the order cutoff date if any): TBD

WARRANTY: Specify Warranty and supply manufacturer's documentation:

36 MOS / 36,000 mile Bumper to Bumper + 5YR / 100,000 Powertrain

Additional Comments:

ADDENDA: State number of Addenda received: _____.

- In compliance with the above, and subject to all the conditions hereon, the undersigned offers and agrees to furnish items upon which prices are quoted, at the price(s) set forth if this bid is accepted within 30 days from the award.
- Direct purchases by the City of Grand Junction are tax exempt from Colorado Sales or Use Tax. Tax exempt #98-903544.
- The undersigned certifies that no Federal, State, County or Municipal tax will be added to the above quoted prices.
- Prompt payment discount of NA percent of the net dollar amount will be offered to the Owner if the invoice is paid within NA days after the receipt of the invoice.
- The undersigned certifies and agrees that this bid is submitted in accordance with all applicable Federal, State, County, and City laws.

Johnson Auto Plaza Inc
(Company Name of Bidder - Typed or Printed)

12410 E 136TH AVE
(Address of Bidder)

Brighton CO 80601
(City, State, and Zip Code)

amanrots@johnsonautoplaza.com
(E-mail Address of Agent or Sales Contact)

720-263-3283
(Phone Number of Bidder)

CHRIS E MANROTS
(Authorized Dealer Agent - Typed or Printed)

[Signature]
(Authorized Signature)

4-13-2016
(Date)

2016 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Double Cab 158.1"

PRICING SUMMARY

PRICING SUMMARY - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

	<u>MSRP</u>
Base Price	\$37,675.00
Total Options:	-\$275.00
Vehicle Subtotal	\$37,400.00
Advert/Adjustments	\$0.00
Destination Charge	\$1,195.00
GRAND TOTAL	\$38,595.00

Truck = \$28,597.26.
Bed
Auto Group = 8,620.00

Total \$37,217.26

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 433.0, Data updated 4/5/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
Customer File:

2016 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Double Cab 158.1"

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CC35953	2016 Chevrolet Silverado 3500HD 2WD Double Cab 158.1" Work Truck	\$37,675.00

SELECTED VEHICLE COLORS - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
GVWR		
CHX	GVWR, 13,025 LBS. (5908 KG) WITH DUAL REAR WHEELS (Requires *35943, *35953 or *35903 with (LML) Duramax 6.6L Turbo Diesel V8 engine. Requires *35943 or *35953 and (L96) Vortec 6.0L V8 SFI engine.)	\$0.00
BODY CODE		
ZW9	PICKUP BOX, DELETE includes (SFW) Back-up alarm calibration, (9J4) rear bumper delete, spare tire delete and spare tire carrier delete. If equipped, deletes (Z82) trailering equipment, (A91) remote locking tailgate, (A60) locking tailgate, (PPA) EZ-Lift and Lower tailgate, (SAF) tire carrier lock and (JL1) trailer brake controller. (Requires a long box model C*359*3.) *CREDIT*	-\$955.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 433.0, Data updated 4/5/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

2016 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Double Cab 158.1"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ENGINE		
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85-COMPATIBLE, FLEXFUEL capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) (STD) (Does not include E85 capability with (ZW9) pickup box delete.)	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO (Standard with (LML) Duramax 6.6L Turbo Diesel V8 engine.)	\$100.00
PREFERRED EQUIPMENT GROUP		
1WT	1WT PREFERRED EQUIPMENT GROUP includes standard equipment	\$0.00
WHEELS		
PYW	WHEELS, 17" (43.2 CM) PAINTED STEEL includes 17" steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires dual rear wheels.)	\$0.00
TIRES		
QZT	TIRES, LT235/80R17E ALL-TERRAIN (Requires dual rear wheels.)	\$200.00
SPARE TIRE		
ZZT	TIRE, SPARE LT235/80R17E ALL-TERRAIN (Requires dual rear wheels and (QZT) LT235/80R17E all-terrain tire. Available to order when (ZW9) pick-up box delete is ordered.)	\$380.00
PAINT SCHEME		
ZY1	PAINT, SOLID	\$0.00
PAINT		
GAZ	SUMMIT WHITE	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 433.0, Data updated 4/5/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
Customer File:

2016 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Double Cab 158.1"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SEAT TYPE AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER RECLINE with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (STD) (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)	\$0.00
SEAT TRIM H2R	DARK ASH, CLOTH SEAT TRIM with Jet Black interior accents	\$0.00
RADIO IO3	AUDIO SYSTEM, 4.2" DIAGONAL COLOR DISPLAY, AM/FM STEREO with USB port and auxiliary jack (Not available with (AZ3) 40/20/40 split-bench seat. Upgradeable to (IOB) 7" diagonal color display radio with Chevrolet MyLink.) (STD)	\$0.00
ADDITIONAL EQUIPMENT		
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED (If (ZW9) pickup box delete or (9J4) rear bumper delete is ordered (JL1) trailer brake controller is deleted and available to order as a free flow option.)	\$0.00
J96	BRAKES, 4-WHEEL ANTILOCK, 4-WHEEL DISC WITH DUAL REAR WHEELS with DuraLife brake rotors (Requires dual rear wheels.)	INC
SKP	WHEEL, 17" X 6.5" (43.2 CM X 16.5 CM) FULL-SIZE, STEEL SPARE Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires dual rear wheels.)	INC
P03	WHEEL TRIM, PAINTED TRIM SKINS AND PAINTED CENTER CAPS (Requires dual rear wheels.)	INC
9J4	BUMPER, REAR, DELETE (Requires single rear wheels. Included with (ZW9) pickup box delete.) *CREDIT*	\$0.00
U01	LAMPS, SMOKED AMBER ROOF MARKER (Standard with dual rear wheels. Not available with (YF5) California state emissions requirements on single rear wheels.)	INC
SPECIAL EQUIPMENT OPTIONS		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 433.0, Data updated 4/5/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

2016 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Double Cab 158.1"

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SPECIAL EQUIPMENT OPTIONS		
SFW	BACKUP ALARM CALIBRATION This calibration will allow installation of an aftermarket back up alarm. (Not available with SEO (8S3) back-up alarm or (UY2) trailer wiring provisions. Included with (ZW9) pickup box delete.)	INC
OPTIONS TOTAL		-\$275.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 433.0, Data updated 4/5/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

2016 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Double Cab 158.1"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

ENTERTAINMENT

- Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB port and auxiliary jack (Not available with (AZ3) 40/20/40 split-bench seat. Upgradeable to (IOB) 7" diagonal color display radio with Chevrolet MyLink.) (Upgradeable to (IOB) 7" diagonal color display radio with Chevrolet MyLink.)
- 6-speaker audio system (Standard on Crew Cab and Double Cab models and Included and only available on Regular Cab models with (IOB) 7" diagonal color touch screen display radio with Chevrolet MyLink.)

EXTERIOR

- Wheels, 18" (45.7 cm) painted steel includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels, (QGM) LT265/70R18E all-terrain, blackwall tires or (QWF) LT265/70R18E all-season, blackwall tires.)
- Tires, LT265/70R18E all-season, blackwall (Requires single rear wheels.)
- Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels. Included with (E63) pickup box. Available to order when (ZW9) pick-up box delete is ordered.)
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- Bumper, rear chrome with bumper CornerSteps
- CornerStep, rear bumper
- Grille surround, chrome
- Headlamps, halogen projector-beam
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical trailering, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Not available with (AQQ) Remote Keyless Entry.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 433.0, Data updated 4/5/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

2016 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Double Cab 158.1"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- Seat trim, Vinyl
- Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor) (Requires Double Cab models.)
- Floor covering, Graphite-colored rubberized-vinyl
- Steering wheel
- Steering column, manual Tilt-Wheel
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Windows, power with driver express up and down and express down on all other windows
- Door locks, power
- Cruise control, steering wheel-mounted
- Air conditioning, single-zone
- Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 433.0, Data updated 4/5/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
Customer File:

2016 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Double Cab 158.1"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous CNG (Compressed Natural Gas) engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box
- GVWR, 10,000 lbs. (4536 kg) with single rear wheels (Requires *35743, C35943, *35953 or *35903 models and (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI Gaseous engine. Requires (AY0) single-stage air bags.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Trailering equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, battery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes - park, brake/turn lamps (Will be deleted if (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Cooling, external engine oil cooler
- Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Trailer brake controller, integrated (If (ZW9) pickup box delete or (9J4) rear bumper delete is ordered (JL1) trailer brake controller is deleted and available to order as a free flow option.)
- Recovery hooks, front, frame-mounted, black

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 433.0, Data updated 4/5/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

2016 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Double Cab 158.1"

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2016 Fleet/Non-Retail CC35953 2WD Double Cab 158.1" Work Truck

- Frame, fully-boxed, hydroformed front section
- Chassis, single rear wheel
- Steering, Recirculating ball with smart flow power steering system
- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors (Requires single rear wheels.)
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, single-stage frontal and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions (Not available with (ZW9) pickup box delete. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, frontal, driver and right front passenger, single stage (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side (On Double Cab and Regular Cab models only.)
- OnStar, delete also deletes driver information center compass.
- Tire Pressure Monitoring System (does not apply to spare tire) (Included and only available with (C7A) 10,000 lb. (4536 kg) GVWR.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 433.0, Data updated 4/5/2016
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:



2425 E Platte Pl. - Colorado Springs, CO 80909
 Phone (719) 597-0400 - Fax (719) 325-7938

We put the work in work trucks.

Quote #57049

Quote Date: 4/13/2016
 Page 1 of 2

Company: CITY OF GRAND JUNCTION	Quote Expiration Date: 5/13/2016	Reference:
Street Address: 250 N 5TH ST	Contact: CHRIS MANEOTIS	
City, State/Province Zip: GRAND JUNCTION, CO 81501-2668	Phone:	Fax:

We hereby submit specifications and estimates for:

696D54J 56" DRW

- (1) Knapheide 696D54J Utility Body
 - 96" long x 94" wide x 40" tall
 - Fits 56" CA DRW Truck
 - 20" deep compartments
 - Double spring over center door retainer on vertical compartments
 - A-40 galvanneal steel,
 - 250lb capacity divider shelves
 - Paddle activated rotary latches,
 - Bulb-type neoprene door seals,
 - Interior light guards, for stop/tail, back up lights
 - Stainless steel continuous hinge on doors,
 - Pintle hook recess bumper
 - 12" Slammable tailgate
 - Complete undercoating,
 - Painted white and Installed
- \$5,175.00

ECCO Front & Rear Strobes

- FRONT
- (2) ECCO Model #ED3766AC SAE Class 1 surface Mount
 - Multi Color - Amber/Clear - Front Grill Mount
- \$355.00

- REAR
- (2) ECCO Model #ED3766AC SAE Class 1 Surface Mount
 - Multi Color - Amber/Clear Mounted at Rear of Body
- \$355.00

- Whelen #JFOFAAAA Light Bar
 - Mounted to Roof of Cab
- \$1,870.00

- TRIP LITE PV1000HF INVERTER
 - TRIPP LITE PV1000HF 1000 WATT INVERTER
 - MOUNTED IN CURB SIDE FRONT COMPARTMENT
- \$455.00

Submitted By: Andy Beal

Accepted By: _____

Date: _____

Total:
 (Plus any applicable taxes and additional options)

Make:	Model:	Cab to Axle:
-------	--------	--------------



2425 E Platte Pl. - Colorado Springs, CO 80909
Phone (719) 597-0400 - Fax (719) 325-7938

We put the work in work trucks.

Quote #57049

Quote Date: 4/13/2016
Page 2 of 2

Company: CITY OF GRAND JUNCTION	Quote Expiration Date: 5/13/2016	Reference:
Street Address: 250 N 5TH ST	Contact: CHRIS MANEOTIS	
City, State/Prvince Zip: GRAND JUNCTION, CO 81501-2668	Phone:	Fax:

We hereby submit specifications and estimates for:

Service/body Rec/Hitch classIV
 Class IV reciever hitch for service body
 2" receiver tube, hitch pin
 16,000LB. M.G.T.W \$315.00

7-pole Trailer Plug (Flat Pin)
 7-pole trailer plug ("flat" pin style) \$95.00

sub Total \$8,620.00

Submitted By: Andy Beal

Accepted By: _____ Date: _____

Total:
(Plus any applicable taxes and additional options)

Make:	Model:	Cab to Axle:
-------	--------	--------------