

#### **Purchasing Division**

### **Invitation for Bid**

IFB-4317-17-DH 2017 Contract Street Maintenance

### **Responses Due:**

January 13, 2017 prior to 3:30pm

<u>Accepting Electronic Responses Only</u>

<u>Responses Only Submitted Through the Rocky Mountain E-Purchasing</u>

<u>System (RMEPS)</u>

https://www.rockymountainbidsystem.com/default.asp

(Purchasing Representative does not have access or control of the vendor side of RMEPS. If website or other problems arise during response submission, vendor <u>MUST</u> contact RMEPS to resolve issue prior to the response deadline. 800-835-4603)

#### **Purchasing Representative:**

Duane Hoff Jr., Senior Buyer <u>duaneh@gjcity.org</u> 970-244-1545

This document has been developed specifically to solicit competitive responses for this solicitation, and may not be the same as previous City of Grand Junction solicitations. All vendors are urged to thoroughly review this solicitation prior to responding. Submittal by FAX, EMAIL or HARD COPY IS NOT ACCEPTABLE for this solicitation.

## **Invitation for Bids**

## **Table of Contents**

Section 1 Instruction to Bidders

Section 2 General Contract Conditions

Section 3 Statement of Work

Section 4 Contractor's Bid Form

Price Proposal/Bid Schedule Form

Appendix

**Attachments** 

## 1. Instructions to Bidders

1.1. Purpose: The City of Grand Junction is soliciting competitive bids from qualified and interested companies for all labor, equipment, and materials required, the project includes approximately 78,800 square yards of asphalt milling and a new 1 ½" to 2" overlay of hot mix asphalt, approximately 5855 tons of grading SX 75 (PG 76-28), and approximately 7170 tons of grading SX 75 (PG 64-22), 870 tons of patching, 560 SY of shoulder widening on existing streets within the City of Grand Junction. In addition, approximately 77,200 SY of pavement preservation, Chip Seal, is scoped for existing streets within the City of Grand Junction. All dimensions and scope of work should be verified by Contractors prior to submission of bids.

#### **IFB Questions:**

Duane Hoff Jr., Senior Buyer duaneh@gicity.org

- 1.2. Mandatory Pre-Bid Meeting: <u>Prospective bidders are required to attend a mandatory pre-bid meeting on January 4, 2017 at 9:00am</u>. <u>Meeting location shall be in the City Hall Auditorium, located at 250 N. 5<sup>th</sup> Street</u>. The purpose of this visit will be to inspect and to clarify the contents of this Invitation for Bids (IFB).
- **1.3. The Owner:** The Owner is the City of Grand Junction, Colorado and is referred to throughout this Solicitation. The term Owner means the Owner or his authorized representative.
- **1.4. Prequalification Requirement:** Although the City no longer requires pre-qualification, Contractors are expected to have all of the proper equipment ant training to perform the tasks include within this solicitation.
- 1.5. Submission: Each bid shall be submitted in electronic format only, and only through the Rocky Mountain E-Purchasing website (https://www.rockymountainbidsystem.com/default.asp). This site offers both "free" and "paying" registration options that allow for full access of the Owner's documents and for electronic submission of proposals. (Note: "free" registration may take up to 24 hours to process. Please Plan accordingly.) Please view our "Electronic Vendor Registration Guide" http://www.gjcity.org/BidOpenings.aspx for details. (Purchasing Representative does not have access or control of the vendor side of RMEPS. If website or other problems arise during response submission, vendor MUST contact RMEPS to resolve issue prior to the response deadline. **800-835-4603**)
- **1.6.** Modification and Withdrawal of Bids Before Opening. Bids may be modified or withdrawn by an appropriate document stating such, duly executed and submitted to the place where Bids are to be submitted at any time prior to Bid Opening.
- **1.7. Printed Form for Price Bid:** All Price Bids must be made upon the Price Bid Schedule attached, and should give the amounts both in words and in figures, and must be signed and acknowledged by the bidder.

The Offeror shall specify a unit price in figures for each pay item for which a quantity is given and shall provide the products (in numbers) of the respective unit prices and quantities in the Extended Amount column. The total Bid price shall be equal to the sum of all extended amount prices. When an item in the Price Bid Schedule provides a choice to be made by the Offeror, Offeror's choice shall be indicated in accordance with the specifications for that particular item and thereafter no further choice shall be permitted.

Where the unit of a pay item is lump sum, the lump sum amount shall be shown in the "extended amount" column and included in the summation of the total Bid.

All blank spaces in the Price Bid Schedule must be properly filled out.

Bids by corporations must be executed in the corporate name by the president or vice president or other corporate office accompanied by evidence of authority to sign. The corporate address and state of incorporation shall be shown below the signature.

Bids by partnerships must be executed in the partnership name and signed by a partner whose title must appear under the signature and the official address of the partnership must be shown below the signature.

All names must be typed or printed below the signature.

The Offeror's Bid shall contain an acknowledgement of receipt of all Addenda, the numbers of which shall be filled in on the Contractor's Bid Form.

The contact information to which communications regarding the Bid are to be directed must be shown.

- **1.8. Exclusions:** No oral, telephonic, emailed, or facsimile bid will be considered
- **1.9. Contract Documents:** The complete IFB and bidder's response compose the Contract Documents. Copies of bid documents can be obtained from the City Purchasing website, <a href="http://www.gicity.org/BidOpenings.aspx">http://www.gicity.org/BidOpenings.aspx</a>.
- **1.10.** Additional Documents: The July 2010 edition of the "City Standard Contract Documents for Capital Improvements Construction", Plans, Specifications and other Bid Documents are available for review or download on the Public Works & Planning/Engineering page at <a href="www.gjcity.org">www.gjcity.org</a>. Electronic copies may be obtained on a CD format at the Department of Public Works and Planning at City Hall.
- **1.11. Definitions and Terms:** See Article I, Section 3 of the General Contract Conditions in the *Standard Contract Documents for Capital Improvements Construction*.
- **1.12. Examination of Specifications:** Bidders shall thoroughly examine and be familiar with the project Statement of Work. The failure or omission of any Offeror to receive or examine any form, addendum, or other document shall in no way relieve any Offeror from any obligation with respect to his bid. The submission of a bid shall be taken as evidence of compliance with this section. Prior to submitting a bid, each Offeror shall, at a minimum:

- a. Examine the *Contract Documents* thoroughly;
- b. Visit the site to familiarize themselves with local conditions that may in any manner affect cost, progress, or performance of the Work;
- c. Become familiar with federal, state, and local laws, ordinances, rules, and regulations that may in any manner affect cost, progress or performance of the Work;
- d. Study and carefully correlate Bidder's observations with the *Contract Documents*, and;
- e. Notify the Engineer of all conflicts, errors, ambiguities or discrepancies in or among the *Contract Documents*

On request, the Owner will provide each Offeror access to the site to conduct such investigations and tests as each Bidder deems necessary for submission of a Bid. It shall be the Offeror's responsibility to make or obtain any additional examinations, investigations, explorations, tests and studies and obtain any additional information and data which pertain to the physical conditions (including without limitation, surface, subsurface and underground utilities) at or contiguous to the site or otherwise which may affect cost, progress or performance of the work and which the Offeror deems necessary to determine its Bid for performing the work in accordance with the time, price and other terms and conditions of the Contract Documents. Location of any excavation or boring made by Offeror shall be subject to prior approval of Owner and applicable agencies. Offeror shall fill all holes, restore all pavements to match the existing structural section and shall clean up and restore the site to its former condition upon completion of such exploration. The Owner reserves the right to require the Offeror to execute an access agreement with the Owner prior to accessing the site.

The lands upon which the Work is to be performed, rights of way, and access thereto, and other lands designated for use by Contractor in performing the Work, are identified on the Drawings.

Information and data reflected in the *Contract Documents* with respect to underground utilities at or contiguous to the site are based upon information and data furnished to the Owner and the Engineer by the owners of such underground utilities or others, and the Owner does not assume responsibility for the accuracy or completeness thereof, unless it is expressly provided otherwise in the *Contract Documents*.

By submission of a Bid, the Offeror shall be conclusively presumed to represent that the Offeror has complied with every requirement of these Instructions to Bidders, that the *Contract Documents* are not ambiguous and are sufficient in scope and detail to indicate and convey understanding of all terms and conditions for performance of the Work.

- **1.13.** Questions Regarding Statement of Work: Any information relative to interpretation of Scope of Work or specifications shall be requested of the Purchasing Representative, in writing, in ample time prior to the response time.
- 1.14. Addenda & Interpretations: If it becomes necessary to revise any part of this solicitation, a written addendum will be posted electronically on the City's website at <a href="http://www.gjcity.org/BidOpenings.aspx">http://www.gjcity.org/BidOpenings.aspx</a>. The Owner is not bound by any oral representations, clarifications, or changes made in the written specifications by Owner, unless such clarification or change is provided in written addendum form from the City Purchasing Representative.
- **1.15. Taxes:** The Owner is exempt from State retail and Federal tax. The bid price must be net, exclusive of taxes.
- **1.16. Sales and Use Taxes:** The Contractor and all Subcontractors are required to obtain exemption certificates from the Colorado Department of Revenue for sales and use taxes in accordance with the provisions of the General Contract Conditions. Bids shall reflect this method of accounting for sales and use taxes on materials, fixtures and equipment.
- **1.17. Offers Binding 60 Days:** Unless additional time is required by the Owner, or otherwise specified, all formal offers submitted shall be binding for sixty (60) calendar days following opening date, unless the Bidder, upon request of the Purchasing Representative, agrees to an extension.
- 1.18. Collusion Clause: Each bidder by submitting a bid certifies that it is not party to any collusive action or any action that may be in violation of the Sherman Antitrust Act. Any and all bids shall be rejected if there is evidence or reason for believing that collusion exists among bidders. The Owner may, or may not, accept future bids for the same services or commodities from participants in such collusion.
- **1.19. Disqualification of Bidders:** A Bid will not be accepted from, nor shall a Contract be awarded to, any person, firm, or corporation that is in arrears to the Owner, upon debt or contract, or that has defaulted, as surety or otherwise, upon any obligation to the Owner, or that is deemed irresponsible or unreliable.

Bidders may be required to submit satisfactory evidence that they are responsible, have a practical knowledge of the project bid upon and that they have the necessary financial and other resources to complete the proposed Work.

Either of the following reasons, without limitation, shall be considered sufficient to disqualify a Bidder and Bid:

- a. More than one Bid is submitted for the same Work from an individual, firm, or corporation under the same or different name; and
- b. Evidence of collusion among Bidders. Any participant in such collusion shall not receive recognition as a Bidder for any future work of the Owner until such participant has been reinstated as a qualified bidder.

1.20. Public Disclosure Record: If the bidder has knowledge of their employee(s) or subcontractors having an immediate family relationship with a City/County employee or elected official, the bidder must provide the Purchasing Representative with the name(s) of these individuals. These individuals are required to file an acceptable "Public Disclosure Record", a statement of financial interest, before conducting business with the City/County.

## 2. General Contract Conditions for Construction Projects

- 2.1. The Contract: This Invitation for Bid, submitted documents, and any negotiations, when properly accepted by the City/County, shall constitute a contract equally binding between the City/County and Contractor. The contract represents the entire and integrated agreement between the parties hereto and supersedes all prior negotiations, representations, or agreements, either written or oral. The contract may be amended or modified with Change Orders, Field Orders, or Addendums.
- **2.2. The Work:** The term Work includes all labor necessary to produce the construction required by the Contract Documents, and all materials and equipment incorporated or to be incorporated in such construction.
- 2.3. Execution, Correlation, Intent, and Interpretations: The Contract Documents shall be signed in not less than triplicate by the Owner (City/County) and Contractor. City/County will provide the contract. By executing the contract, the Contractor represents that he/she has visited the site, familiarized himself with the local conditions under which the Work is to be performed, and correlated his observations with the requirements of the Contract Documents. The Contract Documents are complementary, and what is required by any one, shall be as binding as if required by all. The intention of the documents is to include all labor, materials, equipment and other items necessary for the proper execution and completion of the scope of work as defined in the technical specifications and drawings contained herein. All drawings, specifications and copies furnished by the City/County are, and shall remain, City/County property. They are not to be used on any other project, and with the exception of one contract set for each party to the contract, are to be returned to the owner on request at the completion of the work.
- 2.4. The Owner: The Owner is the City of Grand Junction and/or Mesa County, Colorado and is referred to throughout the Contract Documents. The term Owner means the Owner or his authorized representative. The Owner shall, at all times, have access to the work wherever it is in preparation and progress. The Contractor shall provide facilities for such access. The Owner will make periodic visits to the site to familiarize himself generally with the progress and quality of work and to determine, in general, if the work is proceeding in accordance with the contract documents. Based on such observations and the Contractor's Application for Payment, the Owner will determine the amounts owing to the Contractor and will issue Certificates for Payment in such amounts, as provided in the contract. The Owner will have authority to reject work which does not conform to the Contract documents. Whenever, in his reasonable opinion, he considers it necessary or advisable to insure the proper implementation of the intent of the Contract Documents, he will have authority to require the Contractor to stop the work or any portion, or to require special inspection or testing of the work, whether or not such work

can be then be fabricated, installed, or completed. The Owner will not be responsible for the acts or omissions of the Contractor, and sub-Contractor, or any of their agents or employees, or any other persons performing any of the work.

- 2.5. Contractor: The Contractor is the person or organization identified as such in the Agreement and is referred to throughout the Contract Documents. The term Contractor means the Contractor or his authorized representative. The Contractor shall carefully study and compare the General Contract Conditions of the Contract, Specification and Drawings, Scope of Work, Addenda and Modifications and shall at once report to the Owner any error, inconsistency or omission he may discover. Contractor shall not be liable to the Owner for any damage resulting from such errors, inconsistencies or omissions. The Contractor shall not commence work without clarifying Drawings, Specifications, or Interpretations.
- **2.6. Sub-Contractors:** A sub-contractor is a person or organization who has a direct contract with the Contractor to perform any of the work at the site. The term sub-contractor is referred to throughout the contract documents and means a sub-contractor or his authorized representative.
- 2.7. Award of Sub-Contractors & Other Contracts for Portions of the Work: As soon as practicable after bids are received and prior to the award of the contract, the successful Contractor shall furnish to the Owner, in writing for acceptance, a list of the names of the sub-contractors or other persons or organizations proposed for such portions of the work as may be designated in the proposal requirements, or, if none is so designated, the names of the sub-contractors proposed for the principal portions of the work. Prior to the award of the contract, the Owner shall notify the successful Contractor in writing if, after due investigation, has reasonable objection to any person or organization on such list. If, prior to the award of the contract, the Owner has a reasonable and substantial objection to any person or organization on such list, and refuses in writing to accept such person or organization, the successful Contractor may, prior to the award, withdraw their proposal without forfeiture of proposal security. If the successful Contractor submits an acceptable substitute with an increase in the proposed price to cover the difference in cost occasioned by the substitution, the Owner may, at their discretion, accept the increased proposal or may disqualify the Contractor. If, after the award, the Owner refuses to accept any person or organization on such list, the Contractor shall submit an acceptable substitute and the contract sum shall be increased or decreased by the difference in cost occasioned by such substitution and an appropriate Change Order shall be issued. However, no increase in the contract sum shall be allowed for any such substitution unless the Contractor has acted promptly and responsively in submitting a name with respect thereto prior to the award.
- 2.8. Quantities of Work and Unit Price: Materials or quantities stated as unit price items in the Bid are supplied only to give an indication of the general scope of the Work, and are as such, estimates only. The Owner does not expressly or by implication agree that the actual amount of Work or material will correspond therewith, and reserves the right after award to increase or decrease the quantity of any unit item of the Work without a change in the unit price except as set forth in Article VIII, Section 70 of the General Contract Conditions. The City also reserves the right to make changes in the Work (including the

right to delete any bid item in its entirety or add additional bid items) as set forth in Article VIII, Sections 69 through 71 of the *General Contract Conditions*.

- 2.9. Substitutions: The materials, products and equipment described in the Solicitation Documents shall be regarded as establishing a standard of required performance, function, dimension, appearance, or quality to be met by any proposed substitution. No substitution will be considered prior to receipt of Bids unless the Offeror submits a written request for approval to the City Purchasing Division at least ten (10) days prior to the date for receipt of Bids. Such requests for approval shall include the name of the material or equipment for which substitution is sought and a complete description of the proposed substitution including drawings, performance and test data, and other information necessary for evaluation, including samples if requested. The Offeror shall set forth changes in other materials, equipment, or other portions of the Work including changes of the work of other contracts, which incorporation of the proposed substitution would require to be included. The Owner's decision of approval or disapproval of a proposed substitution shall be final. If the Owner approves a proposed substitution before receipt of Bids, such approval will be set forth in an Addendum. Offeors shall not rely upon approvals made in any other manner.
- **2.10.** Supervision and Construction Procedures: The Contractor shall supervise and direct the work, using his best skill and attention. He shall be solely responsible for all construction means, methods, techniques, sequences and procedures and for coordinating all portions of the work under the contract.
- 2.11. Warranty: The Contractor warrants to the Owner that all materials and equipment furnished under this contract will be new unless otherwise specified, and that all work will be of good quality, free from faults and defects and in conformance with the Contract Documents. All work not so conforming to these standards may be considered defective. If required by Owner, the Contractor shall furnish satisfactory evidence as to the kind and quality of materials and equipment. If within ten (10) days after written notice to the Contractor requesting such repairs or replacement, the Contractor should neglect to make or undertake with due diligence to the same, the City may make such repairs or replacements. All indirect and direct costs of such correction or removal or replacement shall be at the Contractor's expense. The Contractor will also bear the expenses of making good all work of others destroyed or damaged by the correction, removal or replacement of his defective work.
- 2.12. Permits, Fees, & Notices: The Contractor shall secure and pay for all permits, governmental fees and licenses necessary for the proper execution and completion of the work. The Contractor shall give all notices and comply with all laws, ordinances, rules, regulations and orders of any public authority bearing on the performance of the work. If the Contractor observes that any of the Contract Documents are at variance in any respect, he shall promptly notify the Owner in writing, and any necessary changes shall be adjusted by approximate modification. If the Contractor performs any work knowing it to be contrary to such laws, ordinances, rules and regulations, and without such notice to the Owner, he shall assume full responsibility and shall bear all costs attributable.

- 2.13. Responsibility for Those Performing the Work: The Contractor shall be responsible to the Owner for the acts and omissions of all his employees and all sub-contractors, their agents and employees, and all other persons performing any of the work under a contract with the Contractor.
- **2.14. Use of the Site:** The Contractor shall confine operations at the site to areas permitted by law, ordinances, permits and the Contract Documents, and shall not unreasonably encumber the site with any materials or equipment.
- **2.15. Cleanup:** The Contractor at all times shall keep the premises free from accumulation of waste materials or rubbish caused by his operations. At the completion of work he shall remove all his waste materials and rubbish from and about the project, as well as all his tools, construction equipment, machinery and surplus materials.
- **2.16. Insurance:** The Contractor shall secure and maintain such insurance policies as will provide the coverage and contain other provisions specified in the General Contract Conditions, or as modified in the Special Contract Conditions.

The Contractor shall file a copy of the policies or Certificates of Insurance acceptable to the City with the Engineer within ten (10) Calendar Days after issuance of the Notice of Award. These Certificates of Insurance shall contain a provision that coverage afforded under the policies shall not be canceled unless at least thirty (30) Calendar Days prior written notice has been given to the City.

- 2.17. Indemnification: The Contractor shall defend, indemnify and save harmless the Owner, and all its officers, employees, insurers, and self-insurance pool, from and against all liability, suits, actions, or other claims of any character, name and description brought for or on account of any injuries or damages received or sustained by any person, persons, or property on account of any negligent act or fault of the Contractor, or of any Contractor's agent, employee, sub-contractor or supplier in the execution of, or performance under, any contract which may result from proposal award. Contractor shall pay any judgment with cost which may be obtained against the Owner growing out of such injury or damages.
- 2.18. Miscellaneous Conditions: Material Availability: Contractors must accept responsibility for verification of material availability, production schedules, and other pertinent data prior to submission of bid. It is the responsibility of the bidder to notify the Owner immediately if materials specified are discontinued, replaced, or not available for an extended period of time. OSHA Standards: All bidders agree and warrant that services performed in response to this invitation shall conform to the standards declared by the US Department of Labor under the Occupational Safety and Health Act of 1970 (OSHA). In the event the services do not conform to OSHA standards, the Owner may require the services to be redone at no additional expense to the Owner.
- 2.19. Time: Time is of the essence with respect to the time of completion of the Project and any other milestones or deadline which are part of the Contract. It will be necessary for each Bidder to satisfy the City of its ability to complete the Work within the Contract Time set forth in the Contract Documents. The Contract Time is the period of time allotted in the Contract Documents for completion of the work. The date of commencement of the

work is the date established in a Notice to Proceed. If there is no Notice to Proceed, it shall be the date of the Contract or such other date as may be established therein, or as established as entered on the Bid Form. The Date of Substantial Completion of the work or designated portions thereof is the date certified by the Owner when construction is sufficiently complete, in accordance with the Contract Documents.

- **2.20. Progress & Completion:** The Contractor shall begin work on the date of commencement as defined in the Contract, and shall carry the work forward expeditiously with adequate forces and shall complete it within the contract time.
- 2.21. Payment & Completion: The Contract Sum is stated in the Contract and is the total amount payable by the Owner to the Contractor for the performance of the work under the Contract Documents. Upon receipt of written notice that the work is ready for final inspection and acceptance and upon receipt of application for payment, the Owner's Project Manager will promptly make such inspection and, when he finds the work acceptable under the Contract Documents and the Contract fully performed, the Owner shall make payment in the manner provided in the Contract Documents.
- 2.22. Bid Bond: Each Bid shall as a guaranty of good faith on the part of the Bidder be accompanied by a Bid Guaranty consisting of: a certified or cashier's check drawn on an approved national bank or trust company in the state of Colorado, and made payable without condition to the City; or a Bid Bond written by an approved corporate surety in favor of the City. The amount of the Bid Guaranty shall not be less than 5% of the total Bid amount. Once a Bid is accepted and a Contact is awarded, the apparent successful bidder has ten calendar days to enter into a contractor in the form prescribed and to furnish the bonds with a legally responsible and approved surety. Failure to do so will result I forfeiture of the Bid Guaranty to the City as Liquidated Damages.

Each bidder shall guaranty its total bid price for a period of sixty (60) Calendar Days from the date of the bid opening.

2.23. Performance & Payment Bonds: Contractor shall furnish a Performance and a Payment Bond, each in an amount at least equal to that specified for the contract amount as security for the faithful performance and payment of all Contractor's obligations under the Contract Documents. These bonds shall remain in effect for the duration of the Warranty Period (as specified in the Special Conditions). Contractor shall also furnish other bonds that may be required by the Special Conditions. All bonds shall be in the forms prescribed by the Contract Documents and be executed by such sureties as (1) are licensed to conduct business in the State of Colorado and (2) are named in the current list of "Companies Holding Certificates of Authority as Acceptable Sureties on Federal Bonds and as Acceptable Reinsuring Companies" as published in Circular 570 (amended) by the Audit Staff, Bureau of Accounts, U.S. Treasury Department. All bonds singed by an agent must be accompanied by a certified copy of the Authority Act. If the surety on any bond furnished by the Contractor is declared bankrupt, or becomes insolvent, or its rights to do business in Colorado are terminated, or it ceases to meet the requirements of clauses (1) and (2) of this section, Contractor shall within five (5) days thereafter substitute another bond and surety, both of which shall be acceptable to the City.

- **2.24. Retention:** The Owner will deduct money from the partial payments in amounts considered necessary to protect the interest of the Owner and will retain this money until after completion of the entire contract. The amount to be retained from partial payments will be five (5) percent of the value of the completed work, and not greater than five (5) percent of the amount of the Contract. When the retainage has reached five (5) percent of the amount of the Contract no further retainage will be made and this amount will be retained until such time as final payment is made.
- 2.25. Liquidated Damages for Failure to Enter Into Contract: Should the Successful Bidder fail or refuse to enter into the Contract within ten Calendar Days from the issuance of the Notice of Award, the City shall be entitled to collect the amount of such Bidder's Bid Guaranty as Liquidated Damages, not as a penalty but in consideration of the mutual release by the City and the Successful Bidder of all claims arising from the City's issuance of the Notice of Award and the Successful Bidder's failure to enter into the Contract and the costs to award the Contract to any other Bidder, to readvertise, or otherwise dispose of the Work as the City may determine best serves its interest.
- 2.26. Liquidated Damages for Failure to Meet Project Completion Schedule: If the Contractor does not achieve Final Completion by the required date, whether by neglect, refusal or any other reason, the parties agree and stipulate that the Contractor shall pay liquidated damages to the City for each such day that final completion is late. As provided elsewhere, this provision does not apply for delays caused by the City. The date for Final Completion may be extended in writing by the Owner.

The Contractor agrees that as a part of the consideration for the City's awarding of this Contract liquidated damages in the daily amount of \$500.00 is reasonable and necessary to pay for the actual damages resulting from such delay. The parties agree that the real costs and injury to the City for such delay include hard to quantify items such as: additional engineering, inspection and oversight by the City and its agents; additional contract administration; inability to apply the efforts of those employees to the other work of the City; perceived inefficiency of the City; citizens having to deal with the construction and the Work, rather than having the benefit of a completed Work, on time; inconvenience to the public; loss of reputation and community standing for the City during times when such things are very important and very difficult to maintain.

The Contractor must complete the Work and achieve final completion included under the Bid Schedule in the number of consecutive calendar days after the City gives is written Notice to Proceed. When the Contractor considers the entire Work ready for its intended use, Contractor shall certify in writing that the Work is substantially complete. In addition to the Work being substantially complete, Final Completion date is the date by which the Contractor shall have fully completed all clean-up, and all items that were identified by the City in the inspection for final completion. Unless otherwise stated in the Special Conditions, for purposes of this liquidated damages clause, the Work shall not be finished and the Contract time shall continue to accrue until the City gives its written Final Acceptance.

If the Contractor shall fail to pay said liquidated damages promptly upon demand thereof after having failed to achieve Final Completion on time, the City shall first look to any retainage or other funds from which to pay said liquidated damages; if retainage or other

liquid funds are not available to pay said liquidated damages amounts, the Surety on the Contractor's Performance Bond and Payment Bond shall pay such liquidated damages. In addition, the City may withhold all, or any part of, such liquidated damages from any payment otherwise due the Contractor.

Liquidated damages as provided do not include any sums to reimburse the City for extra costs which the City may become obligated to pay on other contracts which were delayed or extended because of the Contractor's failure to complete the Work within the Contract Time. Should the City incur additional costs because of delays or extensions to other contracts resulting from the Contractor's failure of timely performance, the Contractor agrees to pay these costs that the City incurs because of the Contractor's delay, and these payments are separate from and in addition to any liquidated damages.

The Contractor agrees that the City may use its own forces or hire other parties to obtain Substantial or Final Completion of the work if the time of completion has elapsed and the Contractor is not diligently pursuing completion. In addition to the Liquidated Damages provided for, the Contractor agrees to reimburse the City for all expenses thus incurred.

- 2.27. Contingency/Force Account: Contingency/Force Account work will be authorized by the Owner's Project Manager and is defined as minor expenses to cover miscellaneous or unforeseen expenses related to the project. The expenses are not included in the Drawings, Specifications, or Scope of Work and are necessary to accomplish the scope of this contract. Contingency/Force Account Authorization will be directed by the Owner through an approved form. Contingency/Force Account funds are the property of the Owner and any Contingency/Force Account funds, not required for project completion, shall remain the property of the Owner. Contractor is not entitled to any Contingency/Force Account funds, that are not authorized by Owner or Owner's Project Manager.
- 2.28. Protection of Persons & Property: The Contractor shall comply with all applicable laws, ordinances, rules, regulations and orders of any public authority having jurisdiction for the safety of persons or property or to protect them from damage, injury or loss. Contractor shall erect and maintain, as required by existing safeguards for safety and protection, and all reasonable precautions, including posting danger signs or other warnings against hazards promulgating safety regulations and notifying owners and users of adjacent utilities. When or where any direct or indirect damage or injury is done to public or private property by or on account of any act, omission, neglect, or misconduct by the Contractor in the execution of the work, or in consequence of the non-execution thereof by the Contractor, he shall restore, at his own expense, such property to a condition similar or equal to that existing before such damage or injury was done, by repairing, rebuilding, or otherwise restoring as may be directed, or it shall make good such damage or injury in an acceptable manner.
- 2.29. Changes in the Work: The Owner, without invalidating the contract, may order changes in the work within the general scope of the contract consisting of additions, deletions or other revisions, the contract sum and the contract time being adjusted accordingly. All such changes in the work shall be authorized by Change Order and shall be executed under the applicable conditions of the contract documents. A Change Order is a written order to the Contractor signed by the Owner issued after the execution of the contract,

- authorizing a change in the work or an adjustment in the contract sum or the contract time. The contract sum and the contract time may be changed only by Change Order.
- 2.30. Claims for Additional Cost or Time: If the Contractor wishes to make a claim for an increase in the contract sum or an extension in the contract time, he shall give the Owner written notice thereof within a reasonable time after the occurrence of the event giving rise to such claim. This notice shall be given by the Contractor before proceeding to execute the work, except in an emergency endangering life or property in which case the Contractor shall precede in accordance with the regulations on safety. No such claim shall be valid unless so made. Any change in the contract sum or contract time resulting from such claim shall be authorized by Change Order.
- **2.31. Minor Changes in the Work:** The Owner shall have authority to order minor changes in the work not involving an adjustment in the contract sum or an extension of the contract time and not inconsistent with the intent of the contract documents.
- **2.32. Field Orders:** The Owner may issue written Field Orders which interpret the Contract Documents in accordance with the specifications, or which order minor changes in the work in accordance with the agreement, without change in the contract sum or time. The Contractor shall carry out such Field Orders promptly.
- 2.33. Uncovering & Correction of Work: The Contractor shall promptly correct all work rejected by the Owner as defective or as failing to conform to the contract documents whether observed before or after substantial completion and whether or not fabricated installed or competed. The Contractor shall bear all costs of correcting such rejected work, including the cost of the Owner's additional services thereby made necessary. If within one (1) year after the date of completion or within such longer period of time as may be prescribed by law or by the terms of any applicable special guarantee required by the contract documents, any of the work found to be defective or not in accordance with the contract documents, the Contractor shall correct it promptly after receipt of a written notice from the Owner to do so unless the Owner has previously given the Contractor a written acceptance of such condition. The Owner shall give such notice promptly after discover of condition. All such defective or non-conforming work under the above paragraphs shall be removed from the site where necessary and the work shall be corrected to comply with the contract documents without cost to the Owner. The Contractor shall bear the cost of making good all work of separate Contractors destroyed or damaged by such removal or correction. If the Owner prefers to accept defective or non-conforming work, he may do so instead of requiring its removal and correction, in which case a Change Order will be issued to reflect an appropriate reduction in the payment or contract sum, or, if the amount is determined after final payment, it shall be paid by the Contractor.
- **2.30. Amendment:** No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated in the resulting contract. All amendments to the contract shall be made in writing by the Owner.
- **2.31. Assignment:** The Contractor shall not sell, assign, transfer or convey any contract resulting from this IFB, in whole or in part, without the prior written approval from the Owner.

- **2.32. Compliance with Laws:** Bids must comply with all Federal, State, County and local laws governing or covering this type of service and the fulfillment of all ADA (Americans with Disabilities Act) requirements.
- **2.33. Confidentiality:** All information disclosed by the Owner to the Contractor for the purpose of the work to be done or information that comes to the attention of the Contractor during the course of performing such work is to be kept strictly confidential.
- **2.34. Conflict of Interest:** No public official and/or City/County employee shall have interest in any contract resulting from this IFB.
- **2.35. Contract Termination**: This contract shall remain in effect until any of the following occurs: (1) contract expires; (2) completion of services; (3) acceptance of services or, (4) for convenience terminated by either party with a written *Notice of Cancellation* stating therein the reasons for such cancellation and the effective date of cancellation.
- **2.36. Employment Discrimination:** During the performance of any services per agreement with the Owner, the Contractor, by submitting a Bid, agrees to the following conditions:
  - 2.36.1. The Contractor shall not discriminate against any employee or applicant for employment because of race, religion, color, sex, age, handicap, or national origin except when such condition is a legitimate occupational qualification reasonably necessary for the normal operations of the Contractor. The Contractor agrees to post in conspicuous places, visible to employees and applicants for employment, notices setting forth the provisions of this nondiscrimination clause.
  - 2.36.2. The Contractor, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, shall state that such Contractor is an Equal Opportunity Employer.
  - **2.36.3.** Notices, advertisements, and solicitations placed in accordance with federal law, rule, or regulation shall be deemed sufficient for the purpose of meeting the requirements of this section.
- **2.37. Affirmative Action:** In executing a Contract with the City, the Contractor agrees to comply with Affirmative Action and Equal Employment Opportunity regulations presented in the General Contract Conditions.
- 2.38. Immigration Reform and Control Act of 1986 and Immigration Compliance: The Offeror certifies that it does not and will not during the performance of the contract employ illegal alien workers or otherwise violate the provisions of the Federal Immigration Reform and Control Act of 1986 and/or the immigration compliance requirements of State of Colorado C.R.S. § 8-17.5-101, et.seq. (House Bill 06-1343).
- **2.39. Ethics:** The Contractor shall not accept or offer gifts or anything of value nor enter into any business arrangement with any employee, official, or agent of the Owner.

- 2.40. Failure to Deliver: In the event of failure of the Contractor to deliver services in accordance with the contract terms and conditions, the Owner, after due oral or written notice, may procure the services from other sources and hold the Contractor responsible for any costs resulting in additional purchase and administrative services. This remedy shall be in addition to any other remedies that the Owner may have.
- 2.41. Failure to Enforce: Failure by the Owner at any time to enforce the provisions of the contract shall not be construed as a waiver of any such provisions. Such failure to enforce shall not affect the validity of the contract or any part thereof or the right of the Owner to enforce any provision at any time in accordance with its terms.
- **2.42. Force Majeure:** The Contractor shall not be held responsible for failure to perform the duties and responsibilities imposed by the contract due to legal strikes, fires, riots, rebellions, and acts of God beyond the control of the Contractor, unless otherwise specified in the contract.
- 2.43. Independent Contractor: The Contractor shall be legally considered an Independent Contractor and neither the Contractor nor its employees shall, under any circumstances, be considered servants or agents of the Owner. The Owner shall be at no time legally responsible for any negligence or other wrongdoing by the Contractor, its servants, or agents. The Owner shall not withhold from the contract payments to the Contractor any federal or state unemployment taxes, federal or state income taxes, Social Security Tax or any other amounts for benefits to the Contractor. Further, the Owner shall not provide to the Contractor any insurance coverage or other benefits, including Workers' Compensation, normally provided by the Owner for its employees.
- **2.44. Nonconforming Terms and Conditions:** A bid that includes terms and conditions that do not conform to the terms and conditions of this Invitation for Bid is subject to rejection as non-responsive. The Owner reserves the right to permit the Contractor to withdraw nonconforming terms and conditions from its bid prior to a determination by the Owner of non-responsiveness based on the submission of nonconforming terms and conditions.

Items for non-responsiveness may include, but not be limited to:

- a. Submission of the Bid on forms other than those supplied by the City;
- b. Alteration, interlineation, erasure, or partial detachment of any part of the forms which are supplied herein;
- Inclusion of unauthorized additions conditional or alternate Bids or irregularities of any kind which may tend to make the Bid incomplete, indefinite, or ambiguous as to its meaning;
- d. Failure to acknowledge receipt of any or all issued Addenda;
- e. Failure to provide a unit price or a lump sum price, as appropriate, for each pay item listed except in the case of authorized alternative pay items;

- f. Failure to list the names of Subcontractors used in the Bid preparation as may be required in the Solicitation Documents;
- g. Submission of a Bid that, in the opinion of the Owner, is unbalanced so that each item does not reasonably carry its own proportion of cost or which contains inadequate or unreasonable prices for any item;
- h. Tying of the Bid with any other bid or contract; and
- i. Failure to calculate Bid prices as described herein.

#### **2.45.** Evaluation of Bids and Offeors: The Owner reserves the right to:

- reject any and all Bids,
- waive any and all informalities,
- negotiate final terms with the Successful Bidder, and
- disregard any and all nonconforming, nonresponsive or conditional Bids.

Discrepancies between words and figures will be resolved in favor of words. Discrepancies between Unit Prices and Extended Prices will be resolved in favor of the Unit Prices. Discrepancies between the indicated sum of any column of figures and the correct sum thereof will be resolved in favor of the correct sum. The corrected extensions and totals will be shown in the tabulation of Bids.

The Owner may consider the qualifications and experience of Subcontractors and other persons and organizations (including those who are to furnish the principal items of material or equipment) proposed for those portions of the work as to which the identity of Subcontractors and other persons and organizations must be submitted. Operating costs, maintenance considerations performance data, and guarantees of materials and equipment may also be considered by the Owner.

The Owner will conduct such investigations as deemed necessary to assist in the evaluation of any Bid and to establish the responsibility, qualifications and financial ability of the Offeror, proposed Subcontractors and other persons and organizations to do the Work in accordance with the *Contract Documents* to the City's satisfaction within the Contract Time.

The Offeror shall furnish the Owner all information and data requested by the Owner to determine the ability of the Offeror to perform the Work. The Owner reserves the right to reject the Bid if the evidence submitted by, or investigation of such Offeror fails to satisfy the Owner that such Offeror is properly qualified to carry out the obligations of the Contract and to complete the Work contemplated therein.

By submitting a Bid, each Offeror authorizes the Owner to perform such investigation of the Offeror as the Owner deems necessary to establish the responsibility, qualifications and financial ability of the Offeror and, by its signature thereon, authorizes the Owner to obtain reference information concerning the Offeror and releases the party providing such information and the Owner from any and all liability to the Offeror as a result of such reference information so provided.

The Owner reserves the right to reject the Bid of any Offeror who does not pass any evaluation to the Owner's satisfaction.

If the Contract is to be awarded, it will be awarded to the Offeror who, by evaluation, the Owner determines will best meet the Owner's interests.

The Owner reserves the right to accept or reject the Work contained in any of the Price Bid Schedules or alternates, either in whole or in part.

2.46. Award of Contract: Unless otherwise indicated, a single award will be made for all the bid items in an individual bid schedule. In the event that the Work is contained in more than one Bid Schedule, the City may award Schedules individually or in combination. In the case of two Bid Schedules which are alternative to each other, only one of such alternative Schedules will be awarded. Within forty-five (45) Calendar Days of Bid Opening, the City will issue a Notice of Award to the Successful Bidder which will be accompanied by four (4) unsigned copies of the Contract and the Performance and Payment Bond forms. Within ten (10) Calendar Days thereafter, the Successful Bidder shall sign and deliver four (4) copies of the Contract, Performance Bond, Payment Bond and Certificates of Insurance to the City. Within ten (10) Calendar Days thereafter, the City will deliver two (2) fully executed counterparts of the Contract to the Contractor. No contract shall exist between the Successful Bidder and the City and the Successful Bidder shall have no rights at law or in equity until the Contract has been duly executed by the City.

The Successful Bidder's failure to sign and submit a Contract and other documents set forth in this Paragraph within the prescribed time shall be just cause of annulment of the award, and forfeiture of the Bid Guaranty. The award of Contract may then be made to the next qualified Bidder in the same manner as previously prescribed.

- **2.47. Ownership:** All plans, prints, designs, concepts, etc., shall become the property of the Owner.
- 2.48. Oral Statements: No oral statement of any person shall modify or otherwise affect the terms, conditions, or specifications stated in this document and/or resulting agreement. All modifications to this request and any agreement must be made in writing by the Owner.
- **2.49.** Patents/Copyrights: The Contractor agrees to protect the Owner from any claims involving infringements of patents and/or copyrights. In no event shall the Owner be liable to the Contractor for any/all suits arising on the grounds of patent(s)/copyright(s) infringement. Patent/copyright infringement shall null and void any agreement resulting from response to this IFB.
- **2.50. Remedies**: The Contractor and Owner agree that both parties have all rights, duties, and remedies available as stated in the Uniform Commercial Code.
- **2.51. Venue**: Any agreement as a result of responding to this IFB shall be deemed to have been made in, and shall be construed and interpreted in accordance with, the laws of the City of Grand Junction, Mesa County, Colorado.

- **2.52. Expenses:** Expenses incurred in preparation, submission and presentation of this IFB are the responsibility of the company and cannot be charged to the Owner.
- **2.53. Sovereign Immunity:** The Owner specifically reserves its right to sovereign immunity pursuant to Colorado State Law as a defense to any action arising in conjunction to this agreement.
- 2.54. Non-Appropriation of Funds: The contractual obligation of the Owner under this contract is contingent upon the availability of appropriated funds from this fiscal year budget as approved by the City Council or Board of County Commissioners from this fiscal year only. State of Colorado Statutes prohibit obligation of public funds beyond the fiscal year for which the budget was approved. Anticipated expenditures/obligations beyond the end of the current Owner's fiscal year budget shall be subject to budget approval. Any contract will be subject to and must contain a governmental non-appropriation of funds clause.
- 2.55. Cooperative Purchasing: Purchases as a result of this solicitation are primarily for the City/County. Other governmental entities may be extended the opportunity to utilize the resultant contract award with the agreement of the successful provider and the participating agencies. All participating entities will be required to abide by the specifications, terms, conditions and pricings established in this Bid. The quantities furnished in this bid document are for only the City/County. It does not include quantities for any other jurisdiction. The City or County will be responsible only for the award for its jurisdiction. Other participating entities will place their own awards on their respective Purchase Orders through their purchasing office or use their purchasing card for purchase/payment as authorized or agreed upon between the provider and the individual entity. The City/County accepts no liability for payment of orders placed by other participating jurisdictions that choose to piggy-back on our solicitation. Orders placed by participating jurisdictions under the terms of this solicitation will indicate their specific delivery and invoicing instructions.
- 2.56. Keep Jobs in Colorado Act: Contractor shall be responsible for ensuring compliance with Article 17 of Title 8, Colorado Revised Statutes requiring 80% Colorado labor to be employed on public works. Contractor shall, upon reasonable notice provided by the Owner, permit the Owner to inspect documentation of identification and residency required by C.R.S. §8-17-101(2)(a). If Contractor claims it is entitled to a waiver pursuant to C.R.S. §8-17-101(1), Contractor shall state that there is insufficient Colorado labor to perform the work such that compliance with Article 17 would create an undue burden that would substantially prevent a project from proceeding to completion, and shall include evidence demonstrating the insufficiency and undue burden in its response.

Unless expressly granted a waiver by the Owner pursuant to C.R.S. §8-17-101(1), Contractor shall be responsible for ensuring compliance with Article 17 of Title 8, Colorado Revised Statutes requiring 80% Colorado labor to be employed on public works. Contractor shall, upon reasonable notice provided by the Owner, permit the Owner to inspect documentation of identification and residency required by C.R.S. §8-17-101(2)(a).

- **2.56.1.** "Public project" is defined as:
  - (a) any construction, alteration, repair, demolition, or improvement of any land, building, structure, facility, road, highway, bridge, or other public improvement suitable for and intended for use in the promotion of the public health, welfare, or safety and any maintenance programs for the upkeep of such projects
  - (b) for which appropriate or expenditure of moneys may be reasonably expected to be \$500,000.00 or more in the aggregate for any fiscal year
  - (c) except any project that receives federal moneys.

## 3. Statement of Work

- **3.1. GENERAL:** The work request is for improvements to selected roads within the City of Grand Junction. The improvements will include mill and fill operations, patching, shoulder improvements, and pavement preservation utilizing chipseal operations.
- **3.2. PROJECT DESCRIPTION:** The project includes 78,800 square yards of asphalt milling and a new 1 ½" to 2" overlay of hot mix asphalt, approximately 5855 tons of grading SX 75 (PG 76-28), and approximately 7170 tons of grading SX 75 (PG 64-22), 870 tons of patching, 560 SY of shoulder widening on existing streets within the City of Grand Junction. In addition, approximately 77,200 SY of pavement preservation, Chip Seal, is scoped for existing streets within the City of Grand Junction.

#### 3.3. SPECIAL CONDITIONS & PROVISIONS:

3.3.1 Mandatory Pre-Bid Meeting: Prospective bidders are required to attend a mandatory pre-bid meeting on January 4, 2017 at 9:00am. Meeting location shall be in the City Hall Auditorium, located at 250 N. 5<sup>th</sup> Street. The purpose of this visit will be to inspect and to clarify the contents of this Invitation for Bids (IFB).

#### 3.3.2 QUESTIONS REGUARDING SOLICIATION PROCESS/SCOPE OF WORK:

Duane Hoff Jr., Senior Buyer City of Grand Junction duaneh@gicity.org

**3.3.2 Project Manager:** The Project Manager for the Project is Justin Vensel, Project Engineer, who can be reached at (970)256-4017. <u>During Construction</u>, all notices, letters, submittals, and other communications directed to the City shall be addressed and mailed or delivered to:

City of Grand Junction
Department of Public Works
Attn: Justin Vensel, Project Engineer
333 West Ave Building A
Grand Junction, CO 81501

- **3.3.3 Affirmative Action:** The Contractor is not required to submit a written Affirmative Action Program for the Project.
- **3.3.4 Pricing:** Pricing shall be all inclusive to include but not be limited to: all labor, equipment, supplies, materials, freight (F.O.B. Destination Freight Pre-paid and Allowed to each site), travel, mobilization costs, fuel, set-up and take down costs, and full-time inspection costs, and all other costs related to the successful completion of the project.

The Owner shall not pay nor be liable for any other additional costs including but not limited to: taxes, shipping charges, insurance, interest, penalties, termination payments, attorney fees, liquidated damages, etc.

**3.3.5 Freight/Shipping:** All freight/shipping shall be F.O.B. Destination – Freight Pre-Paid and Allowed to the project site(s), Grand Junction, CO.

Contractor must meet all federal, state, and local rules, regulations, and requirements for providing such services.

- **3.3.6 Contract:** A binding contract shall consist of: (1) the IFB and any amendments thereto, (2) the bidder's response (bid) to the IFB, (3) clarification of the bid, if any, and (4) the City's Purchasing Department's acceptance of the bid by "Notice of Award" or by "Purchase Order". All Exhibits and Attachments included In the IFB shall be incorporated into the contract by reference.
  - A. The contract expresses the complete agreement of the parties and, performance shall be governed solely by the specifications and requirements contained therein.
  - B. Any change to the contract, whether by modification and/or supplementation, must be accomplished by a formal contract amendment signed and approved by and between the duly authorized representative of the bidder and the City Purchasing Division or by a modified Purchase Order prior to the effective date of such modification. The bidder expressly and explicitly understands and agrees that no other method and/or no other document, including acts and oral communications by or from any person, shall be used or construed as an amendment or modification to the contract.
- **3.3.7 Time of Completion:** The scheduled time of Completion for the Project is **60** Calendar Days from the starting date specified in the Notice to Proceed.

Completion is achieved when site cleanup and all punch list items (resulting from the final inspection) have been completed. Completion shall have the meaning set forth in Article I, Section 3 (Definitions and Terms) of the General Contract Conditions.

**3.3.8 Working Days and Hours:** The working days and hours shall be as stated in the General Contract Conditions or as mutually agreed upon in the preconstruction meeting with the following exception:

The following streets shall have all work performed between the hours of 7:00 PM to

#### 7:00 AM:

- ▶ 24 Road G Road to Canyon View Park
- ➤ 25 Road I-70B to Patterson Road
- ➤ D Road 31 Road to 32 Road No Traffic control shall be in place, other than prestaging, prior to 7:00 PM and all traffic control shall be removed prior to 7:00 AM. In the event that traffic control is not removed by the time set above the contractor shall be subjected to a &500/hour penalty.
- **3.3.9 Licenses and Permits:** Contractor is responsible for obtaining all necessary licenses and permits required for Construction, at Contractors expense. See Section 2.10. Contractor shall supply to Owner all copies of finalized permits.
- 3.3.10 Permits: The following permits are required for the Project and will be obtained by the City at no cost to the Contractor:
  None

The following permits are required for the Project and shall be obtained and paid for by the Contractor, with the costs included in the total bid price for the Project:

None

- **3.3.11 City Furnished Materials:** The City will furnish the following materials for the Project:
  - Door-hanger notices informing residents of the upcoming overlay work, planned dates of the work, and parking restrictions. These shall be hung on doors at least two, but not more than 7 days prior to the work at each location. In the event that door hangers are not distributed as per these special conditions and a vehicle needs to be removed from the project site the Contractor shall be responsible for the costs associated with the relocation of the vehicle.
  - Damaged or outdated manhole ring and covers and Water Valve boxes and lids need to be replaced the City will furnish the above mentioned. The Contractor shall be responsible for picking up the materials from Castings Inc.
- 3.3.12 Project Newsletters: A newsletter for the Project will be prepared and distributed by the City. It will include general information about the Project including interruptions in utility services, street closures, parking restrictions, project schedule, and the names and telephone numbers of the contacts for the City and Contractor. The newsletter will be mailed approximately one week before the Contractor commences work.

The Contractor will be responsible for notifying all businesses and / or residents located adjacent to the work. Door hanger notifications shall be distributed at least two (2) working days prior to the day the Milling work is scheduled to begin. A second door hanger notification shall be distributed at least two (2) working days prior to the day the Overlay work is scheduled to begin.

**3.3.13 Project Sign:** Project signs, if any, will be furnished and installed by the City.

- **3.3.14 Authorized Representatives of the City:** Those authorized to represent the City shall include Purchasing Agent, Engineers, and Inspectors employed by the City, only.
- **3.3.15 Stockpiling Materials and Equipment:** All stockpiling/storage shall be in accordance with General Contract Condition Section 51.

When approved by the Project Engineer, the Contractor may stockpile and store materials and equipment within public right-of-way. The Contractor shall be responsible for obtaining written permission to use private property for storage of materials and equipment. Copies of the above-mentioned agreements shall be submitted to the Project Engineer prior to use of the property.

- 3.3.16 Traffic Control: The Contractor shall provide and maintain traffic control in accordance with the approved Traffic Control Plan and the Manual on Uniform Traffic Control Devices. A Traffic Control Plan shall be prepared by the Contractor and reviewed by the City two days prior to the pre-construction meeting. Traffic control will be paid as lump sum and shall include all associated signs, cones, traffic control supervisor, assistant to the traffic control supervisor, set up and tear down.
- 3.3.17 Clean-Up: The Contractor is responsible for cleaning up all loose materials that have been deposited or swept into gutters, and onto sidewalks and driveways as a result of sidewalk operations. The costs for all clean-up work shall be considered incidental and will not be paid for separately.
- 3.3.18 Quality Control Testing: Supplier shall perform quality control testing on the Asphalt. The Contractor shall provide quality control throughout the Contract, with the use of his/her own Quality Control Technicians or the use of a certified laboratory. In accordance with Section 401.06.3 of the City of Grand Junction Standard Specifications for Road and Bridge Construction, results of all quality control tests shall be submitted to the City's Quality Assurance Technician within 4 hours of the time of sampling. Failure to do so may require that paving be suspended until all sampling results have been received, reviewed, and approved. The Contractor shall supply a QC Lab personnel for night work for comparison of test data. If lab personnel is not supplied paving operations will be suspended until one is available. QC Field personnel shall remain on site during the duration of the paving operation or until in-place density are met.
- **3.3.19 Schedule of Submittals:** Contractor shall deliver these submittals at least two days prior to the pre-construction meeting:
  - Traffic Control Plans
  - Project Schedule
  - Hourly rate tables for Labor and Equipment to be used on this project
  - Asphalt Mix Design for SX mix.
  - Tack Coat
  - Cover coat material (Type 1 Special)
  - Emulsified Asphalt

- 3.3.20 Excess Material: All excess materials shall be disposed in accordance with General Contract Condition Section 50. All millings shall be delivered to City Shops, Riverside Yard, and become the property of the City of Grand Junction.
- **3.3.21 Incidental Items:** Any item of work not specifically identified or paid for directly, but which is necessary for the satisfactory completion of any paid items of work, will be considered as incidental to those items, and will be included in the cost of those items.
- 3.4. SCOPE OF WORK/SPECIFICATIONS: This project is for 2017 Contract Street Maintenance Project. The project consists of milling of the existing roadway surface as described in job locations, A new asphalt mat, Full depth asphalt patching at location identified in the field and trench patching from the 2017 Sewer Line Replacement Project. The project will also include the adjustment of manhole as well as water valve and survey monuments.
  - **3.4.1 Special Equipment:** The paver shall be equipped with a 40' ski on any street segment longer than 600 lineal feet of continuous pavement. Unless otherwise approved by the Engineer or his representative. Auger extensions shall be used when the screed is extended to a width greater than two feet beyond the auger. The auger extensions shall be installed to ensure a constant head of material.

Asphalt Material Transfer Vehicle: The contractor shall use a materials transfer vehicle in conjunction with belly dump to reduce irregularities in the paving. On the following street sections:

- 24 Road G Road to Canyon View Park
- 25 Road I-70B to Patterson Road
- D Road 31 Road to 32 Road
- → 4<sup>th</sup> Street Grand Avenue to North Avenue
- ➤ Gunnison Avenue 12<sup>th</sup> Street to 24<sup>th</sup> Street
- > 12<sup>th</sup> Street Pitkin Avenue to Gunnison Avenue
- **3.4.2 Arterial and Collector Streets:** All paving shall be completed a maximum of 7 calendar days after the milling at the following locations:
  - > 24 Road G Road to Canyon View Park
  - 25 Road I-70B to Patterson Road
  - ➤ D Road 31 Road to 32 Road
  - ➤ 4<sup>th</sup> Street Grand Avenue to North Avenue
  - > 7<sup>th</sup> Street Teller Avenue to North Avenue
  - ➤ 12<sup>th</sup> Street Pitkin Avenue to Gunnison Avenue
- **3.4.3 Asphalt Paper Joints:** The Contractor shall install asphalt paper joints at all locations where milling the roadway creates a vertical edge greater than 1" in height in the direction of travel. The paper joints shall be installed immediately following milling operations. The asphalt used in the paper joint shall be removed prior to placing the overlay. The cost of the paper joints shall be included in the unit price for the asphalt items and will not be measured or paid for separately.

- **3.4.4 Tack Coat:** Tack Coat will be required between the existing asphalt and the leveling asphalt, existing asphalt and new overlay, and between leveling asphalt and new overlay asphalt. The tack coat shall meet the requirements of Section 407 of the Standard Specifications for Road and Bridge Construction. The cost of the tack coat will be considered incidental to the work and will not be paid for separately.
- **3.4.5 Milling at Drainage Inlets:** When milling adjacent to inlets that have a concrete edge protruding into the street, it shall be the Contractor's responsibility to provide an approved marker or barricade to protect vehicle tires from damage until the overlay is placed. It shall be the Contractors responsibility to ensure millings, tack coat and/or HMA do not enter the storm drain system.
- **3.4.6 Painted Lane Lines:** The Contractor shall be responsible for recording the location of all existing striping, and shall place longitudinal paving joints on or immediately adjacent to said striping.
- **3.4.7 Temporary Pavement Marking Tape:** The Contractor shall be responsible for furnishing and placing temporary pavement marking tape in the event that existing stripes were removed during milling operation. The Contractor shall be responsible for furnishing and placing temporary pavement marking tape prior to the final roller pass. Pavement marking tape shall be placed on the seams of the new asphalt as determined by the record of existing striping. The cost of the marking tape and labor to install will be considered incidental to the work and will not be paid for separately.
- **3.4.8 Transverse Milling:** Butt joints (Transverse Milling) shall be placed in all locations where new asphalt will be joined to existing pavement. The location and width of all butt joints will be designated by the Project Engineer or his representative.
- **3.4.9 Asphalt Paper Joints:** The Contractor shall install asphalt paper joints at all locations where milling the roadway creates a vertical edge greater than 1" in height in the direction of travel. The paper joints shall be installed immediately following milling operations. The asphalt used in the paper joint shall be removed prior to placing the overlay. The cost of the paper joints shall be included in the unit price for the asphalt items and will not be measured or paid for separately.
- **3.4.10 Pavement Cross Slope:** Each paving machine shall be equipped with a 4' carpenters level. On those occasions when the paving foreman determines that an existing street has little or no cross slope, the Contractor shall advise the Engineer of his observations rather than overlaying the street as is. The Engineer or his representative will then determine how best to correct the inadequate cross slope.
- **3.4.11 Payment for Hot Mix Asphalt:** The Contractor is reminded that Section 401.07.1 of the City of Grand Junction Standard Specifications for Road and Bridge Construction will be used to determine Pay Factors for calculating the basis of payment for Hot Bituminous Pavement.
- **3.4.12 Manholes and Water Valves:** It shall be the contractors' responsibility to

accurately record and adjust all manholes, valve boxes and survey monuments final grade. In the event that a utility is paved over it shall be the contractors' responsibility to expose and adjust to final grade within 2 days. In all other cases utilities shall be raised to final grade within 7 days after completion of paving street segment, and shall be the contractors' responsibility to expose the affected utility during the event of an emergency.

**3.4.13 Reset Structure:** Section 210 of the Standard Specifications is hereby revised for this project as follows:

Section 210.10, Adjust Structure, shall include the following:

- (1) The following shall apply to adjusting manhole rings in traveled through lanes:
  - (a) Manholes shall be paved over during the overlay. Sand or paper will be used to prevent the asphalt from adhering to the manhole cover. After paving, the manhole ring shall be adjusted to grade by the use of concrete grade rings. The cut area around the manhole shall then be patched with Grading-SX, Hot mix Asphalt to the same thickness as the adjacent pavement. When adjusting the manhole ring to match the cross slope of the street, the Contractor shall fill the space between the concrete grade ring and the cast iron ring with Rapid Road Repair or Engineer approve equal. In the event that grade rings are removed and or replaced as part of the adjustment the contractor shall fill the annular area below the uppermost grade ring with a self-consolidating media such as 3/4" washed rock or completely fill the area with Rapid Road Repair or Engineer approved equal.
  - (b) Manhole adjustment tolerance: all manholes adjusted as part of this project shall meet the following criteria: level with the adjacent asphalt or (–)1/8". Manholes set outside of this tolerance will be rejected.
- (2) Valve boxes can be adjusted by the use of cast iron valve box extensions or by digging the valve box out after paving and raising the existing box. After adjusting the height of the valve box, the area around the valve box shall be filled with Grading-SX, Hot Mix Asphalt to the same thickness as the adjacent pavement. Water valve tolerance will be the same as section 1 b with the exception of (–) 1/4"

#### 3.4.14 Aggregate Base Course:

Section 304 of the Standard Specifications is hereby revised for this project as follows:

Subsection 304.01 shall include the following:

In areas of asphalt overlay where there is no curb and gutter, the Contractor shall backfill the shoulder with Class-6 Aggregate Base Course immediately following the overlay. The shoulder shall have a slope of 12:1 or flatter, and shall extend a maximum 4' from the edge of asphalt. The aggregate base course shall be brought level to the new pavement surface and compacted. An exception to this will be made in areas where shoulder material would extend into existing yards or landscaping adjacent to the roadway. In these locations, it will be necessary to provide Materials that match the existing landscape.

#### 3.4.15 Construction Zone Traffic Control:

Section 630 of the Standard Specifications are hereby revised for this project as follows:

Subsection 630.14, Method of Measurement, shall include the following:

Distribution of door-hanger notices to all businesses and / or residents located adjacent to the overlay work will not be paid for separately but shall be included in the pay item for Traffic Control (Complete in Place). The City will provide the door hangers for distribution.

**3.4.16 Materials:** In the event that excavation of the manholes grade rings are disturbed or removed and replaced due to damage the Contractor is instructed to follow these guidelines:

The annular area beneath the bottom of the uppermost grade ring shall either be filled with a self-consolidating material, i.e. ¾" screened rock or engineer approved equal or shall be completely filled with Quikrete's Rapid Road Repair or Engineer approved equal. No other means will be considered.

#### 3.4.17 Chipseal Specifications Rock and Oil:

**Emulsified Asphalt:** 

The contractor will be allowed to bid either the CRS-2P or CRS-2R for the emulsified asphalt for this project.

Aggregate:

3/8" Chips Modified CDOT Spec (703.05), Type I, 100% fractured face, No more than 8% passing the No. 4. All aggregate shall be washed.

#### 3.4.18 Work By Others:

The following locations will have sanitary sewer work completed as part of the 2017 Sewer Line replacement project:

- ➤ 4<sup>th</sup> Street Manhole replacement and Service Line installations
- > 7<sup>th</sup> Street Manhole replacement and Service Line installations
- > 12<sup>th</sup> Street Manhole replacement and Service Line installations
- > 9th Street Manhole replacement and Service Line installations
- 25 Road Repair 30' of damaged (sagging) Main line
- ➤ Bookcliff Avenue Replacement of 275' of Main Line
- Gunnison Ave Replacement of Curb and Gutter Dwys. (ADA Compliance) and 1675' of sanitary main line.

It is anticipated that this work will be completed prior to the overlays starting. In the event that this work is not completed the contractor or the City may opt for a revised start date.

The trench patching will be included in the work for the 2017 project and will be paid for by the Ton. Patching material shall be Grading SX 75 Binder 64-22.

#### 3.5. IFB TENTATIVE TIME SCHEDULE:

Invitation For Bids available

Mandatory Pre-Bid Meeting
Inquiry deadline, no questions after this date

Addendum Posted

Submittal deadline for proposals

December 15, 2016

January 4, 2017

January 6, 2017

January 10, 2017

January 13, 2017

City Council Approval
Notice of Award & Contract execution
Bonding & Insurance Cert due
Preconstruction meeting
Work begins no later than
Final Completion
Holidays:
Independence Day

February 1, 2017 February 2, 2017 May 30, 2017 May 30, 2017 June 5, 2017 August 4, 2017

July 4, 2017

# 4. Contractor's Bid Form

Bid Date:			
Project: IFB-4317-17-DH	"2017 Contract Stre	eet Maintenance"	
Bidding Company:			_
Name of Authorized Age	nt:		_
Email			_
Telephone	Address		
City	State	Zip	
to Bidders, General Contract thereto, having investigated proposes to furnish all labo accordance with Contract Do	Conditions, Statement the location of, and or, materials and supplecuments, within the timenses incurred in per-	vitation for Bids, having examined to of Work, Specifications, and any an conditions affecting the proposed lies, and to perform all work for the set forth and at the prices stated forming the work required under a part.	d all Addenda work, hereby the Project in below. These
without collusion or connection made in pursuance of, and s	on to any person(s) pro subject to, all terms ar	and stipulate that this offer is made oviding an offer for the same work nd conditions of the Instructions to nts, all of which have been exar	, and that it is Bidders, the
(10) working days of the dat	te of Notification of Aw	ntract, to provide insurance certifica rard. Submittal of this offer will be will be prepared to complete the	taken by the
waive any formalities or techn may not be withdrawn for a	nicalities and to reject a period of sixty (60) ca	the basis of the offer deemed mos any or all offers. It is further agreed alendar days after closing time. S ish a new thirty day (30) period.	that this offer
RECEIPT OF ADDENDA: 1 Solicitation, Specifications, a		ractor acknowledges receipt of Acuments.	ldenda to the
State number	of Addenda received: _	<u>.</u>	
It is the responsibility of the E	Bidder to ensure all Add	denda have been received and ack	nowledged.
By signing below, the Unde	ersigned agree to cor	mply with all terms and condition	is contained
Company:			_
Authorized Signature:			-

The sundamaian ad Diddam		4 41 - C- 11	
The undersigned Bidder	proposes to subcontrac	i ine ionown	1g portion of work:

Name & address of	Description of work	% of
Sub-Contractor	to be performed	<u>Contract</u>

The undersigned Bidder acknowledges the right of the City to reject any and all Bids submitted and to waive informalities and irregularities therein in the City's sole discretion.

By submission of the Bid, each Bidder certifies, and in the case of a joint Bid each party thereto certifies as to his own organization, that this Bid has been arrived at independently, without collusion, consultation, communication, or agreement as to any matter relating to this Bid with any other Bidder or with any competitor.

# Bid Schedule: 2017 Asphalt Overlays & Pavement Preservation Company Name:\_\_\_\_\_

Item No.	CDOT, City Ref.	Description	Quantity	Units	Unit Price	Total Price
						_
1	202	Removal of Asphalt Mat (Planning) (0"to2.5")	78,800.	SY	\$ \$	
2	203	Unclassified Excavation	100.	CY	\$ \$_	
3	210	Adjust Valve Box (Price to include adjustment of survey monuments)	188.	EA	\$ <b></b> \$ _	
4	210	Adjust Manhole Ring and Cover (Sanitary and Storm Sewer)	103.	EA	\$ \$_	
5	210	Adjust Manhole Ring and Cover (Telephone and Xcel)	3.	EA	\$ \$ _	
6	304	Shoulder Widening (4' beyond existing edge of asphalt)(removal of existing media if other than base course material to match existing road cross slope)( see description in special provisions)	560.	SY	\$ \$	
7	304	Aggregate Base Course (Class 6)	155.	Ton	\$ \$_	
8	304	Aggregate Base Course (Class 6) (Shoulder Gravel)	455.	Ton	\$ \$_	
9	401	Hot Mix Asphalt (8" Patching, Full Depth Asphalt)(Grading SX 75 Binder Grade 64-22)(Price to include removal of material 8" below milled asphalt or surface to be paved over or Chip sealed over)	870.	Ton	\$ \$_	
10	401	Hot Mix Asphalt (4" Patching, Full Depth Asphalt)(Grading SX 75 Binder Grade 64-22)(Price to include removal of material 4" below milled asphalt or surface to be paved over)(Sewer Line Rehabilitation)(Trench Patching)	457.	Ton	\$ \$_	
11	401	Hot Mix Asphalt (Top Mat)(Grading SX 75 Binder Grade 64-22)	7,170.	Ton	\$ \$ _	
12	401	Hot Mix Asphalt (Top Mat)(Grading SX 75 Binder Grade 76-28)	5,855.	Ton	\$ \$	

# Bid Schedule: 2017 Asphalt Overlays & Pavement Preservation Company Name:

Item No.	CDOT, City Ref.	Description	Quantity	Units		Unit Price	)	Total Price
		·						
13	620	Sanitary Facility	Lump	Sum			\$	
14	626	Mobilization	Lump	sum			\$	
15	630	Traffic Control (Complete in Place)	Lump	sum			\$	
16	630	Traffic Control Plans	Lump	sum			\$	
17	630	Flagging	1,900.	HR	\$		\$	
18		Pavement Preservation (Chipseal)						
19	409	Cover Coat Material (Type I Special)	77,200.	SY	\$		\$	
20	411	Emulsified Asphalt (CRS-2P or CRS-2R)	29,336.	GAL	\$		\$	
21	620	Sanitary Facility	Lump	sum			\$	
22	626	Mobilization	Lump	sum			\$	
23	630	Traffic Control (Complete in Place)	Lump	sum			\$	
24	630	Traffic Control Plans	Lump	sum			\$	
25	630	Flagging	572.	HR	\$		\$	
INC		Incentive HMA 64-22 All except					\$	20,000.00
INC		Prelevel and Patching Incentive HMA 76-28					\$	20,000.00
MCR		Minor Contract Revisions					\$	50,000.00
			Bio	d Amount	:	\$	<u> </u>	

Total Bid Amount:	
	dollars

# APPENDIX A Project Submittal Form

## PROJECT SUBMITTAL FORM

PROJECT: 2017 Asphalt Overlays

CONTRACTOR:

PROJECT ENGINEER: Justin Vensel							
	1						
<b>D</b>	Date	Resubmittal	Resubmittal	Date			
Description	Received	Requested	Received	Accepted			
Š	TREET CONST	RUCTION	<del>,</del>				
Pavement mix design							
Base course gradation, Proctor curve							
EROSION CONTROL / STORMWATER MANAGEMENT							
Inlet Protection							
PERMITS, PLANS, OTHER							
Traffic Control Plan							




### 2017 ASPHALT OVERLAY PROJECT


## **2017 Selected Streets for Overlay**


- 1. 24 Rd G Road to Canyon View Park
- 2. 25 Road I-70B to Patterson Road
- 3. 26 Road Patterson Road to F ½ Road
- 4. 4th Street Grand Avenue to North Avenue
- 5. 7<sup>th</sup> Street Teller Avenue to North Avenue
- 6. Bookcliff Avenue 7th Street to 9th Street
- 7. 9th Street S. 1st Street Ute Avenue
- 8. 12th Street Pitkin Avenue to Gunnison Avenue
- 9. Gunnison Avenue 12<sup>th</sup> Street to 24<sup>th</sup> Street
- 10.D Road 31 Road to 32 Road (All newer PVC pipe no survey required)

## 2017 Selected Street for Chipseal

- 1. B 1/2 Road 27 1/2 Road to 29 Road
- 2. Grand Avenue 1st Street to 12th Street
- 3. Horizon Drive 12th Street to G Road







LOCATION: 24 Road AREA: 1997' X 53' MAT THICKNESS:	G Road to Canyon V 11760 SY 1.5"	iew Park
QUANTITY INFORMATION	PLAN	FIELD
1.5 " Milling (longitudinal & butt joints):	2130 SY	
Full Width Milling	2400 SY	
Adjust valve box:	10	
Replace valve box and cover		
Install survey box and cover (City provides box and cover).		
Adjust valve box (for water-valve style boxes at survey monuments).	1	
Adjust manhole ring and cover. (telephone)	1	
Adjust manhole ring and cover (Sewer and Storm)		
Replace manhole ring and cover:		
Replace valve box lid:		
Subgrade Stabilization (Class 3, complete in-place).	$YD^3$	
Aggregate Base Course / Shoulder gravel (Class-6):	50 Ton	
Hot Bituminous Pavement (Patching) (3" thick)(Grading SX) including 12" compacted recycled asphalt millings).	SY	
Hot Bituminous Pavement (Leveling course, grading SX, 75 gyration Superpave).	Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/ 64-22 asphalt).	Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/76-28 asphalt).	980 Ton	
Geotextile (Paving):	SY	

- 1) Start Point 100' South of the intersection of 24 & G Road. Full width mill North 200 Feet.
- 2) 12'edge mill along the east curb and gutter.
- 3) End point 100' South of the EB 24 Road Roundabout Median, 200 lineal feet Full width mill from this point south.

2" MAT THICKNESS: QUANTITY INFORMATION PLAN FIELD

I 70B to Patterson Rd

17153 SY

2" Milling (longitudinal milling):	6415 SY	
Full width milling:	4410 SY	
Adjust valve box:	32	
Replace valve box and cover		
Adjust Manhole Ring and Cover (Telephone)		
Adjust valve box (for water-valve style boxes at survey monuments).	3	
Adjust manhole ring and cover.	6	
Adjust manhole ring and cover using ride height adjustors		
Replace manhole ring and cover:		
Replace valve box lid:		
Subgrade Stabilization (Class 3, complete in-place).	$YD^3$	
Aggregate Base Course / Shoulder gravel (Class-6):	Ton	
Hot Bituminous Pavement (Patching) (4" thick)(Grading SX)	SY	
Hot Bituminous Pavement (Leveling course, grading SX, 75 gyration Superpave).	Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/ 64-22 asphalt).	Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/76-28 asphalt).	1920 Ton	
Geotextile (Paving):	SY	

### **COMMENTS:**

- 1) Starting at butt joint form 1-70B improvement Full Width Mill 250' North.
- 2) 12' edge mill

LOCATION: 25 Road

3120' X Various Width

AREA:

3) From Patterson Road Full width mill 300' South.

LOCATION: 26 Road Patterson Road to F 1/2 Road

2619' X width varies 10682 SY AREA: 2 "

MAT THICKNESS:

QUANTITY INFORMATION	PLAN	FIELD
Milling (longitudinal & butt joints):	447 SY	
Full width milling Depth 2"	2480 SY	
Adjust valve box:	18	
Replace valve box and cover		
Adjust survey monument box		
Adjust valve box (for water-valve style boxes at survey monuments).	1	
Adjust manhole ring and cover.	4	
Adjust manhole ring and cover Using Ride height adjuster.		
Adjust manhole ring and cover. (telephone)		
Shoulder widening (4' improvement for bike/Ped lane)	560 SY	
Subgrade Stabilization (Class 3, complete in-place).	$YD^3$	
Aggregate Base Course / Shoulder gravel (Class-6):	85 Ton	
Hot Bituminous Pavement (Patching) (3" thick)(Grading SX) including 12" compacted recycled asphalt millings).	SY	
Hot Bituminous Pavement (Leveling course, grading SX, 75 gyration Superpave).	Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/ 64-22 asphalt).	1310 Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/76-28 asphalt).	Ton	
Geotextile (Paving):	SY	

- 1) Starting at Patterson Road Full Width Mill from the intersection North 200 feet.
- 2) 12' Edge Mill along Curb and Gutter
- 3) Shoulder widening starting at the GVIC Canal and continue north to F 1/2 Road 4" additional with on both sides of 26 Road.
- 4) Full width mill across the GVIC canal crossing 50' both sides of structure
- 5) End point North alignment of F ½ Road. Full Width milling from that point south 140 feet.

LOCATION: 4 <sup>th</sup> Street AREA: 2513' X 33' MAT THICKNESS:	Grand Ave to North Ave 9215 SY 2"	
QUANTITY INFORMATION	PLAN	FIELD
Milling (longitudinal & butt joints):	SY	
Full width milling Depth 2"	9215 SY	
Adjust valve box:	2	
Replace valve box and cover		
Adjust survey monument box		
Adjust valve box (for water-valve style boxes at survey monuments).	5	
Adjust manhole ring and cover.	22	
Adjust manhole ring and cover Using Ride height adjuster.		
Adjust manhole ring and cover. (telephone)		
Replace valve box lid:		
Subgrade Stabilization (Class 3, complete in-place).	$YD^3$	
Aggregate Base Course / Shoulder gravel (Class-6):	Ton	
Hot Bituminous Pavement (Patching) (8" thick)(Grading SX) Full Depth Asphalt	40 Tons	
Hot Bituminous Pavement (Trench Patching 4" Thick, grading SX, 75 gyration Superpave w 64-22 Binder).	25 Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/ 64-22 asphalt).	1025 Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/76-28 asphalt).	Ton	
Geotextile (Paving):	SY	
COMMENTS:		

1) Full Width Milling

LOCATION: 7<sup>th</sup> Street AREA: 710' X 54' MAT THICKNESS:

Teller Ave to North Ave 4260 SY

QUANTITY INFORMATION	PLAN	FIELD
Milling (longitudinal & butt joints):	SY	
Full width milling Depth 2"	4260 SY	
Adjust valve box:	9	
Replace valve box and cover		
Adjust survey monument box		
Adjust valve box (for water-valve style boxes at survey monuments).	2	
Adjust manhole ring and cover.	2	
Adjust manhole ring and cover Using Ride height adjuster.		
Adjust manhole ring and cover. (telephone)		
Replace valve box lid:		
Subgrade Stabilization (Class 3, complete in-place).	$YD^3$	
Aggregate Base Course / Shoulder gravel (Class-6):	Ton	
Hot Bituminous Pavement (Patching) (8" thick)(Grading SX) Full Depth Asphalt	80 Tons	
Hot Bituminous Pavement (Trench Patching 4" Thick, grading SX, 75 gyration Superpave w 64-22 Binder).	10 Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/ 64-22 asphalt).	Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/76-28 asphalt).	475 Ton	
Geotextile (Paving):	SY	

#### COMMENTS:

1) Full Width Mill. Start South gutter line of Teller Ave end south gutter line North Ave

LOCATION:	Bookcliff Ave	7 <sup>th</sup> St to 10 <sup>th</sup> St
AREA:	1180' X 40'	5244 SY
MAT THICK	NESS:	2 "

QUANTITY INFORMATION	PLAN	FIELD
Milling (longitudinal & butt joints):	SY	
Full width milling Depth 2"	5244 SY	
Adjust valve box:	7	
Replace valve box and cover		
Adjust survey monument box	2	
Adjust valve box (for water-valve style boxes at survey monuments).		
Adjust manhole ring and cover.	9	
Adjust manhole ring and cover Using Ride height adjuster.		<u> </u>
Adjust manhole ring and cover. (telephone)		
Replace valve box lid:		
Subgrade Stabilization (Class 3, complete in-place).	$YD^3$	
Aggregate Base Course / Shoulder gravel (Class-6):	Ton	
Hot Bituminous Pavement (Patching) (2" thick)(Grading SX)	Ton	
Hot Bituminous Pavement (Trench Patching 4" Thick, grading SX, 75 gyration Superpave w/64-22 Binder).	55 Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/ 64-22 asphalt).	585 Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/76-28 asphalt).	Ton	
Geotextile (Paving):	SY	

**COMMENTS:** 1) Full width Mill. Start East Gutter line  $7^{th}$  St end East gutter line  $10^{th}$  St

LOCATION: 9<sup>th</sup> Street

AREA: 1088' X 39'

MAT THICKNESS:

S. 1<sup>st</sup> St to Ute Ave
5110 SY
2"

QUANTITY INFORMATION	PLAN	FIELD
Milling (longitudinal & butt joints):	3727 SY	
Full width milling Depth 2"	SY	
Adjust valve box:	8	
Replace valve box and cover		
Adjust survey monument box		
Adjust valve box (for water-valve style boxes at survey monuments).		
Adjust manhole ring and cover.	10	
Adjust manhole ring and cover Using Ride height adjuster.		
Adjust manhole ring and cover. (telephone)		
Replace valve box lid:		
Subgrade Stabilization (Class 3, complete in-place).	$YD^3$	
Aggregate Base Course / Shoulder gravel (Class-6):	Ton	
Hot Bituminous Pavement (Patching) (2" thick)	SY	
Hot Bituminous Pavement (Trench Patching 4" Thick, grading SX, 75 gyration Superpave w 64-22 Binder).	10 Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/ 64-22 asphalt).	570 Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/76-28 asphalt).	Ton	
Geotextile (Paving):	SY	

- 1) Starting Point RR Tracks 150' Butt Joint from tracks north.12' Edge mill, 100' butt joint at Pitkin Ave south gutter line
- 2) 50' butt joint starting at the north gutter line on Pitkin Ave, 12' edge mill 100' butt joint at Ute Ave south gutter line.

3266' X 39' to 41' AREA: 14810 SY 2 " **MAT THICKNESS: QUANTITY INFORMATION** PLAN FIELD Milling (longitudinal & butt joints): SYFull width milling Depth 2" 14810 SY Adjust valve box: 17 Replace valve box and cover Adjust survey monument box Adjust valve box (for water-valve style boxes at survey monuments). 5 Adjust manhole ring and cover. 21 Adjust manhole ring and cover Using Ride height adjuster. Adjust manhole ring and cover. (telephone) Replace valve box lid: Subgrade Stabilization (Class 3, complete in-place).  $YD^3$ Aggregate Base Course / Shoulder gravel (Class-6): Ton Hot Bituminous Pavement (Patching) 30 Tons (8" thick)(Grading SX) Full Depth Asphalt Hot Bituminous Pavement 25 Ton (Trench Patching 4" Thick, grading SX, 75 gyration Superpave w 64-22 Binder). Hot Bituminous Pavement (Grading SX, 1650 Ton 75 gyration Superpave w/ 64-22 asphalt). Hot Bituminous Pavement (Grading SX, Ton 75 gyration Superpave w/76-28 asphalt). Geotextile (Paving): SY

Pitkin Ave to Gunnison Ave

#### **COMMENTS:**

LOCATION: 12th Street

- 1) No Paving or milling in the parking areas between Ute and Pitkin
- 2) Full Width Milling North gutter line on Pitkin to south gutter line Ute
- 3) Full width milling from the north gutter line Ute to the north gutter line of Gunnison.

12<sup>th</sup> St to 24<sup>th</sup> St LOCATION: Gunnison Avenue 4240' X width varies 18,270 SY AREA: MAT THICKNESS:

QUANTITY INFORMATION	PLAN	FIELD
Milling (longitudinal & butt joints):	18,270 SY	
Full width milling Depth 2"	SY	
Adjust valve box:	30	
Replace valve box and cover		
Adjust survey monument box	6	
Adjust valve box (for water-valve style boxes at survey monuments).		
Adjust manhole ring and cover.		
Adjust manhole ring and cover Using Ride height adjuster.		
Adjust manhole ring and cover. (telephone)	19	
Replace valve box lid:		
Shoulder Widening	SY	
Aggregate Base Course / Shoulder gravel (Class-6):	Ton	
Hot Bituminous Pavement (Patching) (3" thick)(Grading SX) including 12" compacted recycled asphalt millings).	SY	
Hot Bituminous Pavement (Trench Patching 4" Thick, grading SX, 75 gyration Superpave w 64-22 Binder).	332 Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/ 64-22 asphalt).	2030 Ton	

SY

SY

### **COMMENTS:**

Geotextile (Paving):

- Starting point east gutter line at 12<sup>th</sup> St Full Width Milling
   End point west gutter line at 24<sup>th</sup> St.

Hot Bituminous Pavement (Grading SX

75 gyration Superpave w/76-28 asphalt).

LOCATION: D Road 31 Rd to 32 Road AREA: 5067' X width varies 22,310 SY

MAT THICKNESS:

QUANTITY INFORMATION	PLAN	FIELD
Milling (longitudinal & butt joints):	5,380 SY	
Full width milling Depth 2"	SY	
Adjust valve box:	30	
Replace valve box and cover		
Adjust survey monument box	6	
Adjust valve box (for water-valve style boxes at survey monum	nents).	
Adjust manhole ring and cover.		
Adjust manhole ring and cover Using Ride height adjuster.		
Adjust manhole ring and cover. (telephone)	10	
Replace valve box lid:		
Shoulder Widening	SY	
Aggregate Base Course / Shoulder gravel (Class-6):	Ton	
Hot Bituminous Pavement (Patching) (3" thick)(Grading SX) including 12" compacted recycled asphalt millings).	SY	
Hot Bituminous Pavement (Leveling course, grading SX, 75 gyration Superpave).	Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration Superpave w/ 64-22 asphalt).	Ton	
Hot Bituminous Pavement (Grading SX 75 gyration Superpave w/76-28 asphalt).	2480 Ton	
Geotextile (Paving):	SY	

- 1) Starting point 50' east of the east bridge abutment at Lewis Wash 100' Butt Joint.
- 2) 12' edge mill at all curb and gutter and intersections, Crystal Dr 570' E. Grove Dr 185', Green River Dr 150', 31 ½ Rd 185', 31 5/8 Rd 760', Nottingham Dr 475'.
- 3) End point 15' west of 32 Road 360' butt joint.

# **Chip Seal**

Sherman Dr to 29 RD

30,950 SY

3/8" Chip

Ton

SY

Ton

Ton

116.111116.11	S/O CIMP	
QUANTITY INFORMATION	PLAN	FIELD
Cover Coat Material (Type 1 Special):	30,950 SY	
Emulsified Asphalt:	11,780 GAL	
Adjust survey monument box		
Adjust valve box (for water-valve style boxes at survey monuments).		
Adjust manhole ring and cover.		
Adjust manhole ring and cover. (telephone)		
Unclassified Excavation	CY	
Shoulder widening (Accel Lane East of 29 1/4)(20"Pit Run, 12" Class 6, 4" HMA)	SF	

#### **COMMENTS:**

LOCATION: B 1/2 Road

AREA:

TREATMENT:

8671 X width Varies

- 1) Start Point west edge of asphalt at Sherman Dr
- 2) End Point west gutter line at 29 Road

Aggregate Base Course / Shoulder gravel (Class-6):

Hot Bituminous Pavement (Patching)

(3" thick)(Grading SX) including 12" compacted recycled asphalt millings).

Hot Bituminous Pavement (Grading SX,

Hot Bituminous Pavement

(Leveling course, grading SX PG 64-22, 75 gyration Superpave).

75 gyration PG 64-22 asphalt).

1<sup>st</sup> Street to 12 Street LOCATION: Grand Avenue AREA: 5162 X 58' to 44' 32,000 SY TREATMENT: 3/8" Chip

QUANTITY INFORMATION	PLAN	FIELD
Cover Coat Material (Type 1 Special):	32,000 SY	
Emulsified Asphalt:	12,160 GAL	
Adjust survey monument box		
Adjust valve box (for water-valve style boxes at survey monuments).		
Adjust manhole ring and cover.		
Adjust manhole ring and cover. (telephone)		
Unclassified Excavation	CY	
Shoulder widening (Accel Lane East of 29 1/4)(20"Pit Run, 12" Class 6, 4" HMA)	SF	
Aggregate Base Course / Shoulder gravel (Class-6):	Ton	
Hot Bituminous Pavement (Patching) Full Depth Asphalt(8" thick)(Grading SX) Binder 64-22	500 Ton	
Hot Bituminous Pavement (Leveling course, grading SX PG 64-22, 75 gyration Superpave).	Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration PG 64-22 asphalt).	Ton	

- Start Point east edge of gutter at 1<sup>st</sup> Street
   End Point west gutter line at 12<sup>th</sup> Street

TREATMENT:	3/8" Chip	
QUANTITY INFORMATION	PLAN	FIELD
Cover Coat Material (Type 1 Special):	14,200 SY	
Emulsified Asphalt:	5396 GAL	
Adjust survey monument box		
Adjust valve box (for water-valve style boxes at survey monuments).		
Adjust manhole ring and cover.		
Adjust manhole ring and cover. (telephone)		
Unclassified Excavation	CY	
Shoulder widening (Accel Lane East of 29 1/4)(20"Pit Run, 12" Class 6, 4" HMA)	SF	
Aggregate Base Course / Shoulder gravel (Class-6):	Ton	
Hot Bituminous Pavement (Patching) Full Depth Asphalt(8" thick)(Grading SX) Binder 64-22	10 Ton	
Hot Bituminous Pavement (Leveling course, grading SX PG 64-22, 75 gyration Superpave).	Ton	
Hot Bituminous Pavement (Grading SX, 75 gyration PG 64-22 asphalt).	Ton	

12<sup>th</sup> Street Round-A-bout to G RD

14,200 SY

# **COMMENTS:**

LOCATION: Horizon Dr

AREA: 8671 X width Varies

- 1) Start Point west edge of asphalt at Sherman Dr
- 2) End Point west gutter line at 29 Road