



SIGN PERMIT

Community Development Department
250 North 5th Street
Grand Junction, CO 81501
(303) 244-1430

CEC ELECTRIC #1805
PERMIT NO. 47080
Date Submitted 12/6/93
FEE \$ 10.00
Tax Schedule: 2945-141-03-013
Zone: C-1

BUSINESS NAME SHERWIN WILLIAMS CONTRACTOR Buo's SIGNS
STREET ADDRESS 845 NORTH AVE. ADDRESS 1055 UTE
PROPERTY OWNER SHERWIN WILLIAMS CO. TELEPHONE NO 245-7700
OWNER ADDRESS DALLAS TEXAS LICENSE NO 2930176

- 1. FLUSH WALL 2 Square Feet per Linear Foot of Building Facade
- 2. ROOF 2 Square Feet per Linear Foot of Building Facade
- 3. FREE-STANDING 2 Traffic Lanes - 0.75 Square Feet x Street Frontage
4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage
- 4. PROJECTING 0.5 Square Feet per Each Linear Foot of Building Facade
- 5. OFF-PREMISE See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet

Externally Illuminated Internally Illuminated Non-Illuminated

- (1 - 5) Area of Proposed Sign 65 Square Feet
- (1,2,4) Building Facade 60 Linear Feet
- (1 - 4) Street Frontage 100 Linear Feet
- (2,4,5) Height to Top of Sign _____ Feet Clearance to Grade _____ Feet
- (5) Distance from all Existing Off-Premise Signs within 600 Feet _____ Feet

Existing Signage/Type

_____ Sq Ft
 _____ Sq Ft
 _____ Sq Ft
 Total Existing: _____ Sq Ft

FOR OFFICE USE ONLY:

Signage Allowed on Parcel

Building 120 Sq Ft

Free-Standing 150 Sq Ft

Total Allowed: 150 Sq Ft

COMMENTS: _____

NOTE: No sign may exceed 300 square feet. A separate sign permit is required for each sign. Attach a sketch of proposed and existing signage including types, dimensions, lettering, abutting streets, alleys, easements, property lines, and locations. **All signs require a separate permit from the Building Department.**

[Signature] 12/6/93 [Signature] 12/6/93
 Applicant's Signature Date Approved By Date

RED



~~SHERWIN-WILLIAMS~~

24"

Δ. A. SPREAD = 29'-1 5/4"

15 AMP
(9.9)

15 AMP
(11.6)

15 AMP
(12.0)

(3) 15 AMP CIRCUITS REQ.

33.5 AMP'S TOTAL

RED



~~SHERWIN-WILLIAMS~~

24" 32"

Δ. A. SPREAD = 28'-2 3/4"

15 AMP
(9.6)

15 AMP
(11.6)

15 AMP
(12.0)

(3) 15 AMP CIRCUITS REQ.

33.2 AMP'S TOTAL

WHITE



SHERWIN-WILLIAMS

24" 32"

Δ. A. SPREAD = 26'-4 3/4"

15 AMP
(10.5)

15 AMP
(10.7)

15 AMP
(10.2)

(3) 15 AMP CIRCUITS REQ.

31.4 AMP'S TOTAL