COLORNO VER	SIGN CLEARAN	Cl	earanceNo		±685	593	
M	250 North 5th Street	FE	Date Submitted <u>1-210-99</u> FEE\$ 25,00				
	Grand Junction, CO 81501 (970) 244-1430	Та		2945.11	03.3	34.0	03
	m MT				Q. M		
BUSINESS NA		0	CONTRACTC	R <u>Scan</u> /	<u>Ialle</u>	ny_	
	LEUS JJI DETEMA						1-10
PROPERTY O	WNER 712 717 Totor		ADDRESS 🍙	HI MANONO	NAONI	(INP 1	$\tau I U$
WNER ADDI	WNER <u>Mr. 71600</u> RESS <u>539 Bogart Z</u>	n	ADDRESS D	NO. 2	41-64 41-64	400 	
WNER ADDI X1 1. FLU] 2. ROC] 3. FRE] 4. PRO	RESS539BogarlSH WALL2 SquareOF2 SquareE-STANDING2 TrafficJECTING0.5 Square	0-	TELEPHONE oot of Buildir oot of Buildir are Feet x Str 1.5 Square Fe inear Foot of	NO. <u>2</u> ng Facade ng Facade eet Frontage eet x Street Fron Building Facad	e	Guare Feet	
Xi 1. FLU] 2. ROC] 3. FRE] 4. PRO] 5. OFF	RESS539BogarlSH WALL2 SquareOF2 SquareE-STANDING2 TrafficJECTING0.5 Square	Feet per Linear F Feet per Linear F Lanes - 0.75 Squa Traffic Lanes - 1 e Feet per each L	TELEPHONE Foot of Buildin foot of Buildin are Feet x Str 1.5 Square Fe Linear Foot of nts; Not > 30	NO. <u>2</u> ng Facade ng Facade eet Frontage eet x Street Fron Building Facad	e or < 15 S	quare Feet	
WNER ADDI 1. FLU 2. ROC 3. FRE 4. PRO 5. OFF [] Exter 15) Area 1,2,4) Build 14) Stree 2,4,5) Heig	RESS539BogarlSH WALL2 SquareOF2 SquareE-STANDING2 Traffic4 or moreJECTING0.5 Squar-PREMISESee #3 Sp	Feet per Linear F Feet per Linear F Lanes - 0.75 Squa Traffic Lanes - 1 e Feet per each L bacing Requirement M Internally I Feet	TELEPHONE oot of Buildir oot of Buildir are Feet x Str 1.5 Square Fe inear Foot of nts; Not > 30 Iluminated	NO. <u>2</u> ng Facade ng Facade eet Frontage eet x Street Fron Building Facad	e or < 15 S	-	
WNER ADDI 1. FLU 2. ROC 3. FRE 4. PRO 5. OFF [] Exter 15) Area 1,2,4) Build 14) Stree 2,4,5) Heig	RESS 539 Bogarl Z SH WALL 2 Square OF 2 Square E-STANDING 2 Traffic 4 or more JECTING 0.5 Square OF PREMISE See #3 Sp mally Illuminated	Feet per Linear F Feet per Linear F Lanes - 0.75 Squa Traffic Lanes - 1 e Feet per each L bacing Requirement M Internally I Feet	TELEPHONE oot of Buildir oot of Buildir are Feet x Str 1.5 Square Fe inear Foot of nts; Not > 30 Iluminated	NO2	e or < 15 S [] ^I	-	inated
WNER ADDI 1. FLU 2. ROC 3. FRE 4. PRO 5. OFF [] Exter 1.2,4) Build 1.2,4) Build 1.4) Stree 2,4,5) Heig 5)	RESS 539 Bogarl Z SH WALL 2 Square OF 2 Square E-STANDING 2 Traffic 4 or more JECTING 0.5 Square OF PREMISE See #3 Sp mally Illuminated	Feet per Linear F Feet per Linear F Lanes - 0.75 Squa Traffic Lanes - 1 e Feet per each L bacing Requirement M Internally I Feet Clearance to Graden ns within 600 Feet	FELEPHONE ioot of Buildir ioot of Buildir ioot of Buildir iare Feet x Str i.5 Square Fe inear Foot of ints; Not > 30 Iluminated	NO2	e or < 15 S [] I PFFICE US	Non-Illum SE ONLY	inated
WNER ADDI 1. FLU 2. ROC 3. FRE 4. PRO 5. OFF [] Exter 1. 5) Area 1,2,4) Build 1. 4) Stree 2,4,5) Heig 5) Dista	RESS 539 Bogarl Z SH WALL 2 Square OF 2 Square E-STANDING 2 Traffic 4 or more JECTING 0.5 Square OF PREMISE See #3 Sp mally Illuminated	Feet per Linear F Feet per Linear F Lanes - 0.75 Squa Traffic Lanes - 1 e Feet per each L bacing Requirement M Internally I Feet Elearance to Gradens within 600 Feet	FELEPHONE ioot of Buildir ioot of Buildir ioot of Buildir ioot of Buildir iare Feet x Str i.5 Square Fe inear Foot of ints; Not > 30 Iluminated et Ft. Si	NO2	e or < 15 S []] [[] [Non-Illum SE ONLY	inated
WNER ADDI 1. FLU 2. ROC 3. FRE 4. PRO 5. OFF [] Exter 1.2,4) Build 1.2,4) Build 1.4) Streed 2,4,5) Heig 5) Dista	RESS 539 Bogarl Z SH WALL 2 Square OF 2 Square E-STANDING 2 Traffic 4 or more JECTING 0.5 Square OF See #3 Sp nally Illuminated of Proposed Sign <u>40</u> Square Square ling Facade <u>00</u> Linear Feet Linear Feet ht to Top of Sign <u>15</u> ge/Type: <u>100</u>	Feet per Linear F Feet per Linear F Lanes - 0.75 Square Traffic Lanes - 12 e Feet per each L bacing Requirement M Internally I Feet Feet Clearance to Gradens within 600 Feet 46.6 Sq. 32.0 Sq.	FELEPHONE ioot of Buildir ioot of Buildir ioot of Buildir ioot of Buildir inear Feet x Str i.5 Square Fe inear Foot of ints; Not > 30 Iluminated et Ft. Ft. Ft. Bi	NO2	e or < 15 S []] [[] [Non-Illum SE ONLY	nated ●

NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch of proposed and existing signage including types, dimensions, lettering, abutting streets, alleys, easements, property lines, and locations. <u>A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS REQUIRED.</u>

Larry L Dowlon Applicant's Signature

Community Development Approval


79


(White: Community Development)

(Canary: Applicant)

(Pink: Building Dept)

(Goldenrod: Code Enforcement)





Federated Car Care Motor Mr