



SIGN CLEARANCE

Community Development Department
250 North 5th Street
Grand Junction CO 81501
(970) 244-1430

Clearance No.	_____
Date Submitted	_____
Fee \$	<u>25.00</u>
Zone	<u>C-2</u>

②
#

TAX SCHEDULE <u>2945-061-00-023</u>	CONTRACTOR <u>SIGNS FIRST.</u>
BUSINESS NAME <u>WESTERN SLOPE FORD.</u>	LICENSE NO. <u>2041001</u>
STREET ADDRESS <u>2264 Hwy 6150</u>	ADDRESS <u>950 NORTH AVE.</u>
PROPERTY OWNER <u>MICHAEL FERRIS.</u>	TELEPHONE NO. <u>256-1877</u>
OWNER ADDRESS <u>243-0843</u>	CONTACT PERSON <u>Brian Tap</u>

- | | |
|---|---|
| <input checked="" type="checkbox"/> 1. FLUSH WALL | 2 Square Feet per Linear Foot of Building Facade |
| <input type="checkbox"/> 2. ROOF | 2 Square Feet per Linear Foot of Building Facade |
| <input type="checkbox"/> 3. FREE-STANDING | 2 Traffic Lanes - 0.75 Square Feet x Street Frontage
4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage |
| <input type="checkbox"/> 4. PROJECTING | 0.5 Square Feet per each Linear Foot of Building Facade |
| <input type="checkbox"/> 5. OFF-PREMISE | See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet |

Externally Illuminated Internally Illuminated Non-Illuminated

(1 - 5) Area of Proposed Sign: 79 Square Feet
 (1,2,4) Building Façade: 32 Linear Feet 387
 (1 - 4) Street Frontage: 800 Linear Feet
 (2 - 5) Height to Top of Sign: _____ Feet Clearance to Grade: _____ Feet
 (5) Distance from all Existing Off-Premise Signs within 600 Feet: _____ Feet

EXISTING SIGNAGE/TYPE:	
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
Total Existing:	_____ Sq. Ft.

● FOR OFFICE USE ONLY ●	
Signage Allowed on Parcel:	<u>Hwy 6150</u>
Building	<u>774</u> Sq. Ft.
Free-Standing	_____ Sq. Ft.
Total Allowed:	<u>774</u> Sq. Ft.

COMMENTS: USED CARS. VAR-2004-067
PER VARIANCE.

NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED.

I hereby attest that the information on this form and the attached sketches are true and accurate.

[Signature] 8/6/04 C. Jaye Hall 8/20/04
 Applicant's Signature Date Community Development Approval Date

(White: Community Development) (Canary: Applicant) (Pink: Building Dept) (Goldenrod: Code Enforcement)



SIGN CLEARANCE

Community Development Department
250 North 5th Street
Grand Junction CO 81501
(970) 244-1430

(B)

Clearance No.	_____
Date Submitted	<u>4/15/02</u>
Fee \$	<u>2.00</u>
Zone	<u>C-2</u>

TAX SCHEDULE <u>2945-00100-023</u>	CONTRACTOR <u>SIGNS FIRST</u>
BUSINESS NAME <u>WESTERN SLOPE FORD</u>	LICENSE NO. <u>20209582041001</u>
STREET ADDRESS <u>2267 Hwy 6 & 50</u>	ADDRESS <u>950 NORTH AVE</u>
PROPERTY OWNER _____	TELEPHONE NO. <u>256-1877</u>
OWNER ADDRESS _____	CONTACT PERSON <u>BRIAN TAP</u>

- | | |
|---|--|
| <input checked="" type="checkbox"/> 1. FLUSH WALL | 2 Square Feet per Linear Foot of Building Facade |
| <input type="checkbox"/> 2. ROOF | 2 Square Feet per Linear Foot of Building Facade |
| <input type="checkbox"/> 3. FREE-STANDING | 2 Traffic Lanes - 0.75 Square Feet x Street Frontage |
| | 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage |
| <input type="checkbox"/> 4. PROJECTING | 0.5 Square Feet per each Linear Foot of Building Facade |
| <input type="checkbox"/> 5. OFF-PREMISE | See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet |

Externally Illuminated Internally Illuminated Non-Illuminated

(1 - 5) Area of Proposed Sign: 48 Square Feet

(1,2,4) Building Façade: 387 Linear Feet 3 BLD

(1 - 4) Street Frontage: 800 Linear Feet

(2 - 5) Height to Top of Sign: 16'2" Feet Clearance to Grade: 14' Feet

(5) Distance from all Existing Off-Premise Signs within 600 Feet: _____ Feet

EXISTING SIGNAGE/TYPE:

<u>(A) 7W</u>	<u>\$79</u> Sq. Ft.
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
Total Existing:	<u>79</u> Sq. Ft.

● FOR OFFICE USE ONLY ●

Signage Allowed on Parcel:

Building	<u>774</u> Sq. Ft.
Free-Standing	_____ Sq. Ft.
Total Allowed:	<u>774</u> Sq. Ft.

COMMENTS: WESTERN SLOPE 26" LETTERS. VAR-2004-067
PER VARIANCE

NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. **A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED.**

I hereby attest that the information on this form and the attached sketches are true and accurate.

<u>[Signature]</u> Applicant's Signature	<u>4/15/02</u> Date <u>8/6/04</u>	<u>C. Jane Hall</u> Community Development Approval	<u>8/20/04</u> Date
(White: Community Development)	(Canary: Applicant)	(Pink: Building Dept)	(Goldenrod: Code Enforcement)



SIGN PERMIT

©

Community Development Department
250 North 5th Street
Grand Junction, CO 81501
(970) 244-1430

Permit No. _____
Date Submitted 4/15/02
FEE \$ 5.00
Tax Schedule 2945-061-00-023
Zone C-2

BUSINESS NAME WESTERN SLOPE AUTO
STREET ADDRESS 2264 Hwy 6? 50
PROPERTY OWNER _____
OWNER ADDRESS _____

CONTRACTOR SIGNS FIRST
LICENSE NO. 2020958 2041001
ADDRESS 950 NORTH AVE.
TELEPHONE NO. 256-1877

- 1. FLUSH WALL 2 Square Feet per Linear Foot of Building Facade
- Face Change Only (2,3 & 4):
- 2. ROOF 2 Square Feet per Linear Foot of Building Facade
- 3. FREE-STANDING 2 Traffic Lanes - 0.75 Square Feet x Street Frontage
4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage
- 4. PROJECTING 0.5 Square Feet per each Linear Foot of Building Facade

Existing Externally or Internally Illuminated - No Change in Electrical Service Non-Illuminated

(1 - 4) Area of Proposed Sign 10 Square Feet
(1,2,4) Building Facade 387 Linear Feet 3210
(1 - 4) Street Frontage 800 Linear Feet
(2,3,4) Height to Top of Sign _____ Feet Clearance to Grade _____ Feet

Existing Signage/Type:	
<u>(A), (B) FW 79+48</u>	<u>127</u> Sq. Ft.
	Sq. Ft.
	Sq. Ft.
Total Existing:	<u>127</u> Sq. Ft.

● FOR OFFICE USE ONLY ●	
Signage Allowed on Parcel:	
Building	<u>774</u> Sq. Ft.
Free-Standing	Sq. Ft.
Total Allowed:	<u>774</u> Sq. Ft.

COMMENTS: VAR-2004 067
Den VARIANCE

NOTE: No sign may exceed 300 square feet. A separate sign permit is required for each sign. Attach a sketch of proposed and existing signage including types, dimensions, lettering, abutting streets, alleys, easements, property lines, and locations. Roof signs shall be manufactured such that no guy wires, braces or supports shall be visible.

[Signature] Date 4/11/02 C. Faye Hall Date 8/20/04
Applicant's Signature Date Community Development Approval Date
8/6/02
(White: Community Development) (Canary: Applicant) (Pink: Code Enforcement)



SIGN CLEARANCE

Community Development Department
250 North 5th Street
Grand Junction CO 81501
(970) 244-1430

Clearance No. _____
 Date Submitted 3/15/02
 Fee \$ 5.00
 Zone C-2

TAX SCHEDULE 2945-061-00-023 CONTRACTOR SIGNS FIRST
 BUSINESS NAME WESTERN SUPPLY FOOD LICENSE NO. 2020758 2041001
 STREET ADDRESS 2264 Hwy 6 S ADDRESS 950 NORTH AVE.
 PROPERTY OWNER [REDACTED] TELEPHONE NO. 256-1877
 OWNER ADDRESS _____ CONTACT PERSON BRIAN TAY

<input checked="" type="checkbox"/> 1. FLUSH WALL	2 Square Feet per Linear Foot of Building Facade
<input type="checkbox"/> 2. ROOF	2 Square Feet per Linear Foot of Building Facade
<input type="checkbox"/> 3. FREE-STANDING	2 Traffic Lanes - 0.75 Square Feet x Street Frontage
	4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage
<input type="checkbox"/> 4. PROJECTING	0.5 Square Feet per each Linear Foot of Building Facade
<input type="checkbox"/> 5. OFF-PREMISE	See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet

Externally Illuminated Internally Illuminated Non-Illuminated

(1 - 5) Area of Proposed Sign: 10 Square Feet
 (1,2,4) Building Façade: 387 Linear Feet 3 Bldg.
 (1 - 4) Street Frontage: 800 Linear Feet
 (2 - 5) Height to Top of Sign: _____ Feet Clearance to Grade: _____ Feet
 (5) Distance from all Existing Off-Premise Signs within 600 Feet: _____ Feet

EXISTING SIGNAGE/TYPE:

<u>A, B, C FW</u>	<u>137</u> Sq. Ft.
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
Total Existing:	<u>137</u> Sq. Ft.

● FOR OFFICE USE ONLY ●

Signage Allowed on Parcel:

Building 774 Sq. Ft.
 Free-Standing _____ Sq. Ft.
 Total Allowed: 774 Sq. Ft.

COMMENTS: LINCOLN - MERC. VAR-2004-067
PER VARIANCE.

NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED.

I hereby attest that the information on this form and the attached sketches are true and accurate.

[Signature] 3/11/02 C Faye Hall 3/20/02
 Applicant's Signature Date Community Development Approval Date

(White: Community Development) (Canary: Applicant) (Pink: Building Dept) (Goldenrod: Code Enforcement)



SIGN CLEARANCE

Community Development Department
250 North 5th Street
Grand Junction CO 81501
(970) 244-1430

(E)

Clearance No.	_____
Date Submitted	<u>4/15/02</u>
Fee \$	<u>2.00</u>
Zone	<u>C-2</u>

TAX SCHEDULE <u>2945-061-00-023</u>	CONTRACTOR <u>SIGNS FIRST</u>
BUSINESS NAME <u>WESTERN SLOPE AUTO</u>	LICENSE NO. <u>2020958 2091001</u>
STREET ADDRESS <u>2264 Hwy 6 S</u>	ADDRESS <u>950 NORTH AVE</u>
PROPERTY OWNER _____	TELEPHONE NO. <u>256-1877</u>
OWNER ADDRESS _____	CONTACT PERSON <u>BRIAN TMO</u>

- | | |
|---|--|
| <input checked="" type="checkbox"/> 1. FLUSH WALL | 2 Square Feet per Linear Foot of Building Facade |
| <input type="checkbox"/> 2. ROOF | 2 Square Feet per Linear Foot of Building Facade |
| <input type="checkbox"/> 3. FREE-STANDING | 2 Traffic Lanes - 0.75 Square Feet x Street Frontage |
| | 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage |
| <input type="checkbox"/> 4. PROJECTING | 0.5 Square Feet per each Linear Foot of Building Facade |
| <input type="checkbox"/> 5. OFF-PREMISE | See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet |

Externally Illuminated Internally Illuminated Non-Illuminated

- (1 - 5) Area of Proposed Sign: 48.75 Square Feet
- (1,2,4) Building Façade: 387 Linear Feet 3 Bldg.
- (1 - 4) Street Frontage: 800 Linear Feet
- (2 - 5) Height to Top of Sign: _____ Feet Clearance to Grade: _____ Feet
- (5) Distance from all Existing Off-Premise Signs within 600 Feet: _____ Feet

EXISTING SIGNAGE/TYPE:	
<u>A, B, C, D FW</u>	<u>147</u> Sq. Ft.
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
Total Existing:	<u>147</u> Sq. Ft.

● FOR OFFICE USE ONLY ●	
Signage Allowed on Parcel:	
Building	<u>774</u> Sq. Ft.
Free-Standing	_____ Sq. Ft.
Total Allowed:	<u>774</u> Sq. Ft.

COMMENTS: 39" PANTS VAR-2004-067

NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED.

I hereby attest that the information on this form and the attached sketches are true and accurate.

<u>[Signature]</u> Applicant's Signature	<u>4/15/02</u> Date	<u>C. J. HALL</u> Community Development Approval	<u>8/20/04</u> Date
---	------------------------	---	------------------------

(White: Community Development) (Canary: Applicant) (Pink: Building Dept) (Goldenrod: Code Enforcement)



SIGN CLEARANCE

Community Development Department
250 North 5th Street
Grand Junction CO 81501
(970) 244-1430

(F)

Clearance No.	_____
Date Submitted	<u>4/15/02</u>
Fee \$	<u>5.00</u>
Zone	<u>C-2</u>

TAX SCHEDULE <u>2945-061-00-023</u>	CONTRACTOR <u>SIGNS FIRST</u>
BUSINESS NAME <u>WESTERN SLOPE AUTO</u>	LICENSE NO. <u>2020 958 2091001</u>
STREET ADDRESS <u>2264 Hwy 6th SW</u>	ADDRESS <u>950 NORTH AVE</u>
PROPERTY OWNER _____	TELEPHONE NO. <u>256-1827</u>
OWNER ADDRESS _____	CONTACT PERSON <u>BRIAN TAP</u>

- | | |
|---|--|
| <input checked="" type="checkbox"/> 1. FLUSH WALL | 2 Square Feet per Linear Foot of Building Facade |
| <input type="checkbox"/> 2. ROOF | 2 Square Feet per Linear Foot of Building Facade |
| <input type="checkbox"/> 3. FREE-STANDING | 2 Traffic Lanes - 0.75 Square Feet x Street Frontage |
| | 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage |
| <input type="checkbox"/> 4. PROJECTING | 0.5 Square Feet per each Linear Foot of Building Facade |
| <input type="checkbox"/> 5. OFF-PREMISE | See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet |

Externally Illuminated Internally Illuminated Non-Illuminated

(1 - 5) Area of Proposed Sign: 63.50 Square Feet

(1,2,4) Building Façade: 387 Linear Feet 3 BLD

(1 - 4) Street Frontage: 800 Linear Feet

(2 - 5) Height to Top of Sign: _____ Feet Clearance to Grade: _____ Feet

(5) Distance from all Existing Off-Premise Signs within 600 Feet: _____ Feet

EXISTING SIGNAGE/TYPE:

<u>A, B, C, D, E FW</u>	<u>195.75</u> Sq. Ft.
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
Total Existing:	<u>195.75</u> Sq. Ft.

● FOR OFFICE USE ONLY ●

Signage Allowed on Parcel:

Building	<u>774</u> Sq. Ft.
Free-Standing	_____ Sq. Ft.
Total Allowed:	<u>774</u> Sq. Ft.

COMMENTS: Service VAR-2004-067

NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. **A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED.**

I hereby attest that the information on this form and the attached sketches are true and accurate.

<u>[Signature]</u> Applicant's Signature	<u>4/4/02</u> Date	<u>C. Fay Hall</u> Community Development Approval	<u>8/6/09</u> Date
(White: Community Development)	(Canary: Applicant)	(Pink: Building Dept)	(Goldenrod: Code Enforcement)



SIGN CLEARANCE

Community Development Department
250 North 5th Street
Grand Junction CO 81501
(970) 244-1430

(G)

Clearance No.	_____
Date Submitted	4/15/02
Fee \$	5.00
Zone	C-2

TAX SCHEDULE	2945-061-00023	CONTRACTOR	SIGNS FIRST
BUSINESS NAME	WESTERN SLOPE AUTO	LICENSE NO.	2020958 2041001
STREET ADDRESS	2269 Hwy 69 SO	ADDRESS	950 NORTH AVE
PROPERTY OWNER	_____	TELEPHONE NO.	256-1877
OWNER ADDRESS	_____	CONTACT PERSON	BRIAN TAYLOR

- | | | |
|-------------------------------------|------------------|--|
| <input type="checkbox"/> | 1. FLUSH WALL | 2 Square Feet per Linear Foot of Building Facade |
| <input type="checkbox"/> | 2. ROOF | 2 Square Feet per Linear Foot of Building Facade |
| <input checked="" type="checkbox"/> | 3. FREE-STANDING | 2 Traffic Lanes - 0.75 Square Feet x Street Frontage |
| | | 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage |
| <input type="checkbox"/> | 4. PROJECTING | 0.5 Square Feet per each Linear Foot of Building Facade |
| <input type="checkbox"/> | 5. OFF-PREMISE | See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet |

Externally Illuminated Internally Illuminated Non-Illuminated

(1 - 5) Area of Proposed Sign: 20.75 Square Feet
 (1,2,4) Building Façade: 387 Linear Feet
 (1 - 4) Street Frontage: _____ Linear Feet
 (2 - 5) Height to Top of Sign: ~~71"~~ Feet 5' Clearance to Grade: ~~3'~~ Feet
 (5) Distance from all Existing Off-Premise Signs within 600 Feet: _____ Feet

EXISTING SIGNAGE/TYPE:

A, B, C, D, E, F (FW)	261.25 Sq. Ft.
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
_____	_____ Sq. Ft.
Total Existing:	261.25 Sq. Ft.

● FOR OFFICE USE ONLY ●

Signage Allowed on Parcel:

Building	774 Sq. Ft.
Free-Standing	_____ Sq. Ft.
Total Allowed:	774 Sq. Ft.

COMMENTS: VAR-2004-067
per VARIANCE. directional sign

NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. **A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED.**

I hereby attest that the information on this form and the attached sketches are true and accurate.

	<u>4/1/02</u>		<u>8/20/04</u>
Applicant's Signature	Date	Community Development Approval	Date

(White: Community Development) (Canary: Applicant) (Pink: Building Dept) (Goldenrod: Code Enforcement)



SIGN CLEARANCE

Community Development Department
250 North 5th Street
Grand Junction CO 81501
(970) 244-1430

(A)

Clearance No.	_____
Date Submitted	4/15/02
Fee \$	5.00
Zone	C-2

TAX SCHEDULE	2945-061-00-023	CONTRACTOR	SIGNS FIRST
BUSINESS NAME	WESTERN SLOPE AUTO	LICENSE NO.	2020958 2041001
STREET ADDRESS	2264 Hwy 6 # 50	ADDRESS	950 NORTH AVE
PROPERTY OWNER	_____	TELEPHONE NO.	256-1877
OWNER ADDRESS	_____	CONTACT PERSON	BRIAN TAD

- 1. FLUSH WALL 2 Square Feet per Linear Foot of Building Facade
- 2. ROOF 2 Square Feet per Linear Foot of Building Facade
- 3. FREE-STANDING 2 Traffic Lanes - 0.75 Square Feet x Street Frontage
4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage
- 4. PROJECTING 0.5 Square Feet per each Linear Foot of Building Facade
- 5. OFF-PREMISE See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet

Externally Illuminated Internally Illuminated Non-Illuminated

(1 - 5) Area of Proposed Sign: 164 Square Feet
 (1,2,4) Building Façade: 387 Linear Feet 3 BLDG.
 (1 - 4) Street Frontage: 800 Linear Feet
 (2 - 5) Height to Top of Sign: 36'8" Feet Clearance to Grade: 28'5" Feet
 (5) Distance from all Existing Off-Premise Signs within 600 Feet: Feet

EXISTING SIGNAGE/TYPE:	
A, B, C, D, E, F (FW)	261.25 Sq. Ft.
G (FS)	20.75 Sq. Ft.
_____	_____ Sq. Ft.
Total Existing:	282 Sq. Ft.

● FOR OFFICE USE ONLY ●

Signage Allowed on Parcel:

Building 774 Sq. Ft.
 Free-Standing _____ Sq. Ft.
 Total Allowed: 774 Sq. Ft.

COMMENTS: MOUNT ON EXISTING POLE. VAR-2004-067.
PER VARIANCE Replace FS sign

NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED.

I hereby attest that the information on this form and the attached sketches are true and accurate.

[Signature] 4/15/02 C. J. Hall 8/20/04
 Applicant's Signature Date Community Development Approval Date

(White: Community Development) (Canary: Applicant) (Pink: Building Dept) (Goldenrod: Code Enforcement)



SIGN PERMIT

(I)

Community Development Department
250 North 5th Street
Grand Junction, CO 81501
(970) 244-1430

Permit No. _____
Date Submitted 7/15/02
FEE \$ 5.00
Tax Schedule 2945-061-00-023
Zone C-2

BUSINESS NAME WESTERN SLOPE AUTO
STREET ADDRESS 2204 Hwy 6 S
PROPERTY OWNER _____
OWNER ADDRESS _____

CONTRACTOR SIGNS FIRST
LICENSE NO. 2020458 2091001
ADDRESS 950 NORTH AVE
TELEPHONE NO. 256-1877

- 1. FLUSH WALL 2 Square Feet per Linear Foot of Building Facade
- Face Change Only (2,3 & 4):*
- 2. ROOF 2 Square Feet per Linear Foot of Building Facade
- 3. FREE-STANDING 2 Traffic Lanes - 0.75 Square Feet x Street Frontage
4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage
- 4. PROJECTING 0.5 Square Feet per each Linear Foot of Building Facade

Existing Externally or Internally Illuminated - No Change in Electrical Service Non-Illuminated

(1 - 4) Area of Proposed Sign 21.25 Square Feet
(1,2,4) Building Facade 387 Linear Feet 3 BLDG
(1 - 4) Street Frontage 300 Linear Feet
(2,3,4) Height to Top of Sign _____ Feet Clearance to Grade _____ Feet

Existing Signage/Type:	
A, B, C, D, E, F (JW)	261.25 Sq. Ft.
G, H, NEW	184.75 Sq. Ft.
	Sq. Ft.
Total Existing:	446 Sq. Ft.

● FOR OFFICE USE ONLY ●	
Signage Allowed on Parcel:	
Building	774 Sq. Ft.
Free-Standing	Sq. Ft.
Total Allowed:	774 Sq. Ft.

COMMENTS: FACE CHANGE OF EXISTING BOX. VAR-2004-067
PER VARIANCE ~~Discontinued sign~~

NOTE: No sign may exceed 300 square feet. A separate sign permit is required for each sign. Attach a sketch of proposed and existing signage including types, dimensions, lettering, abutting streets, alleys, easements, property lines, and locations. Roof signs shall be manufactured such that no guy wires, braces or supports shall be visible.

Applicant's Signature [Signature] Date 8/6/04 Community Development Approval C. Jaye Hall Date 8/20/04

(White: Community Development) (Canary: Applicant) (Pink: Code Enforcement)



SIGN PERMIT

(J)

Community Development Department
250 North 5th Street
Grand Junction, CO 81501
(970) 244-1430

Permit No. _____
Date Submitted 4/15/04
FEE \$ 5.00
Tax Schedule 2945-001-00-023
Zone C-2

BUSINESS NAME WESTERN SLOPE AUTO CONTRACTOR SIGNS FIRST
STREET ADDRESS* 2264 Hwy 6 F 50 LICENSE NO. 2020958-209/001
PROPERTY OWNER _____ ADDRESS 950 NORTH AVE
OWNER ADDRESS _____ TELEPHONE NO. 256-1887

- 1. FLUSH WALL 2 Square Feet per Linear Foot of Building Facade
- Face Change Only (2,3 & 4):
- 2. ROOF 2 Square Feet per Linear Foot of Building Facade
- 3. FREE-STANDING 2 Traffic Lanes - 0.75 Square Feet x Street Frontage
4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage
- 4. PROJECTING 0.5 Square Feet per each Linear Foot of Building Facade

Existing Externally or Internally Illuminated - No Change in Electrical Service Non-Illuminated

(1 - 4) Area of Proposed Sign 20 Square Feet
(1,2,4) Building Facade 387 Linear Feet 3 BLD
(1 - 4) Street Frontage 800 Linear Feet
(2,3,4) Height to Top of Sign _____ Feet Clearance to Grade _____ Feet

Existing Signage/Type:	
A, B, C, D, E, F (FW)	261.25 Sq. Ft.
G, H (FS)	184.75 Sq. Ft.
I (FW)	21.25 Sq. Ft.
Total Existing:	467.25 Sq. Ft.

● FOR OFFICE USE ONLY ●	
Signage Allowed on Parcel:	
Building	774 Sq. Ft.
Free-Standing	Sq. Ft.
Total Allowed:	774 Sq. Ft.

COMMENTS: FACE CHANGE / SOME y. VAR-2004-069
miscoloration

NOTE: No sign may exceed 300 square feet. A separate sign permit is required for each sign. Attach a sketch of proposed and existing signage including types, dimensions, lettering, abutting streets, alleys, easements, property lines, and locations. Roof signs shall be manufactured such that no guy wires, braces or supports shall be visible.

Applicant's Signature [Signature] Date 8/6/04 Community Development Approval C. Jane Hall Date 8/20/04

(White: Community Development) (Canary: Applicant) (Pink: Code Enforcement)



SIGN CLEARANCE

Community Development Department
250 North 5th Street
Grand Junction CO 81501
(970) 244-1430

(K)

Clearance No.	_____
Date Submitted	<u>4/15/07</u>
Fee \$	<u>5.00</u>
Zone	<u>C-2</u>

TAX SCHEDULE	<u>2945-06100-023</u>	CONTRACTOR	<u>SIGNS FIRST</u>
BUSINESS NAME	<u>WESTERN SLOPE AUTO</u>	LICENSE NO.	<u>2041001 2041001</u>
STREET ADDRESS	<u>2264 Hwy 6150</u>	ADDRESS	<u>950 NORTH AVE.</u>
PROPERTY OWNER	_____	TELEPHONE NO.	<u>256-1877</u>
OWNER ADDRESS	_____	CONTACT PERSON	<u>BRIAN TAP</u>

- | | | |
|-------------------------------------|------------------|---|
| <input type="checkbox"/> | 1. FLUSH WALL | 2 Square Feet per Linear Foot of Building Facade |
| <input type="checkbox"/> | 2. ROOF | 2 Square Feet per Linear Foot of Building Facade |
| <input checked="" type="checkbox"/> | 3. FREE-STANDING | 2 Traffic Lanes - 0.75 Square Feet x Street Frontage
4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage |
| <input type="checkbox"/> | 4. PROJECTING | 0.5 Square Feet per each Linear Foot of Building Facade |
| <input type="checkbox"/> | 5. OFF-PREMISE | See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet |

Externally Illuminated Internally Illuminated Non-Illuminated

(1 - 5) Area of Proposed Sign: 69 Square Feet
 (1,2,4) Building Façade: 387 Linear Feet 3 BLDG.
 (1 - 4) Street Frontage: 800 Linear Feet
 (2 - 5) Height to Top of Sign: 16' Feet Clearance to Grade: 11'9" Feet
 (5) Distance from all Existing Off-Premise Signs within 600 Feet: — Feet

EXISTING SIGNAGE/TYPE:

<u>A, B, C, D, E, F (FW)</u>	<u>261.25</u> Sq. Ft.
<u>G, H (FS)</u>	<u>184.75</u> Sq. Ft.
<u>I, J (FW)</u>	<u>61.25</u> Sq. Ft.
Total Existing:	<u>487.25</u> Sq. Ft.

● FOR OFFICE USE ONLY ●

Signage Allowed on Parcel:

Building	<u>774</u> Sq. Ft.
Free-Standing	_____ Sq. Ft.
Total Allowed:	<u>774</u> Sq. Ft.

COMMENTS: REPLACES EXISTING USED CAR SIGN / USE SAME PLACE PER VARIANCE VAR-2004-007 (FS)

NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. **A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED.**

I hereby attest that the information on this form and the attached sketches are true and accurate.

[Signature] 4/11/07 C. Faye Hall 8/2/07
 Applicant's Signature Date Community Development Approval Date

(White: Community Development) (Canary: Applicant) (Pink: Building Dept) (Goldenrod: Code Enforcement)



SIGN PERMIT

①

Community Development Department
250 North 5th Street
Grand Junction, CO 81501
(970) 244-1430

Permit No. _____
Date Submitted 4/15/02
FEE \$ 5.00
Tax Schedule 2945-061-00-023
Zone C-2

BUSINESS NAME WESTERN SLOPE AUTO
STREET ADDRESS 2204 Hwy 6 + 50
PROPERTY OWNER _____
OWNER ADDRESS _____

CONTRACTOR SIGNS FIRST
LICENSE NO. 2020958 2041001
ADDRESS 950 NORTH AVE
TELEPHONE NO. 256-1877

- 1. FLUSH WALL 2 Square Feet per Linear Foot of Building Facade
- Face Change Only (2,3 & 4):
- 2. ROOF 2 Square Feet per Linear Foot of Building Facade
- 3. FREE-STANDING 2 Traffic Lanes - 0.75 Square Feet x Street Frontage
4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage
- 4. PROJECTING 0.5 Square Feet per each Linear Foot of Building Facade

Existing Externally or Internally Illuminated - No Change in Electrical Service Non-Illuminated

(1 - 4) Area of Proposed Sign 20 Square Feet
(1,2,4) Building Facade 387 Linear Feet S BLD
(1 - 4) Street Frontage 800 Linear Feet
(2,3,4) Height to Top of Sign 7' 5" Feet Clearance to Grade 4' 3" Feet

Existing Signage/Type:	
A, B, C, D, E, F (FW)	261.25 Sq. Ft.
G, H, K (FS)	248.75 Sq. Ft.
I, J (FW)	41.25 Sq. Ft.
Total Existing:	551.25 Sq. Ft.

● FOR OFFICE USE ONLY ●	
Signage Allowed on Parcel:	
Building	774 Sq. Ft.
Free-Standing	1200 Sq. Ft.
Total Allowed:	774 1200 Sq. Ft.

COMMENTS: REPLACE EXISTING. VAR-2004-067
PER VARIANCE Directional sign.

NOTE: No sign may exceed 300 square feet. A separate sign permit is required for each sign. Attach a sketch of proposed and existing signage including types, dimensions, lettering, abutting streets, alleys, easements, property lines, and locations. Roof signs shall be manufactured such that no guy wires, braces or supports shall be visible.

[Signature] 4/11/02 C. Jane Hall 8/6/04
Applicant's Signature Date Community Development Approval Date

(White: Community Development) 8/6/04 (Canary: Applicant) (Pink: Code Enforcement)


Hwy 6, 9, 50

800'

(K) SIGN

(A)

82'




(H) SIGN

(F) SIGN

(B) SIGN

(C) SIGN

105'




(G) SIGN


(D) SIGN

(E) SIGN

1002'



A



F130 SIGN INSTALLATION - 30'-0 MOUNTING HEIGHT


Scale : 3/8" = 1'-0"

NOTE:
Do not install sign until foundation has been poured 21 days if 5000 psi concrete was used or 7 days if 4000 psi concrete was used.

NOTE A
10'-0" clear for up to 50,000 volts. 12'-0" clear for greater than 50,000 volts. (Typical at ends, top, below, and each face of signbox.)


ELECTRICAL INFORMATION:

- 8-F96T12 DSGN/HO Fluorescent lamps.
- 2-F84T12 DSGN/HO Fluorescent lamps.
- 4-F72T12 DSGN/HO Fluorescent lamps.
- 2-F36T12 DSGN/HO Fluorescent lamps.
- 4-Ballasts (Four Lamp Ballast)
- Total lamp footage= 24min - 32max.)
- 2-20 Amp. circuit 12 @ 3.85 = 7.7 amps. each)




DETAIL A
Scale : 1/2" = 1'-0"
F130P30

Fiberglass column covers. Install on .060 hot brackets field welded to the TS-10x10x3/8 column.



SECTION 1
Scale : 1" = 1'-0"
F130P30




DETAIL B
Scale : 1" = 1'-0"
F130P30

INSTALLATION SEQUENCE


- PROVIDE UNDERGROUND POWER SHOWN ON SKETCH AND IN ACCORDATIONS.
- INSTALL FOUNDATION TO DETAIL. ANCHOR BOLTS SHALL BE SET USING THE WOOD FORM FOR THE WOOD FORMS SHALL BE REMOVED.
- INSTALL COLUMN TO POSITION. COLUMN THAT ALIGNS WITH EN GROUT UNDER BASE PLATE WILL BE USED.
- INSTALL SIGNBOX TO CORRECT USE GALVANIZED STEEL SHIMS DO NOT USE WASHERS FOR SIGNBOX.
- TENSION A325 CONNECTION BY 1/3 TURN FROM SNUG TIGHT BY THE FULL EFFORT OF A PERSON.
- ELECTRICAL LEAD STUB OUT INTERIOR OF TUBE COLUMN AS TO PRIMARY CIRCUIT SHALL BE WITHIN THE COLUMN THROUGH PLATES. PROVIDE MINIMUM OF 2" CLEARANCE BETWEEN PLATES.
- TEST ALL ELECTRICAL CIRCUITS.
- COAT TOP OF ANCHOR BOLTS WITH RUSTPROOF PRIMER PAINT.
- INSTALL FIBERGLASS COLUMN COVER TO INSTALLATION DETAIL. IF SIGNBOX IS ALUMINUM CLADDING THE COVER SHALL BE ALUMINUM.
- TAKE COMPLETION PHOTOGRAPH AND STORED SITE AT FOUNDATION. COMPLETE QUESTIONNAIRE FROM DETAIL.

F130 SIGN INSTALLATION - 30'-0 MOUNTING HEIGHT
 PRINTED ON 06/17/01
 THE PERIOD 100000 00


(c)



FRONT VIEW



SECTION AT CENTERLINE



BOTTOM VIEW (Looking Up)


10 Sq.Ft. SIGNBOX/FACE - WALL FLUSH
Scale: 3"=1'-0"

INSTALLATION SEQUENCE

1. Check wall of building where oval sign is to be installed and determine if condition of wall is adequate to support sign.
2. Determine the location of the horizontal and vertical centerlines of the sign on the wall, using the template furnished with the sign and drill holes for the appropriate approved anchors. Install anchors conforming to the manufacturer's recommendations.
3. Install mounting angles on the wall as shown on this drawing.
4. Lift the sign and place it on the wall mounting angles using 3/8" dia. x 7/8" hex head bolts w/hex nuts and lockwashers.
5. Pull electrical leads through wiring hole in wall and connect to main power source.
6. Test electrical circuit for continuity and ground.



ELECTRICAL INFORMATION:
2-F48T12 DSGN/HO Fluorescent lamps.
1-Two Lamp Ballast
Total Lamp Footage = 6min - 12max.
1-20 Amp. circuit (2 @ 1.9 - 3.8 Amps.)

- APPROVED ANCHORS:
- Conc. Wall - 1/4" x 3" Hilti Sleeve Anchor with 3/8" dia. bolt, Item No. 00068027 or equal.
 - Brick & Masonry Wall - 1/4" x 10" Hilti Hilti Renovation Screen Tube, Item No. 0002095 and 3/8" dia. x 12" rod with nut and washer, Item No. 0004501
 - Masonry Wall - 1/4" x 6" Hilti Hilti Renovation Screen Tube, Item No. 00020955 3/8" dia. x 8" rod with nuts and washer, Item No. 00045910.



MOUNTING TEMPLATE FOR 10 SQ. FT. OVAL
Scale: 1" = 1'-0"

(D)



Electric Information:
 2 - #43T12 CW/0 Lamos
 1 - 3oles for 2-48" Lamos
 1 - 30 Amos.
 1 - 20 Amp. Circuit.

Colors:
 Lincoln background - Opaque black acryl-L-880, back with opaque silver
 L-8496 and white L-801.
 Mercury background - Transparent acryl-L-338 and back with white L-801.
 Lincoln and Mercury copy - Paint white L-801.

PAPER TISSUE

15'

39"


40.75

SERVICES

19'6"



63.5

6




ELEVATION
EXISTING S-7-21 SIGNBOX
FS-7-20 FACE CONVERSION


SCALE: 1" = 1'-0"




Vinyl self adhesive label on carrier paper (black letters on white)



SECTION 1
Scale: 6" = 1'-0"



SECTION 2
Scale: 6" = 1'-0"



SECTION 3
Scale: 6" = 1'-0"

INSTALLATION SEQUENCE (FS-7-20 CONVERSION KIT - LAWN MOUNT)

1. Uncrate carton, inventory contents, make sure face color and finish are correct. Replace any missing parts.
2. Remove existing signbox and retainers, removing 3 screws from one end of signbox has removable retainers. Discard retainers and fasteners.
3. Remove existing faces (2) by sliding out of end of signbox and discard. DO NOT GIVE OR ALLOW REUSE OF EXISTING FACES.
4. Make any necessary electrical repairs, including relabeling, if authorized and paid for by the dealer. Ford Motor Company will not be responsible for or make payment in behalf of the dealer unless so noted on order. Make sure that the safety cut-off switch is tested.
5. Affix top and side mounting brackets to the existing signbox. Fasten brackets to the case with self-tapping screws through pre-drilled holes in the mounting brackets.
6. Affix the five (5) bottom mounting brackets around the signbox. Fasten support bracket tube and to the existing bottom support bracket with self-tapping screws through pre-drilled holes in the signbox.
7. Affix the fixed face (without the offset flange) to the signbox. Fasten this face to the top and side mounting brackets with self-tapping screws through pre-drilled holes in the signbox. Trim face cut-outs around the lawn mount. Retainers and pre-cut cut-outs do not match location of existing faces. Next fasten the fixed face to the bottom mounting brackets with self-tapping screws through pre-drilled holes in the signbox.
8. Affix the removable face to the signbox. Fasten the offset flange overlaps the edge of the fixed face. Trim face cut-outs around the lawn mount. Retainers and pre-cut cut-outs do not match location of existing faces. Next fasten the face to the top, side and bottom mounting brackets with matched self tapping screws through pre-drilled holes in the signbox.
9. Affix safety cut-off switch label on face directly over the safety switch.
10. Clean up and legally dispose of trash. Take documentation from dealer to obtain dealers sign-off for completion of work.



BILL OF MATERIALS

55" x 118" x .187" thick SGC100A Lexan mobile playmate polycarbonate (conforming to Ford Motor Co. specs.) Formed, brushed, and clear (matte on second surface)
75-#10 x 3/4" stainless steel, self tapping, pan head, Phillips screws with neoprene washers. Point heads to match color of signbox.
One safety label, vinyl, self adhesive
Brackets: (1)-MK 12656, (5)-MK 12657, & (2)-MK 12658
COLORS:
Ford Oval Blue--lacryl CB-1043, back with White Lacryl LB-3124
Ford Oval Blue Vinyl--back with White Lacryl LB-3124

NOTE: Trimmed edges of faces should be clear of the retainers.
SHIPPING NOTE: Each kit shall be packaged in a heavy duty container.

DATE	9/28/00	Corporate Blue
DATE		
FORD MOTOR DEALERSHIP REAL ID		
DEARBORN		
DEALER IDENTIFICATION		
NAME	MSJALAN	
ADDRESS	676 MOUNTAIN	
CITY	LAWN MOUNTAIN	
STATE	NC	
ZIP	28115	
PHONE	704-281-1111	
TELEFAX	704-281-1111	
ROSS BRYAN ASSOCIATES ENGINEERS ARCHITECTS		
NASHVILLE, TN		
DATE	09-28-2000	
PROJECT	FS-7-20 D/F LAWN MOUNT CONVERSION KIT	
SCALE	30 PPT DESIGN	


I




ELEVATION

EXISTING S-7-21 SIGNBOX
FS-7-20 FACE CONVERSION

SCALE: 1" = 1'-0"




BOTTOM VIEW OF FACE AND SHROUD




Vinyl self adhesive label on carrier paper (black letters on white)

SAFETY LABEL DETAILS




END VIEW




SECTION 1

Scale: 6" = 1'-0"



SECTION 2

Scale: 6" = 1'-0"



SECTION 3


Scale: 6" = 1'-0"

- INSTALLATION**
1. Uninstall existing sign face and replace with new sign face.
 2. Remove existing sign face and discards.
 3. Remove existing sign face and discards.
 4. Make sure that the sign face is properly aligned with the building face.
 5. Affix the sign face to the building face using the mounting brackets and screws.
 6. Adjust the sign face to be flush with the building face.
 7. Adjust the sign face to be flush with the building face.
 8. Adjust the sign face to be flush with the building face.
 9. Adjust the sign face to be flush with the building face.
- NOTES**
1. The installation contractor for the new face shall verify the structural condition of the mounting of the existing signbox to the building prior to proceeding. If any conditions are noted, the contractor should be notified of any conditions requiring remediation for their evaluation. The decorative sign face fasteners to existing wall mounted signboxes are excluded as a structural element of this installation.

m:\v\p\work\part1\12875.dgn
Plotted On: 09/17/01
Time Plotted: 11:18 AM


ITEM	QUANTITY
12681	2
12682	2
12683	2
12684	2

(5)




ELEVATION
EXISTING S-7-21 SIGNBOX WITH
BRACKETS FOR FS-7-20 FACE CONVERSION
 SCALE: 1/2" = 1'-0"


END VIEW




SIDE BRACKET MK 12682



TOP & BOTTOM BRACKET MK 12681



TOP & BOTTOM SHROUD MK 12683
 Paint Color: Corporate Blue




SIDE SHROUD MK 12684
 Paint Color: Corporate Blue

m:\v\l\support\F12680.dgn
 Plotted On 09/17/01
 Time Plotted 11:11:20 AM

DATE	
FOR DEALER DEARBOR	
DWG. TITLE	BR S F
ROSD	
DWG. DATE	
DATE	
CONTR.	
REV. NO.	
FS	
DWG. NO.	F12

(K)



UC31 SIGN INSTALLATION - 12'-6" MOUNTING HEIGHT
Scale: 3/8" = 1'-0"

NOTE:
Do not install sign until foundation has been poured 21 days if 3000 psi concrete was used or 7 days if 4000 psi concrete was used.


(41-3/8" dia. x 2 1/2" long A325 bolts tack welded to column assembly. Provide (41-3/8" dia. A325 hex nuts and 3/8" hardened washers, galv.)

Outline of Stainless steel filler.


Provide 16 ga. galv. shims to level signbox. (Do not use washers.)

Fiberglass column covers. Install on .060 hot brackets field welded to the TS6x6x1/4 column.


.060 sheet metal hot bracket to support fiberglass column covers. See drawing PA24x15 for installation details.



DETAIL A
Scale: 3" = 1'-0"



SECTION 1
Scale: 1/2" = 1'-0"



DETAIL B
Scale: 1" = 1'-0"

INSTALLATION SEQUENCE

1. PROVIDE UNDERGROUND POWER FEED TO THE SIGN SHOWN ON SKETCH AND IN ACCORDANCE WITH ELEC. CODES.
2. INSTALL FOUNDATION TO DETAILS SHOWN ON DRAWING. ANCHOR BOLTS SHALL BE SET TO CORRECT ELEVATION USING THE WOOD FORM FOR THE CONCRETE SILL. WOOD FORMS SHALL BE REMOVED BEFORE COLUMN IS CAST.
3. INSTALL COLUMN TO POSITION. ACCESS HAND HOLES IN COLUMN THAT ALIGN WITH END OF SIGNBOX. USE GROUT UNDER BASE PLATE WITH NON-SHRINK GROUT.
4. INSTALL SIGNBOX TO CORRECT LEVEL AND ALIGN. USE GALVANIZED STEEL SHIMS AS REQUIRED TO LEVEL. DO NOT USE WASHERS FOR SHIMS.
5. TENSION A325 CONNECTION BOLTS BY TURN-OF-TWO (1/3 TURN FROM SNUG TIGHT CONDITION). SNUG TO THE FULL EFFORT OF A MAN USING AN ORDINARY WRENCH.
6. ELECTRICAL LEAD STUB OUT FROM SIGNBOX SHALL BE ERECTED TO PRIMARY CIRCUIT SHALL BE MADE AT TOP AND WITHIN THE COLUMN THROUGH ACCESS HOLES IN PLATES. PROVIDE MINIMUM OF THREE WIRES, IN CORD THAT IS USED BETWEEN BUILDING POWER SUPPLY AND SIGNBOX.
7. TEST ALL ELECTRICAL CIRCUITS FOR CONTINUITY.
8. COAT TOP OF ANCHOR BOLTS AND NUTS WITH AN ANTI-RUST PRIMER PAINT.
9. INSTALL FIBERGLASS COLUMN COVERS. SUPPORT BRACKET TO INSTALLATION DETAILS AND SEQUENCE SIGN VENDOR, IF SIGNBOX IS INSTALLED ON AN EXISTING COLUMN CLADDING THE EXISTING COLUMN COVER.
10. TAKE COMPLETION PHOTOGRAPHS OF SIGN, DEALER SITE AT FOUNDATION. OBTAIN SIGNATURE AND ADDRESS FROM DEALERSHIP REPRESENTATIVE.

NOTE A


10'-0" clear for up to 50,000 volts; 12'-0" clear for greater than 50,000 volts. (Typical at ends, top, below, and each face of signbox).

ELECTRICAL IN

8-F36T12 DSC
2-F24T12 DSC
3-Ballasts Tot
2-Four Lamp
Total Lamp
1-Two Lamp B
Total Lamp
1-20 Amp. circ

DATE	REVISION
10/18/00	Revised (2)
FORD MOTOR COMPANY DEALERSHIP REPRESENTATIVE DEARBORN MI 48116	
DE IDENTIFIC	
Dwg. Title: INSTAL 12'-6" x 12'-0"	
DESIGNER: ROSS BRYAN ENGINEER: NASHVILLE	
Dwg. No.: UC31P12.55	
Scale: 1/2" = 1'-0"	

L




ELEVATION


END VIEW

EXISTING S-7-21 SIGNBOX WITH BRACKETS FOR FS-7-20 FACE CONVERSION


SCALE: 1/2" = 1'-0"



SIDE BRACKET MK 12658



TOP BRACKET MK 12656




BOTTOM BRACKET MK 12657

ITEM	QUAN
12656	ONE
12657	5
12658	2

DATE
DEA
DEA

DRG
1/1/01
800



Building
#2

WESTERN SLOPE

↑
24'
↓

