

## Sign Clearance

Community Development Department 250 North 5<sup>th</sup> Street Grand Junction CO 81501 (970) 244-1430

Clearance No.	
Date Submitted 1-7-05	
Fee \$ 25.00 Zone C-2	
Zone <u>C-2</u>	

TAY COUEDING 1045 . IA 2	0/ 00/	ACTOR ALVERT CICAS	40
TAX SCHEDULE <u>2945-102-</u>		LACTOR ANGEL SIGN	ص.
BUSINESS NAME ARAND VAL	EY NATIONAL BANK LICEN		
STREET ADDRESS 570 25		ESS 540 N. WESTGAT	EDR #C.
	HLEY NATIONAL BANKTELEP		
OWNER ADDRESS 425 744	S(REE) CONTA	ACT PERSON DENZIL	
[ ] 1. FLUSH WALL	2 Square Feet per Linear Foot of	Building Facade	
[ ] 2. ROOF	2 Square Feet per Linear Foot of Building Facade		
3. FREE-STANDING	2 Traffic Lanes - 0.75 Square Feet x Street Frontage		
	4 or more Traffic Lanes - 1.5 Squ		
[ ] 4. PROJECTING [ ] 5. OFF-PREMISE	0.5 Square Feet per each Linear F See #3 Spacing Requirements; No		iare Feet
			<del></del>
[ ] Externally Illuminated	[X Internally Illuminated	[ ] Non-Illur	ninated
(1 - 5) Area of Proposed Sign:	81.5 Sautare Feet		
(1,2,4) Building Façade:			
(1,2,4) Bunding Paçade	Linear Feet (25 ROAD)		
(2 - 5) Height to Top of Sign:	25 Feet Clearance to Gra	ido: 13.5 Foot	
	Off-Premise Signs within 600 Feet:		
Distance from an Existing C	711-Fremise Signs within 600 Feet.	rcci	
EXISTING SIGNAGE/TYPE:		• FOR OFFICE US	F ONLY
	·	TOR OFFICE US.	E OIVET •
	Sq. Ft.	Signage Allowed on Parcel:	
	Sq. Ft.	1	
		Signage Allowed on Parcel:	25 Rd. Sq. Ft.
	Sq. Ft.	Signage Allowed on Parcel:  Building	25 Rd Sq. Ft. 165 Sq. Ft.
Total	Sq. Ft Sq. Ft. I Existing: Sq. Ft.	Signage Allowed on Parcel:  Building  Free-Standing	25 Rd Sq. Ft. 165 Sq. Ft.
Total	Sq. Ft. Sq. Ft. Sq. Ft. Sq. Ft.	Signage Allowed on Parcel:  Building  Free-Standing  Total Allowed:	25 Rd Sq. Ft. <u> 165</u> Sq. Ft.
Total	Sq. Ft Sq. Ft. I Existing: Sq. Ft.	Signage Allowed on Parcel:  Building  Free-Standing  Total Allowed:	25 Rd Sq. Ft. <u>165</u> Sq. Ft.
Total COMMENTS: NEW COLS	Sq. Ft. Sq. Ft. Sq. Ft. Sq. Ft.	Signage Allowed on Parcel:  Building  Free-Standing  Total Allowed:	25 Rd. Sq. Ft. 165 Sq. Ft. 65 Sq. Ft.
Total  COMMENTS: NEW COLS  THIS  OTE: No sign may exceed 300 squaroposed and existing signage including	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Existing: Sq. Ft.  All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. All Existing: Sq. Ft.  Sq. Ft.  Sq. All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. All Existing: Sq. All Existence Sq	Signage Allowed on Parcel:  Building  Free-Standing  Total Allowed:	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.
Total  COMMENTS: NEW COLS  THIS  OTE: No sign may exceed 300 squaroposed and existing signage including asements, driveways, encroachments,	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  STRUCTION  SHOW 25 ROA  are feet. A separate sign clearance is r types, dimensions and lettering. Attach property lines, distances from existing by	Signage Allowed on Parcel:  Building Free-Standing Total Allowed:	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.
Total  COMMENTS: NEW COLS  THIS  OTE: No sign may exceed 300 squaroposed and existing signage including asements, driveways, encroachments,	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Existing: Sq. Ft.  All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. All Existing: Sq. Ft.  Sq. Ft.  Sq. All Existing: Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. All Existing: Sq. All Existence Sq	Signage Allowed on Parcel:  Building Free-Standing Total Allowed:	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.
Total  COMMENTS: NEW COLOR  THIS  NOTE: No sign may exceed 300 squaroposed and existing signage including asements, driveways, encroachments, SEPARATE PERMIT FROM THE B	Sq. Ft.	Signage Allowed on Parcel:  Building  Free-Standing  Total Allowed:   equired for each sign. Attach a a plot plan, to scale, showing: abuildings to proposed signs and re REQUIRED.	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.
Total  COMMENTS: NEW COLOR  THIS  NOTE: No sign may exceed 300 squaroposed and existing signage including asements, driveways, encroachments, EPARATE PERMIT FROM THE Beautiful the information on the square of the	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Existing: Sq. Ft.	Signage Allowed on Parcel:  Building  Free-Standing  Total Allowed:   equired for each sign. Attach a a plot plan, to scale, showing: abuuldings to proposed signs and re REQUIRED.  ue and accurate.	Sq. Ft.  Sq. Ft.  165 Sq. Ft.  65 Sq. Ft.  sketch, to scale, of atting streets, alleys, quired setbacks. A
Total  COMMENTS: NEW COLOR  THIS  NOTE: No sign may exceed 300 squaroposed and existing signage including asements, driveways, encroachments, EPARATE PERMIT FROM THE Beautiful the information on the square of the	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  Existing: Sq. Ft.	Signage Allowed on Parcel:  Building  Free-Standing  Total Allowed:   equired for each sign. Attach a a plot plan, to scale, showing: abuuldings to proposed signs and re REQUIRED.  ue and accurate.	Sq. Ft.  Sq. Ft.  165 Sq. Ft.  65 Sq. Ft.  sketch, to scale, of atting streets, alleys, quired setbacks. A
Total  COMMENTS: NEW COLOR  THIS  NOTE: No sign may exceed 300 squaroposed and existing signage including asements, driveways, encroachments, EPARATE PERMIT FROM THE Beautiful the information on the square of the	Sq. Ft.	Signage Allowed on Parcel:  Building  Free-Standing  Total Allowed:   equired for each sign. Attach a a plot plan, to scale, showing: abuuldings to proposed signs and re REQUIRED.  ue and accurate.	Sq. Ft.  Sq. Ft.  G5 Sq. Ft.  G5 Sq. Ft.

0




Community Development Department 250 North 5th Street Grand Junction CO 81501 (970) 244-1430

Clearance No.	
Date Submitted	1-7-05
Fee \$ 5.00	
Zone C-2	

(970) 244-1430			
TAX SCHEDULE 2945-102-01-001	CONTR	ACTOR ANGEL SIGN	<i>CO</i> .
	BUSINESS NAMEGRAND VALLEY NATIONAL BANKLICENSE NO. 2040074		
STREET ADDRESS 570 25 RD			
PROPERTY OWNERGRAND Y ALLEY NAT			<u> </u>
OWNER ADDRESS 925 7th STREET		ACT PERSON DEUZIL	
OWNER ADDRESS 725 T STREET	CONTA	TENSON DENZE	
[ ] 1. FLUSH WALL 2 Square Fee	et per Linear Foot of l	Building Facade	
[ ] 2. ROOF 2 Square Fee	et per Linear Foot of l	Building Facade	
	nes - 0.75 Square Fee		
		are Feet x Street Frontage oot of Building Facade	
1		t > 300 Square Feet or < 15 Square	e Feet
	ally Illuminated	[ ] Non-Illumii	
(1 - 5) Area of Proposed Sign: Square Fo	eet		
(1,2,4) Building Façade: Linear Feet	>	5	
(1 - 4) Street Frontage: 140 Linear Feet (1)	NLAND AVE)	de: (Manument Sien) Feet Feet	
(2 - 5) Height to Top of Sign: 5.5 Feet	Clearance to Gra	de: Maria Feet	
(5) Distance from all Existing Off-Premise Signs v	within 600 Feet:	Feet	
EXISTING SIGNAGE/TYPE:		● FOR OFFICE USE	ONLY •
	Sq. Ft.	Signage Allowed on Parcel: &	rland ave.
	Sq. Ft.	Building	Sq. Ft.
	Sq. Ft.	Free-Standing 14	12.5 Sq. Ft.
Total Existing:	Sq. Ft.	Total Allowed: 14	2.5 Sq. Ft.
COMMENTS: NEW CONSTRUCTION	)	See attack lite of	+ '
	ILLAND AU	See attacked site d	sance requirem
THIS SIGN ON	IDLADO A	<u> </u>	
	1,000		
NOTE: No sign may exceed 300 square feet. A separa	ate sign clearance is r	-	
proposed and existing signage including types, dimensions	ate sign clearance is r and lettering. Attach	a plot plan, to scale, showing: abutti	ng streets, alleys,
proposed and existing signage including types, dimensions easements, driveways, encroachments, property lines, dis	ate sign clearance is r and lettering. Attach tances from existing b	a plot plan, to scale, showing: abutti ouildings to proposed signs and requ	ng streets, alleys,
proposed and existing signage including types, dimensions	ate sign clearance is r and lettering. Attach tances from existing b	a plot plan, to scale, showing: abutti ouildings to proposed signs and requ	ng streets, alleys,
proposed and existing signage including types, dimensions easements, driveways, encroachments, property lines, dis	ate sign clearance is rand lettering. Attach stances from existing the RTMENT IS ALSO	a plot plan, to scale, showing: abutti puildings to proposed signs and requinct REQUIRED.	ng streets, alleys,
proposed and existing signage including types, dimensions easements, driveways, encroachments, property lines, dis SEPARATE PERMIT FROM THE BUILDING DEPA  I hereby attest that the information on this form and the at	ate sign clearance is r and lettering. Attach stances from existing the RTMENT IS ALSO	a plot plan, to scale, showing: abutti puildings to proposed signs and requing REQUIRED.  The proposed signs are required and accurate.	ng streets, alleys, ired setbacks. A
proposed and existing signage including types, dimensions easements, driveways, encroachments, property lines, dis SEPARATE PERMIT FROM THE BUILDING DEPA  I hereby attest that the information on this form and the at	ate sign clearance is r and lettering. Attach stances from existing the RTMENT IS ALSO	a plot plan, to scale, showing: abutti puildings to proposed signs and requing REQUIRED.  The proposed signs are required and accurate.	ng streets, alleys, ired setbacks. A
proposed and existing signage including types, dimensions easements, driveways, encroachments, property lines, dis SEPARATE PERMIT FROM THE BUILDING DEPA  I hereby attest that the information on this form and the at	ate sign clearance is r and lettering. Attach stances from existing the RTMENT IS ALSO	a plot plan, to scale, showing: abutti puildings to proposed signs and requinct REQUIRED.	ng streets, alleys, ired setbacks. A


#2







132 in



60 in

Boulder Creek Country Ledge Teton Stone

300 in


162 ir

## Sight Distance Design Standards (ref. 'Institute of Transportation Engineers Handbook,' 5th Ed., 1999)


Dark areas represent mandatory Sight Distance clear zones, which vary by posted regulatory speed limit.

Clear zones apply to all driveways and intersections. They are defined by a line between a driver's view point 15' away from the edge of travel lane of the crossing roadway.


## Measure from Driver's View Point (15' from the edge of travel lane)




Clear Zone Dverview (shaded area is to be clear of sight obstructions from  $2.5^{\prime}$  to  $8^{\prime}$  H, above the road). Length varies by posted speed limit.



Cross Street Posted Speed Limit	Required Sight Distance	Clear Zone Length Left	Clear Zone Length Right
20 MPH	200 FT	108 FT	74 FT
25 MPH	275 FT	148 FT	101 FT
30 MPH	350 FT	188 FT	129 FT
35 MPH	425 FT	229 FT	157 FT
40 MPH	500 FT	269 FT	184 FT
45 MPH	575 FT	310 FT	212 FT
50 MPH	650 FT	350 FT	239 FT
55 MPH	725 FT	390 FT	267 FT



MOITEPIAN



ND WEHHE