

Sign Clearance

Clearance No.	
Date Submitted 10-11e-0le	
Fee \$ 25 00	
Zone $C-/$	

TAX SCHEDULE 2945-043-07-071 BUSINESS NAME U. 5. BANK STREET ADDRESS 2448 F. Road PROPERTY OWNER OWNER ADDRESS CONTRACTOR PRIMICY SIGNS & NION LICENSE NO. 2000905 ADDRESS 412 Rd # B TELEPHONE NO. 257 710500 CONTACT PERSON MARTIN			
[] 2. ROOI [X 3. FREE [] 4. PROJ [] 5. OFF-	2 Square Feet per Linear Foot of Building Facade 2 Traffic Lanes - 0.75 Square Feet x Street Frontage 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage 5. OFF-PREMISE 2 Square Feet per Linear Foot of Building Facade 5 Square Feet per each Linear Foot of Building Facade 6 See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet		
[] Externally I	numnated (x.] Internally Illuminated	[] Non-Illuminated
(1,2,4) Buildi (1 - 4) Street (2 - 5) Heigh	t to Top of Sign: I	r Feet Building Façade Direction Name of Street:	F RdFeet
EXISTING SIGN	NAGE/TYPE & SQUARE FO	OOTAGE:	FOR OFFICE USE ONLY
		Sq. Ft.	Signage Allowed on Parcel for ROW:
		Sq. Ft.	Building 244 gq. Ft.
		Sq. Ft.	Free-Standing <u>555</u> Sq. Ft.
			5
	Total Existin	ng: Sq. Ft.	Total Allowed: 555 Sq. Ft.
NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED. I hereby attest that the information on this form and the attached sketches are true and accurate. Applicant's Signature Date Community Development Approval Date			
(White: Commu	inity Development) (Cana	ry: Applicant) (Pink: Build	ling Dept) (Goldenrod: Code Enforcement)





SIGN CLEARANCE

10-11e-0le

TAX SCHEDULE <u>J945 043 0</u> BUSINESS NAME <u>U S Bank</u> STREET ADDRESS <u>2448 F.</u> PROPERTY OWNER OWNER ADDRESS	LICENSE NO ADDRESS _ TELEPHONE	OR Premier Signs & New No. 2060905 463 28 12 Rd #B ENO. 257-7656 ERSON MARTIN	
[] 1. FLUSH WALL 2 Square Feet per Linear Foot of Building Facade [] 2. ROOF 2 Square Feet per Linear Foot of Building Facade [] 3. FREE-STANDING 2 Traffic Lanes - 0.75 Square Feet x Street Frontage 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage [] 4. PROJECTING 0.5 Square Feet per each Linear Foot of Building Facade [] 5. OFF-PREMISE See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet			
[] Externally Illuminated	[] Internally Illuminated	[] Non-Illuminated	
(1-5) Area of Proposed Sign: 1280 Square Feet (1,2,4) Building Façade: 123			
EXISTING SIGNAGE/TYPE & SQUA	EXISTING SIGNAGE/TYPE & SQUARE FOOTAGE: FOR OFFICE USE ONLY		
Manument sign	5-4 Sq. Ft.	Signage Allowed on Parcel for ROW:	
	Sq. Ft.	Building 244 Sq. Ft.	
	Sq. Ft.	Free-Standing <u>555</u> Sq. Ft.	
Tota	Existing: 5.4 Sq. Ft.	Total Allowed: <u>555</u> Sq. Ft.	
COMMENTS: We Alse Removing All Westar Signature Transpalling NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED. I hereby attest that the information on this form and the attached sketches are true and accurate. O - 16 - 06			





SIGN CLEARANCE

Clearance No.		
Date Submitted _	10-14-04	
Fee \$		
Zone $\mathcal{L}_{-}/$		

AX SCHEDULE 2945 - D43 - D1 - D1 CONTRACTOR PRINCE Signs & NRON USINESS NAME U-5 BANK LICENSE NO. 2060905 ADDRESS 463 28 42 RA ROPERTY OWNER TELEPHONE NO. 257-7656 WNER ADDRESS CONTACT PERSON MARTIN		1. 2060905 463 2842 Rd NO. 257-7656
[☑ 1. FLUSH WALL [] 2. ROOF [] 3. FREE-STANDING [] 4. PROJECTING [] 5. OFF-PREMISE	2 Square Feet per Linear Foot of Building Facade 2 Square Feet per Linear Foot of Building Facade 2 Traffic Lanes - 0.75 Square Feet x Street Frontage 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage 0.5 Square Feet per each Linear Foot of Building Facade See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet	
[] Externally Illuminated	[] Internally Illuminated	[] Non-Illuminated
(1-5) Area of Proposed Sign: 3350 Square Feet (1,2,4) Building Façade: 123 Linear Feet Building Façade Direction: North South East West (1-4) Street Frontage: 3330 near Feet Name of Street: 24'12 Rd (2-5) Height to Top of Sign: Feet Clearance to Grade: Feet (5) Distance from all Existing Off-Premise Signs within 600 Feet: Feet		
EXISTING SIGNAGE/TYPE & SQUA	RE FOOTAGE:	FOR OFFICE USE ONLY
Monument signs		Signage Allowed on Parcel for ROW:
	Sq. Ft.	Building 244 Sq. Ft.
	Sq. Ft.	Free-Standing 240 Sq. Ft.
Total	Existing: Sq. Ft.	Total Allowed: 246 Sq. Ft.
COMMENTS: We get Removing Ail Westar Signs Trostylling. NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED. I hereby attest that the information on this form and the attached sketches are true and accurate. 10-16-06		
Applicant's Signature		ty Development Approval Date
(White: Community Development)	(Canary: Applicant) (Pink: Build	ding Dept) (Goldenrod: Code Enforcement)



Sign Clearance

Clearance No.	
	2945-043-01-011
Fee \$ 5.00	
Zone C -/	

TAX SCHEDULE	LICENSE NO ADDRESS _ TELEPHONE	OR PREMIER SIGNS & NEW 2060905 463 28 12 Rd NO. 257-7656 ERSON MARTÍN
[★] 1. FLUSH WALL 2 Square Feet per Linear Foot of Building Facade [] 2. ROOF 2 Square Feet per Linear Foot of Building Facade [] 3. FREE-STANDING 2 Traffic Lanes - 0.75 Square Feet x Street Frontage 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage [] 4. PROJECTING 0.5 Square Feet per each Linear Foot of Building Facade [] 5. OFF-PREMISE See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet		
[] Externally Illuminated	[X Internally Illuminated	[] Non-Illuminated
(1-5) Area of Proposed Sign: 21.44 Square Feet (1,2,4) Building Façade: 123 Linear Feet Building Façade Direction: North South East West (1-4) Street Frontage: 320 Linear Feet Name of Street: 24 12 Rd (2-5) Height to Top of Sign: Feet Clearance to Grade: Feet (5) Distance from all Existing Off-Premise Signs within 600 Feet: Feet		
EXISTING SIGNAGE/TYPE & SQU	JARE FOOTAGE:	FOR OFFICE USE ONLY
-	18, 20 Sq. Ft.	Signage Allowed on Percel for POW
Monument signs		Signage Allowed on Parcel for ROW:
Flush wall	33 50 Sq. Ft.	Building <u>24U</u> Sq. Ft.
	Sq. Ft.	Free-Standing <u>240</u> Sq. Ft.
Tot	tal Existing: 51.70 Sq. Ft.	Total Allowed: 24ll Sq. Ft.
COMMENTS: We has the wining All Westan Signs - Tristilling Nev Us Bank Signs NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED. I hereby attest that the information on this form and the attached sketches are true and accurate. Washing May 10/18/04		
Applicant's Signature Date Community Development Approval Date		
(White: Community Development) (Canary: Applicant) (Pink: Building Dept) (Goldenrod: Code Enforcement)		






${f S}$ ign ${f C}$ learance

Clearance No.	
Date Submitted 10-14-64	
Fee \$	
Zone \mathcal{L} -/	

(/-	_		
TAX SCHEDULE 1945 - 043 - 0/- 01/ CONTRACTOR PRINCE Signs & Now BUSINESS NAME U. 5 - Bank LICENSE NO. 206 0905 STREET ADDRESS 2448 F Nord ADDRESS 463 28 1/2 Rd #B PROPERTY OWNER TELEPHONE NO. 257-7656 OWNER ADDRESS CONTACT PERSON MARTIN			
1. FLUSH WALL 2 Square Feet per Linear Foot of Building Facade 2 Square Feet per Linear Foot of Building Facade 2 Square Feet per Linear Foot of Building Facade 2 Traffic Lanes - 0.75 Square Feet x Street Frontage 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage 5 OFF-PREMISE 5 OFF-PREMISE 5 Square Feet per each Linear Foot of Building Facade 5 See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet			
[] Externally Illuminated	[Xî Internally Illuminated	[] Non-Illuminated	
(1-5) Area of Proposed Sign: 21-44 Square Feet (1,2,4) Building Façade: 12 3 Linear Feet Building Façade Direction: North South East West (1-4) Street Frontage: 370 Linear Feet Name of Street: Fed (2-5) Height to Top of Sign: Feet Clearance to Grade: Feet (5) Distance from all Existing Off-Premise Signs within 600 Feet: Feet			
EXISTING SIGNAGE/TYPE & SQUA	ARE FOOTAGE:	FOR OFFICE USE ONLY	
Monument signs	Monument Signs 18-20 Sq. Ft. Signage Allowed on Parcel for ROW:		
Flustiwall signs		Building <u>24U</u> Sq. Ft.	
Flush wall signs	21.44 Sq. Ft.	Free-Standing <u>555</u> Sq. Ft.	
Tota	1 Existing: 73-14 Sq. Ft.	Total Allowed: <u>555</u> Sq. Ft.	
COMMENTS: We the limeving All Wester Signs - Tristilling New U.S. Bank Signs NOTE: No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED. I hereby attest that the information in this form and the attached sketches are true and accurate. Mattheways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED. I hereby attest that the information in this form and the attached sketches are true and accurate. Matheways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED. I hereby attest that the information in this form and the attached sketches are true and accurate. Matheways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED. Community Development Approval			
(White: Community Development)	(Canary: Applicant) (Pink: Build	ding Dept) (Goldenrod: Code Enforcement)	





Sign Clearance


_

	L.		
TAX SCHEDULE 2945 - 043 - 07 - 011 BUSINESS NAME V-5 - Bank STREET ADDRESS 2448 F Road PROPERTY OWNER TELEPHONE NO. 257-7656 CONTACT PERSON MART IN			
1. FLUSH WALL 2 Square Feet per Linear Foot of Building Facade 2 Square Feet per Linear Foot of Building Facade 2 Square Feet per Linear Foot of Building Facade 2 Traffic Lanes - 0.75 Square Feet x Street Frontage 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per Linear Foot of Building Facade 0.5 Square Feet per Linear Foot of Building Facade 0.5 Square Feet per Linear Foot of Building Facade 0.5 Square Feet per Linear Foot of Building Facade 0.5 Square Feet per Linear Foot of Building Facade 0.5 Square Feet per Linear Foot of Building Facade 0.5 Square Feet per Linear Foot of Building Facade 0.5 Square Feet per Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade 0.5 Square Feet per each Linear Foot of Building Facade			
[] Externally Illuminated	[] Internally Illuminated	[] Non-Illuminated	
(1-5) Area of Proposed Sign: 21-60 Square Feet (1,2,4) Building Façade: 123 Linear Feet Building Façade Direction: North South East West (1-4) Street Frontage: 320 Linear Feet Name of Street: 24'/2 (2-5) Height to Top of Sign: Feet Clearance to Grade: Feet (5) Distance from all Existing Off-Premise Signs within 600 Feet: Feet			
EXISTING SIGNAGE/TYPE & SQUA	RE FOOTAGE:	FOR OFFICE USE ONLY	
Monument Signs 18.20 Sq. Ft. Signage Allowed on Parcel for ROW:			
Flustiwall Flust wall	71.44 Sq. Ft. 21-44 Existing: 94-57 Sq. Ft.	Building <u>240</u> Sq. Ft. Free-Standing <u>240</u> Sq. Ft. Total Allowed: <u>240</u> Sq. Ft.	
COMMENTS: We see the second of			
(White: Community Develonment)	(Canary: Applicant) (Pink: Ruild	ling Dent) (Goldenrod: Code Enforcement)	



Location: 946-17

Site Plan




ACTION CODES

R = REPLACE X = REMOVE C = GUSTOM L = LEAVE N = NEW NDICATE: SIGN

INDICATES PHOTOS




bank find



Location: 946-17

Sign No. ()1



Existing Signage:

Existing Sign

Description:

Halo Lit Channel Letter

Height:

Width:

79 1/2

Depth:

Letter Height: Overall Height

above grade:

Face Material:

Wall Material: (1°

Available

Height:


Available Width:

Illuminated:

Yes Double Face: Yes

Sign Text:

Comments:



Proposed Signage:

Sign Type:

Custom USI-12 Blue Letters

Action:

Replace

Channel Letters with

Description:

Ground Height:

Height:

Width:

Max Sq Ft:

Min Sq Ft:

Humination:



Sbank

Location: 946-17 Sign No. 02

	I I I
* WestSite Bank	
三	

Existing Signage:

Existing Sign

)escription:

Height:

Width:

Depth:

Letter Height:

Overall Height

above grade:

Face Material:

Wall Material:

Available Height:

Ayailable


Width:

Illuminated:

Yes_Double Face:

Sign Text:

Comments: _



Sign Type:

Actions

Description:

Ground Height:

Height:

Max 5q Ft:

Min Sq Ft:

Illumination:

1

Isbank 400

Location: 946-17

Sign No. 03



Existing Signage:

Existing Sign

Description:

Height:

Width:

17-11-174

Depth:

Letter Height:

Overall Height

above grade:

Face Material: 10

Wall Material: 😃

Available

Height:

Available

Width:

N/A

N/A'

Illuminated:

Yes Double Face: _____

Sign Text:

Comments: .



Proposed Signage:

Sign Type:

USI-30 Blue-Letters

Action:

Replace

Description:

Channel Letters

Ground Height:

Height:

Width:

Max Sq Ft:

Min Sq Ft:

Hamination:

Wall Repair:

Recommendation



Tsbank



Location: 946-17

Sign No. 04



Existing Signage:

Existing Sign

Description:

Channel Letters

Height

28:5"

Width:

Depth:

Letter Height:

Overall Height

above grade:

Face Material: 1)

Wall Material: 🕛

Available Height:

Available Width:

N/A

Illuminated:

Yes Double Face: No

Sign Text:

Comments:



Proposed Signage:

Sign Type:

USI-MI Blue Fellers

Action:

Replace

Description:

Channel Letters

Ground Height:

Height:

Width:

Max Sq Ft:


Min Sq I t:

Illumination:

Wall Repair:

Recommendation






Usbank

Location: 946-17

105 Sign No.



Existing Signage:

Existing Sign Description:

Channel Letters

Height:

Width:

Depth:

HN/A

Letter Height:

Overall Height above grade:

Face Material:

Wall Material: <u>()</u>

Available.

Height:

Available Width:

N/A

Illuminated:

Yes Double Face: No

Sign Text:

Comments:



Recommicadation:

Proposed Signage:

Sign Type:

Action:

Description:

Ground Height: <u>^//</u>\f

Height:

Width:

Max Sq Ft:

Min Sq Et:

illumination:

Usbank 54




946-17 Location: Sign No. 06

			A Company of the Comp	gggagggggggggggggggggggggggggggggggggg					A.	
				W						
		4	8	F	R	0	۸	D		
123 123 123 123 123 123 123 123 124 124 125 125 125 125 125 125 125 125 125 125									***	
	200		The second	-	1,3			3 23		

Existing Signage: Existing Sign Description: Height: 08 Width: Depth: N/A Letter Height: Overall Height above grade: Face Material: (1) Wall Material: 0 Available Height: Available Width:

Sign Text:

Comments:



Proposed Signage:

Hluminated:

Sign Type:

Action: Description:

Place Letters on Bottom

Ground Height:

Height: Width:

Max Sq Ft:

Min Sq Ft:

illumination:

Wall Repair:

TRO

Double Face:



Tsbank

Location: 946-17

Sign No. 07

		age:

Existing Sign. Description: Height: Width: Depth: Letter Height: N/A

Overall Height above grade: Face Material:

Wall Material: 1

18

Available Height: Available

Width:

No. Double Face: Illuminated:

Sign Text:

Comments: 1 1/2" radius



DO

NOT

Recommendation

Proposed Signage:

Sign Type:

Custom Regulatory

Action:

Replace

Description:

Alaminione papiel with

Ground Height

Height: Width:

Max Sq Ft: Min Sq Ft:

Mumination:



Usbank

946-17 Location:

Sign No.

08



Existing Signage:

Existing Sign Description:

Height:

Width:

Depth:

NA Letter Height:

Overall Height

above grade:

Face Material: 1

Wall Material: 🗀

Available Height:

NIA

Available Width:

N/A

Illuminated:

No. Double Face:

Sign Text:

Comments:



Recommendation

Proposed Signage:

Sign Type:

Action:

Replace

Aluminsum panel v

Description:

ványl copy

Ground Height: $\frac{N/\Lambda}{2}$

Height: Width:

Max Sq.Et:

Min Sq Ft:

Humination: