Grand Junction	SIGN CLEARANCE Community Development Department 250 North 5 th Street Grand Junction CO 81501 (970) 244-1430	Clearance No Date Submitted 73007 Fee \$ 25. Zone
TAX SCHEDULE کولی BUSINESS NAME کولی STREET ADDRESS PROPERTY OWNER OWNER ADDRESS کو Br	A TELEPHO	NO. 2070562 3183 HALLAW, GJ, Co. 8150 NENO. 523-4045
 [1] 1. FLUSH WALL [2] 2. ROOF [3] 3. FREE-STANDING [4. PROJECTING [5. OFF-PREMISE 	 2 Square Feet per Linear Foot of 2 Square Feet per Linear Foot of 2 Traffic Lanes - 0.75 Square Fee 4 or more Traffic Lanes - 1.5 Squ 0.5 Square Feet per each Linear I See #3 Spacing Requirements; N 	Building Facade et x Street Frontage uare Feet x Street Frontage
 [] Externally Illuminated (1 - 5) Area of Proposed Sign (1,2,4) Building Façade: (1 - 4) Street Frontage: (2 - 5) Height to Top of Sign: (5) Distance from all Exis 	A: 30' X 40 Linear Feet Building Façade 75 Linear Feet Name of Street:	Direction: North South East West Hwy 50 de: <u>11'6''</u> Feet
EXISTING SIGNAGE/TYPE &	SQUARE FOOTAGE:	FOR OFFICE USE ONLY
MALLWALL Jupping	480 Sq. Ft.	Signage Allowed on Parcel for ROW:
V	Sq. Ft.	Building Sq. Ft.
		Free-Standing 468 Sq. Ft.
	Sq. Ft.	rice building bq. rt.
	Total Existing: Sq. Ft Sq. Ft.	Total Allowed: Sq. Ft.

driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. <u>A SEPARATE</u> <u>PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED.</u> I hereby attest that the information on this form and the attached sketches are true and accurate.

507 7-2 Z Community Developmen **Applicant's Signature** Date Approval Date (White: Community Development) (Canary: Applicant) (Pink: Building Dept) (Goldenrod: Code Enforcement)

	SIGN PERMIT Community Development D 250 North 5th Street Grand Junction, CO 81501 (303) 244-1430	Department	PERMIT NO Date Submitted _//O = 95 FPD \$ 5.00 Tax Schedule Zone PB	29-00
BUSINESS NAME STREET ADDRESS PROPERTY OWNER _ OWNER ADDRESS	50 Bungy 2612 Huy 50 50 Bungy POBA 9872 GJ	LICENS		Blui
[X] 1. FLUSH V [] 2. ROOF [] 3. FREE-ST [] 4. PROJECT [] 5. OFF-PRE	2 Square ANDING 2 Traffic 4 or more FING 0.5 Squar	Feet per Linear F Lanes - 0.75 Squ e Traffic Lanes - re Foet per each L	Foot of Building Facade Foot of Building Facade hare Feet x Street Frontage 1.5 Square Feet x Street Prontage Linear Foot of Building Facade ents; Not > 300 Square Feet or < 15 Square	e Feet
[] Externally Illu	minated 🕅	Internally II	lluminated [] Non-Illu	minated
(1 - 5) Area of Pr (1,2,4) Building F (1 - 4) Street From	acade 325 Linear	Feet	₩. 375 ft.	
(1 - 5) Area of Pr (1,2,4) Building F (1 - 4) Street From (2,4,5) Height to	acade 325 Linear	r Feet WWW Feet Cleara	₩. 375 ft. Ince to Grade <u>/3</u> Feet	
 (1 - 5) Area of Pr (1,2,4) Building F (1 - 4) Street From (2,4,5) Height to ' (5) Distance from Existing Signage/Type 	Tacade 1999 The Linear ntage <u>3255</u> Linear Top of Sign <u>/ 0</u> rom all Existing Off-Pres ype the whilshing 480	T Feet WWW Feet Feet Cleara mise Signs wit	₩. 375 ft. Ince to Grade <u>/3</u> Feet	

a sketch of proposed and existing signage including types, dimensions, lettering, abutting streets, alleys, easements, property lines, and locations. <u>All signs require a separate permit from the Building Department</u>.

Applicant's Signature

į.

- 1

<u>|-1345</u> Date б 1-16-35 Approved by Date



DUALITE OUTDOOR SIGNAGE STANDARD FEATURES -- 30" CONTOUR SIGN


- · Single face SUBWAY® logo sign designed for use on light-colored background
- · Computer-routed pigmented plexiglas face
- SUB white letters, WAY yellow letters
- Green contour shape background
- Illumination: (2) F96T 12/CW/HO, (2) F36T 12/CW/HO, fluorescent lamps

Dimensions:

Illuminated letters: 30" High Overall:12' 0" x 371/2" x 6 1/2" deep Shipping weight: 250 lbs. Packed in one box

Electrical:

3.50 amps. UL and CSA approved



*Warranty: one year: parts and sixty-days: labor

*Signs must be inspected before installation DUALITE must be notified within 15 days of delivery of any damage. Notify DUALITE and te carrier immediately. Do not install the sign.



