



For Signs that Require a Building Permit

Bldg Permit No
Date Submitted <u>5/26/10</u>
Fee \$ 500
Zone <u>C-2</u>

Public Works & Planning Department 250 North 5<sup>th</sup> Street, Grand Junction CO 81501 Tel: (970) 244-1430 FAX (970) 256-4031

Not addres	sed yet			
TAX SCHEDULE NO 2975-10  BUSINESS NAME BRAKES  STREET ADDRESS 5/9 LIES  PROPERTY OWNER BP Ventur  OWNER ADDRESS CENTERING	3-37-613 CON PLV5 LICE ZANT MA ADI RE TWO LLC TEL CO 86112- CON	NTRACTOR AND ENSE NO. A CONTROL OF THE PROPERSION OF THE PERSON OF THE P	10068 244-393	
1. FLUSH WALL [ ] 2. ROOF [ ] 3. FREE-STANDING [ ] 4. PROJECTING [ ] 5. OFF-PREMISE	2 Square Feet per Linear F 2 Square Feet per Linear F 2 Traffic Lanes - 0.75 Squ 4 or more Traffic Lanes - 0.5 Square Feet per each L See #3 Spacing Requirement	oot of Building F are Feet x Street I 1.5 Square Feet x inear Foot of Bui	acade Frontage Street Frontage Iding Facade	re Feet
Externally Illuminated	Internally Illuminate	d	[ ] Non-Illui	minated
(1,2,4) Building Façade: 12.5 (1 - 4) Street Frontage: 200 (2 - 5) Height to Top of Sign:	Linear Feet Name of S	açade Direction: treet: _ <b> A C &amp;</b> to Grade: _ Feet	Ant Lm	Cast West
EXISTING SIGNAGE TYPE & SQUA	ARE FOOTAGE:		FOR OFFICE U	JSE ONLY
EXISTING SIGNAGE TYPE & SQUA		. Ft. Sign		
EXISTING SIGNAGE TYPE & SQUA	Sq		age Allowed on Parcel f	For ROW:
EXISTING SIGNAGE TYPE & SQUA	Sq	1. Ft. 125 1	age Allowed on Parcel f	For ROW:
	Sq Sq_	1. Ft. 125 1	age Allowed on Parcel f	For ROW:  250 Sq. Ft.  225 Sq. Ft.
	Sq.	is required for ea plot plan, to scallings to proposed OUIRED.	age Allowed on Parcel for Building  Total Allowed:  Total Allowed:  HCOOT for further a sketche, showing: abutting streesigns and required set because the signs are signs as the signs are	Sq. Ft.  225 Sq. Ft.  250 Sq. Ft.  250 Sq. Ft.  250 Sq. Ft.  4, to scale, of proposed ets, alleys, easements, acks. A SEPARATE
COMMENTS:  Clis frag fermit may be subjected to sign may exceed 300 square and existing signage including types, directly driveways, encroachments, property line PERMIT FROM THE BUILDING D	Sq.	is required for ea plot plan, to scallings to proposed OUIRED.	age Allowed on Parcel for Building  Total Allowed:  Total Allowed:  HCOOT for further a sketche, showing: abutting streesigns and required set because the signs are signs as the signs are	Sq. Ft.  225 Sq. Ft.  250 Sq. Ft.  250 Sq. Ft.  250 Sq. Ft.  4, to scale, of proposed sets, alleys, easements, acks. A SEPARATE

(White: Planning) (Yellow: Neighborhood Services) (Pink: Building Permit) (Goldenrod: Applicant)

J08#:

## GENERAL NOTES

WALL COLOR: SW 2834 BIRDSEYE MAPLE

## KEYNOTES

- PRODUCTION OF THE PROPERTY OF

- 3 DTS SHETANING AND SCHOOL THAT I'VE BY SHETANING AND DATE WITH SECOND AND SHETANING AND SHE

- TO A LANGUAGE DESCRIPTION OF THE PROPERTY OF THE PROPERTY AND AND ADDRESS OF THE PROPERTY OF T
- s. Albertal substitute peres has served
- HOUR COLP HOME A TE
- DESCRIPTIVE SOURS NECK USHT FIXTURE SERVER FROM
- 15 PALL-PACK LIGHT POTENT SECRET FROM

- 14 COMEN PAGE STREE ELECTRONICO PERSONAL SURGINARIO
- O'S T PAGE SCHOOLTE SUCCEA HIS CLANFOR NOT SENT SUCCEA, MINING
- N. BPS I FIGS CONCRETS SUDON BRIST SUDON MOCHS
- TO HOTHLANDING DEPROPED SUNGLASSY NO. THEFT MINES
- THE REST CHARM BOOK MODELS BOOK OF BLOCKES.

## LETTERS

Returns: BLACK BEA

Face: PLEX W/ 3630-33 RED

Trim: BLACK LED: WHITE


Raceway: NA

COLORS

24" -4" brakes plus WOOF LAST

EAST ELEVATION SCALE: 1/16" = 1-0"

## **FIELD SURVEY REQUIRED**



B ONE SET OF LED CHANNEL LETTERS - EAST ELEV.

	POSITION	
Store for Barlo     Store for Customer		□ Dispose □ N/A
	RAL INFO.	Limin
Oty: ONE		6.18

Voltage:

Current:

ALL COLORS ARE FOR REPRESENTATION ONLY.

	maries Externs (account posterit Crimi (1985) 1 14	ELECTRONIC MESSAGE CENTER Red Amber RGB	PRE-SALE RELEASE Design: Date:	Jeb Name: BRAKES PLUS GRAND JUNCTION
E	Face Mat: Th: Returns Mat: Th: Depth:  Back Mat: Mill Whit REA Lexan Th: Mylar Size: 1" 2" Metal-		Sales: Date:	Location: 519 Lingrani Lane GRAND JUNCTION, CO 09114894
ľ	Bock Mat: Mill Wht BEA Lexan Th: Mylar Size: 1" 2" Metal:  Mounting: Nutsert Thru Back < Clip Other:		PRODUCTION RELEASE Design: Date:	Design Specifications Accepted By: Drawn By: LT
	UL Sticker Location: Stnd Top Only Rows of LED: Color: Footage:		Estimating: Date:	Salas Rep: KP Landlord: Date: 470,400
=	LED Manufacturer	T & T Weather Station Comm: Fiber DC RF PM Cell		© COPYRIGHT 2018 THE BARLS GROUP
	Power Supply: Manufacturer:	Master/Master Master/Slave		THE RESIDE CORREST IS THE PROPERTY OF THE RANGE GROUP ALL PROSSECTION AND RESILECTION RESIDES DATE FALLS GROUP.  THE PRINT IS RESIDED FOR THE PRODUCT OF A AND A BUT TO BE USED OFFICER THAN DECAUTATION OF EXHIBITION AND RESIDENCE.

Computer Provided: Y N Installation

Date:

ELECTRIC Existing Required Circuits Amp Voltage

This sign is intended to be installed in accordance with the requirements of Article 508 of the tienal Electric Cests and/or other applicable boast coder.

STEEL	Exis	ting	R	equired
Size				
Longth	-			
W. Thickness				
Stub Size				
Stub Length				***************************************
W. Thickness				
PLATE	W	L	remonocus	Th
GUSSETS	W	L		Th
ANCHOR BOLTS	L	HOEK	-	Dia

**MATERIAL OPTIONS & ESTIMATE** 

Date	Comment
02-03	ADJUST LETTER SPACING


TIME SURIMARY	
G-Art/Eng Arte/inganierie	5-Neon
1-Pat/Vin Patrenes/Vinyl	6-Finish Acabado
2-Let. Fab Letrae Fabricacies	7-Paint Pintura
3-Screen	8-Install Instalacion
A.Mat Fob	S. Silion

(603) 882-2638 Fax (603) 882-7680


Grand Junction CO 09114894 J

100

B-09-11-4894 REY #4 SHEET 2 OF 3



# City of Grand Junction GIS City Map ©





SCALE 1:1,816 0 100 200 300 FEET



100

# Sign A- monument. Gare Lannie back sign clearance A to make adjustments. Pet 6/24/10 City of Grand Junction GIS Master Map ©



SCALE 1:720 50 0 50 100 150 FEET

Brakes flus sight distance requirement calculations must move sign back 8' or move east into land scaped area.



For Signs that Require a Building Permit

Public Works & Planning Department 250 North 5<sup>th</sup> Street, Grand Junction CO 81501 Tel: (970) 244-1430 FAX (970) 256-4031

	Nut address	sed yet			
BUSINE STREET PROPER OWNER	CHEDULE NO 1945 103-3 ESS NAME BRAKES FOR ADDRESS SIP AFECTOR RADDRESS LIFE S. YUS CONTRACTOR WALL	7-013 CONT KUS LICEN CHILF LIL ADDR 03 TWO LC TELES	SE NO ESS _>Z HONE NO ACT PER	1090068 0 1 1085 0. 274-893 SON 100006	
[ ] 2. [ ] 3.	ROOF FREE-STANDING PROJECTING OFF-PREMISE	2 Square Feet per Linear Food 2 Traffic Lanes - 0.75 Square 4 or more Traffic Lanes - 1.5 0.5 Square Feet per each Lin See #3 Spacing Requirement	t of Buildi Feet x Str Square Fe ear Foot of	ing Facade reet Frontage eet x Street Frontage f Building Facade	Square Feet
) Exte	ernally Illuminated	Internally Illuminated		[ ] Non	n-Illuminated
(1 - 5) (1,2,4) (1 - 4) (2 - 5) (5)	<u> </u>	inear Feet Building Faç near Feet Name of Stre Feet Clearance to	et: <u>RIA</u> Grade:	ion: North South	East West
EXISTIN	NG SIGNAGE TYPE & SQUAR	E FOOTAGE:		FOR OFF	ICE USE ONLY
EXISTIN	NG SIGNAGE TYPE & SQUAR	<b>E FOOTAGE:</b> Sq. F	t.	FOR OFF	
EXISTIN	NG SIGNAGE TYPE & SQUAR			Signage Allowed on Pa	
EXISTIN	NG SIGNAGE TYPE & SQUAR	Sq. F	rt.	Signage Allowed on Pa	arcel for ROW:
EXISTIN	NG SIGNAGE TYPE & SQUAR	Sq. F Sq. I	řt.	Signage Allowed on Pa 50 +2 Buildin 25 x:75 Free-Standin	arcel for ROW:
	Total Ex	Sq. F Sq. I	řt.	Signage Allowed on Pa 50 +2 Buildin 25 x:75 Free-Standin	arcel for ROW:  ng
COMM	Total Ex	Sq. FSq. ISq. ISq. ISq. I	řt. /	Signage Allowed on Pa 50 イン Buildin と5 スパケ Free-Standin  Total Allowed	arcel for ROW:  ng
COMM Chis NOTE: and exist driveway	Total Ex	Sq. F  Sq. I  Atta Corresponditions  et. A separate sign clearance is sions and lettering. Attach a place of the separate sign clearance is sions and lettering building.	required for plan, to	Signage Allowed on Pa  50 +2 Buildin  25 x.75 Free-Standin  Total Allowed  Contact Dot for each sign. Attach as seale, showing: abuttin	arcel for ROW:  ag
COMM  Chis  NOTE: and exist driveway PERMIT	Total Extended Super Permit may be subjected to the sign may exceed 300 square feeting signage including types, dimentys, encroachments, property lines, on the signage including types, dimentys, encroachments, property lines, on the signage including types, dimentys, encroachments, property lines, on the signage including types, dimentys, encroachments, property lines, on the signage including types, dimentys, encroachments, property lines, or the signage including types, dimentys, encroachments, property lines, or the signage including types, dimentys, encroachments, property lines, or the signage including types, dimentys, encroachments, property lines, or the signage including types, dimentys, encroachments, property lines, or the signage including types, dimentys, encroachments, encroac	Sq. F  Sq. I  Atta- Cultury latters  et. A separate sign clearance is sions and lettering. Attach a pl distances from existing buildin  ARTMENT IS ALSO REQU	Ft.  Ft.  Ft.  required f ot plan, to gs to propire.	Signage Allowed on Pa  50 +1 Buildin  LS X.75 Free-Standin  Total Allowed  For each sign. Attach as scale, showing: abuttin osed signs and required	arcel for ROW:  ag
COMM Chis NOTE: and exist driveway PERMIT	Total Extends for paramet may be subjected to sign may exceed 300 square feeting signage including types, dimental entrys, encroachments, property lines, or FROM THE BUILDING DEP.	Sq. F  Sq. I  Atta- Cultury latters  et. A separate sign clearance is sions and lettering. Attach a pl distances from existing buildin  ARTMENT IS ALSO REQU	required for plan, to gs to proping to proping the proping to proping the prop	Signage Allowed on Pa  50 +1 Buildin  LS X.75 Free-Standin  Total Allowed  For each sign. Attach as scale, showing: abuttin osed signs and required	arcel for ROW:  ag

(White: Planning)

(Yellow: Neighborhood Services)

(Pink: Building Permit)

(Goldenrod: Applicant)




For Signs that Require a Building Permit

Bldg Permit No	_
Date Submitted <u>S/28/10</u>	
Fee \$	
Zone <u><i>C-2</i></u>	

Public Works & Planning Department 250 North 5<sup>th</sup> Street, Grand Junction CO 81501 Tel: (970) 244-1430 FAX (970) 256-4031 North address

	adoressed yest		
TAX SCHEDULE NO. 2945	and the second s	CTOR ANCIEL STOP	<b></b>
BUSINESS NAME BRAKES		NO. 209068	
STREET ADDRESS 5/9 hi		5 590 N- 11057 C/F	TR EC
	BP VENTURY TWO LACKEPHI	ONE NO. <u>244-8934</u>	
OWNER ADDRESS 6911 5.	YOSENITE ST CONTAC	T PERSON Loun	
1. FLUSH WALL 2. ROOF 3. FREE-STANDING  PROJECTING 5. OFF-PREMISE	2 Square Feet per Linear Foot of 2 Square Feet per Linear Foot of 2 Traffic Lanes - 0.75 Square F 4 or more Traffic Lanes - 1.5 Square Feet per each Linear See #3 Spacing Requirements:	f Building Facade eet x Street Frontage juare Feet x Street Frontage	pet .
[ ] Externally Illuminated	Internally Illuminated	[ ] Non-Illumina	
(1 - 5) Area of Proposed Sign:	Linear Feet Building Façade Linear Feet Name of Street:	Direction: North South East  LACRANT LM  ade: Feet  t	West
EXISTING SIGNAGE TYPE & S	QUARE FOOTAGE:	FOR OFFICE USE	ONLY
Sign B. Flushwall	11.11	C' All 1 D 1 f D	OW
Jy 1 145/1 W	Sq. Ft.	Signage Allowed on Parcel for R	:OW:
Sylv Ilushwa"	Sq. Ft.	East Faxade 125 + 2 Building 2	Sq. Ft.
Sylv Ilushwan	Sq. Ft.	East Faxade 125 + 2 Building 2	Sq. Ft.
	-	East forade	Sq. Ft.
COMMENTS: Barravine	Sq. Ft.  Sq. Ft.  Sq. Ft.  Total Existing: 44 Sq. Ft.	East Façade 125 x 2 Building 2 300 x .75 Free-Standing 2.7  Total Allowed: 2	Sq. Ft.
COMMENTS: Barravine	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.	East Façade 125 x 2 Building 2 300 x .75 Free-Standing 2.7  Total Allowed: 2	Sq. Ft.
COMMENTS: Borrowing  Chis sign permit may be note: No sign may exceed 300 so and existing signage including types driveways, encroachments, property	Sq. Ft.  Sq. Ft.  Sq. Ft.  Total Existing: 44 Sq. Ft.	Total Allowed:  Total Allowed:	Sq. Ft.  Sq.
COMMENTS: Browing  This sign permit must  NOTE: No sign may exceed 300 sc and existing signage including types driveways, encroachments, property  PERMIT FROM THE BUILDING	Sq. Ft.  Sq. Ft.  Sq. Ft.  Fotal Existing:  Sq. Ft.  Sq.	Total Allowed:  Total Allowed:	Sq. Ft.  Sq.
COMMENTS: Browing  This sign permit must  NOTE: No sign may exceed 300 so and existing signage including types driveways, encroachments, property PERMIT FROM THE BUILDING	Sq. Ft.  Sq. Ft.  Sq. Ft.  Fotal Existing:  Sq. Ft.  Sq.	Total Allowed:  Total Allowed:	Sq. Ft.  Sq. Ft.  Sq. Ft.  Sq. Ft.  44  Sq. Ft.  44  Color Left  Cuthe Left  scale, of proposed alleys, easements,

(White: Planning) (Yellow: Neighborhood Services) (Pink: Building Permit) (Goldenrod: Applicant)







For Signs that Require a Building Permit

Bldg Permit No	
Date Submitted 5/28/10	
Fee \$ 2500	
Zone <u>C-2</u>	

Public Works & Planning Department 250 North 5th Street, Grand Junction CO 81501 Tel: (970) 244-1430 FAX (970) 256-4031 TAX SCHEDULE NO 2945 - 103 - 37-613 CONTRACTOR ANCEL SICHI BUSINESS NAME BRAKES PLUS STREET ADDRESS 519 LINCRAMS LAND ADDRESS 590 11- West CATA PROPERTY OWNER BP L'enqueration LLC TELEPHONE NO. 244-8934 OWNER ADDRESS CONTENUE CO 30112 CONTACT PERSON LONG **FLUSH WALL** 2 Square Feet per Linear Foot of Building Facade **ROOF** 2 Square Feet per Linear Foot of Building Facade FREE-STANDING 2 Traffic Lanes - 0.75 Square Feet x Street Frontage 4 or more Traffic Lanes - 1.5 Square Feet x Street Frontage PROJECTING 0.5 Square Feet per each Linear Foot of Building Facade See #3 Spacing Requirements; Not > 300 Square Feet or < 15 Square Feet **OFF-PREMISE** Externally Illuminated Internally Illuminated [ ] Non-Illuminated Area of Proposed Sign: Square Feet (1 - 5)Building Façade: 50 Linear Feet (1,2,4)**Building Facade Direction:** North South East West Name of Street: LIBR ANI Street Frontage: <u>3(X)</u> Linear Feet (1 - 4)Height to Top of Sign: \_\_\_\_ **6** Feet Clearance to Grade: (2 - 5)Feet (5)Distance to Nearest Existing Off-Premise Sign: Feet **EXISTING SIGNAGE TYPE & SQUARE FOOTAGE:** FOR OFFICE USE ONLY Signage Allowed on Parcel for ROW: Sg. Ft. Building /CO Sq. Ft. 50 XZ Sq. Ft. 300 x .75 Free-Standing 275 Sq. Ft. \_ Sq. Ft. Total Allowed: 225 Sq. Ft. Sq. Ft. Total Existing: **COMMENTS:** 

This permit maybe subject to COT rapilations. Please control COT for further information.

**NOTE:** No sign may exceed 300 square feet. A separate sign clearance is required for each sign. Attach a sketch, to scale, of proposed and existing signage including types, dimensions and lettering. Attach a plot plan, to scale, showing: abutting streets, alleys, easements, driveways, encroachments, property lines, distances from existing buildings to proposed signs and required setbacks. **A SEPARATE PERMIT FROM THE BUILDING DEPARTMENT IS ALSO REQUIRED.** 

I hereby attest that the information on this form and the attached sketches are true and accurate.

Applicant's Signature Date Planning Approval Date

(White: Planning) (Yellow: Neighborhood Services) (Pink: Building Permit) (Goldenrod: Applicant)






NOTES:

1. SIGHT DISTANCE BASED UPON GRAND JUNCTION TRANSPORTATION ENGINEERING SIGHT DISTANCE DESIGN STANDARDS.

2. SIGHT DISTANCE BASED UPON JOMPH RIMROCK AVENUE SPEED UMIT.



SIGHT TRIANGLE EXHIBIT July 6th, 2010



J08#:

SC

PG 1: ITEM A
ONE DJF ILLUMINATED MONUMENT SIGN
PG 2: ITEM B
ONE SET LED CHANNEL LETTERS
PG 3: ITEM C
ONE SET LED CHANNEL LETTERS & LOGO
PG 3: ITEM D
ONE SET LED CHANNEL LETTERS

SCOPE OF WORK - BARLO

**GENERAL NOTES** 

COLORS

REVEAL: RED BEA

SIGN

Cabinet & Retainers: BLACK

Face B/G: WHITE

Copy/LOGO:

3630-33 RED

3630-015 YELLOW

3630-22 BLACK 3630-36 BLUE

AS SHOWN

POLES Pole:

Pole Cover:

ALL COLORS ARE FOR REPRESENTATION ONLY.
SEE ACTUAL SAMPLES FOR COLOR MATCH.


SEE ACTUAL SAMPLES FOR COLOR MATCH.

SIGN DISPOSITION

Distore for Barle Dispose

☐ Stere for Customer ☐ Chargeable ☐ N/A GENERAL INFO.

 A



CONCRETE, STEEL AND BLOCK BY OTHERS

A ONE D/F ILLUMINATED MONUMENT SIGN

Sign Type S/F D/F Illum Non-Illum Interior Exterior	ELECTRONIC MESSAGE GENTER Red Amber (RGB)	PRE-SALE RELEASE Design: Date:	Job Name: BRAKES PLUS GRAND JUNCTION
Custom Extrusion Box Depth; Framing: Steel Alum.	Matria: 64x112	Sales: Date:	Location: 519 Lingrani Lane GRAND JUNCTION, CO 09114694
Ret.Size: Face Mat: Thickness: Copy:  Blumination: Fluorescent Neon LED HID Other	Cabinot Size: 4'-2"×7'-3"	PRODUCTION RELEASE Design: Date:	Design Specifications Accepted By: Drawn By: LT
Ballast: Standard Electronic	Pixel Size: MM 20	Estimating: Date:	Sales Rep: KP     LandBord:   Buts: 4/22/10
Pole Cover: Standard Custom Hgt: Depth:	T&T Weather Station Comm: Fiber DC RF PM Cell	Engineering: Date: Sales: Date:	© COPYRIGHT 2816 THE BARLO GROUP
Material: Non-Illuminated Illuminated	Master/Master Master/Slave		THE PARKY IS DECISION FOR THE PROPERTY OF THE GREEK DESIGN, ALL PROPERTY AND EXPERIENCE RESISTS AND EXPERIENCE OF THE AREAS DESIGNATION OF THE PARKY IS DECISION. THE PARKY IS DECISION FOR THE PARKY AND THE PARKY IN THE PARKY IS DECISION.
	Computer Provided: Y N	Installation Date:	( ) Indorvertor's Interviewing Inc

ELECTRIC	Existing	Required
Circuits		
Amp		
Voltage		
U.L.		

This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electric Code and/or other applicable local codes. This includes proper grounding and bending of the sign

Existi	Νij	R	guir	ed
		2,2		
				1
				-
				**********
W	L		Th	(minimization)
W	L	MANAGE SERVICE	Th	
L	HOOK		Dia	alestan (market)
	W	W L	W L	W L Th

## **MATERIAL OPTIONS & ESTIMATE**

Date	Comment
1-27	ADD MASONRY NOTE
02-03	CHANGE OPTION TO SHOW 4' X 8'
4-22	OPTION 2 CHOSEN

### IN IE

0-Art/Eng Arte/legenieria	5-Neon
1-Pat/Vin Patranas/Vinyl	6-Finish Acabado
2-Let. Feb	7-Paint
3-Screen	8-Install
4-Met. Feb.	9-Misc



File Name: Grand Junction CO 09114894 J

B-09-11-4894 REV #4 SHEET 1 OF 3

P.003/003

F-679

