Planning \$ 5	Drainage \$		BLDG PERMIT NO. 75850
TCP\$	School Impact \$		FILE#
uking PLANNING CLEARANCE			
(multifamily and non-residential remodels and change of use) 24/5 Grand Junction Community Development Department			
Site plan ** THIS SECTION TO BE COMPLETED BY APPLICANT **			
DUM DUM ADDDESS (A) 3	Hum 5	TAY 001 (50) (150)	2945-262-05-001
SUBDIVISION Failey addition		m 1 1 010	
		CURRENT FAIR MARKET VALUE OF STRUCTURE\$ 25,480	
FILING BLK	2 LOT /		LING COST \$ 10,000,00
OWNER Beatrice Walden		NO. OF DWELLING UNITS: BEFORE AFTER CONSTRUCTION	
ADDRESS 603 Hury 50		USE OF ALL EXISTING BLDGS YES famount / ba	
TELEPHONE 970 - 255-9753		DESCRIPTION OF WORK & INTENDED USE:	
APPLICANT Norma Ster Kweather		interior upgrade -	
ADDRESS 268/2 28/2 RJ		becoming restaurant	
TELEPHONE 970-255-9753 only			- no liquir
Submittal requirements are outlined in the SSID (Submittal Standards for Improvements and Development) document.			
THIS SECTION TO BE COMPLETED BY COMMUNITY DEVELOPMENT DEPARTMENT STAFF STRIPPI			
ZONE	· .	SPECIAL CONDITION	s: 1134 th of dining room.
PARKING REQUIREMENT:	25 €	- 15 = 76 occu	ipancy -3 sp= 25
LANDSCAPING/SCREENING REQUIRED: YES NO CENSUS TRACT 13 TRAFFIC ZONE 87 ANNX			
Modifications to this Planning Clearance must be approved, in writing, by the Community Development Department Director. The structure authorized by this application cannot be occupied until a final inspection has been completed and a Certificate of Occupancy has been issued by the Building Department (Section 307, Uniform Building Code). Required improvements in the public right-of-way must be guaranteed prior to issuance of a Planning Clearance. All other required site improvements must be completed or guaranteed prior to issuance of a Certificate of Occupancy. Any landscaping required by this permit shall be maintained in an acceptable and healthy condition. The replacement of any vegetation materials that die or are in an unhealthy condition is required by the Grand Junction Zoning and Development Code.			
I hereby acknowledge that I have read this application and the information is correct; I agree to comply with any and all codes, ordinances, laws, regulations, or restrictions that apply to the project. I understand that failure to comply shall result in legal action, which may include but not necessarily be limited to non-use of the building(s).			
Applicant's Signature	J. Stef	<u> </u>	Date 7/6/60
Department Approval Bornie Edwards (6.6) Date 7/6/00			
Additional water and/or sewer ta	p fee(s) are required: YES	NQ	W/O No
Utility Accounting	Weihalt		Date 7/6/60

VALID FOR SIX MONTHS FROM DATE OF ISSUANCE (Section 9-3-2C Grand Junction Zoning and Development Code)

(White: Planning) (Ye


(Yellow: Customer)

(Pink: Building Department)

(Goldenrod: Utility Accounting)

SURVEY IN FAIRLEY ADDITION

NE 1/4 NW 1/4 SECTION 26, T.15., R.IW. UM



ACCEPTED Sound

ANY CHANGE OF SETBACKS MUSA

APPROVED BY THE CITY PLANNING

APPROVED BY THE APPLICANT'S


DEPT. IT IS THE APPLICANT'S


RESPONSIBILITY TO PROPERLY

RESPONSIBILITY TO PROPERLY

LOCATE AND IDENTIFY EASEMENTS

AND PROPERTY LINES.





From:

Dan Tonello

To:

Costello, Senta; Lee, Bob; Prall, Trenton Wednesday, July 05, 2000 1:06PM

Date:

Subject:

Sunshine Cafe

An email sent 7/3/00 required the installation of a 1250 gallon grease interceptor at Sunshine Restaurant, located at 603 Hwy 50. Based on additional information submitted to this office today, the 1250 gallon requirement has been reduced to 1000 gallons.

If additional information is needed please contact me at 244-1489

From:

Dan Tonello

To:

Costello, Senta; Lee, Bob; Prall, Trenton Monday, July 03, 2000 7:21AM

Date:

Subject:

PB Sunshine Cafe

Based on the information submitted to this office, Sunshine Cafe to be located at 603 Hwy 50, will be required to install a grease interceptor. The device must have a minimum capacity of 1250 gallons. If additional information is required please contact me at 244-1489.

trees ptl, glong lack H& 200 JE37 L Jack 12, 8 ARKING) しくべ 29 3 1/4 (230Ag TREES