
FEE\$ 10.00 PLANNING CLEA	RANCE BLDG PERMIT NO.
TCP \$ (Single Family Residential and Ac	cessory Structures)
SIF \$ Community Developmen	
20772-13310 #2 Building Address 2412 1 Hidden Valley	No. of Existing Bldgs/ No. Proposed/
Parcel No. 2945 2/2 /4036	Sq. Ft. of Existing Bldgs 940 Sq. Ft. Proposed 1250
Subdivision Cimarron Coado. Amended	
Filing Block Lot	Sq. Ft. of Lot / Parcel
	Sq. Ft. Coverage of Lot by Structures & Impervious Surface (Total Existing & Proposed)
OWNER INFORMATION:	DESCRIPTION OF WORK & INTENDED USE:
Name Ray Pourch	New Single Family Home (*check type below)
Address <u>P.O. Bar 881</u>	Interior Remodel Addition Other (please specify):
City / State / Zip GJ. CO 81502	*TYPE OF HOME PROPOSED:
APPLICANT INFORMATION:	
Name Ken Hurt	Site Built Manufactured Home (UBC) Manufactured Home (HUD)
Address 576 292 Rol	Other (please specify):
City / State / Zip	NOTES: Tear out existing carport o
Telephone 245-1668 216-3841	deck treplace w/ garage o
REQUIRED: One plot plan, on 8 1/2" x 11" paper, showing all eproperty lines, ingress/egress to the property, driveway location	xisting & proposed structure location(s), parking, setbacks to all on & width & all easements & rights-of-way which abut the parcel.
property lines, ingress/egress to the property, driveway location THIS SECTION TO BE COMPLETED BY COMP	on & width & all easements & rights-of-way which abut the parcel. MUNITY-DEVELOPMENT DEPARTMENT STAFF
THIS SECTION TO BE COMPLETED BY COMP	MUNITY-DEVELOPMENT DEPARTMENT STAFF MAXIMUM coverage of lot by structures
THIS SECTION TO BE COMPLETED BY COMP	MUNITY-DEVELOPMENT DEPARTMENT STAFF MAXIMUM coverage of lot by structures
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES NO TO A A MORAL TO THE PARTMENT STAFF MAXIMUM COVERAGE OF LOT
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES Parking Requirement
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES NO TO A A MORAL TO THE PARTMENT STAFF
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES NO Parking Requirement ACCOMPAGNIC Special Conditions No Litchen Is Leng addld. Expansion is
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES Parking Requirement Special Conditions August 1 Aug
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES Parking Requirement Special Conditions August August August In writing, by the Community Development Department. The until a final inspection has been completed and a Certificate of
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES Parking Requirement Special Conditions August August Maximum coverage of lot by structures Permanent Foundation Required: YES Special Conditions August Maximum coverage of lot by structures Permanent Foundation Required: YES NO Parking Requirement Special Conditions August August Maximum coverage of lot by structures Permanent Foundation Required: YES NO Special Conditions August August Maximum coverage of lot by structures Permanent Foundation Required: YES NO Special Conditions August
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES Parking Requirement Special Conditions Augustus Aug
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES Parking Requirement Special Conditions Augustus Aug
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES Parking Requirement Special Conditions Lot Lot Lot in writing, by the Community Development Department. The until a final inspection has been completed and a Certificate of epartment (Section 305, Uniform Building Code). In information is correct; I agree to comply with any and all codes, e project. I understand that failure to comply shall result in legal on-use of the building(s).
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES Parking Requirement Special Conditions Augustus Aug
THIS SECTION TO BE COMPLETED BY	MUNITY-DEVELOPMENT DEPARTMENT STAFF Maximum coverage of lot by structures Permanent Foundation Required: YES Parking Requirement Special Conditions Augustus Aug



Railing and ballisters omitted for clarity.

AND PROPERTY LINES.

Builder or Homeowner 2412.2 Hidden Valley Dr Approved A Not Approved Builder or Homeowner SEN HURT Ridges Filing No. Block Lot Pages Submitted Date Submitted Date Submitted SITE PLAN A NA Rear setback (10'-0" minimum) Side setbacks (10'-0" minimum) Side setbacks (10'-0" minimum "B" and "C" lots) Side setbacks (10'-0" minimum "B" and "C" lots) Square Footage Square Footage Square Footage Driveway (asphalt or concrete) Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimum drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent to
A Approved A Not Approved SITE PLAN A NA Front setback (20'-0" minimum) Rear setback (10'-0" minimum) Side setbacks (10'-0" minimum) Side setbacks (10'-0" minimum "B" and "C" lots) Square Footage 1250 Square Footage 1250 Square Footage 1250 Driveway (asphalt or concrete) Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimum drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent to
A Approved A Not Approved SITE PLAN A NA Front setback (20'-0" minimum) Rear setback (10'-0" minimum) Side setbacks (10'-0" minimum) Side setbacks (10'-0" minimum "B" and "C" lots) Square Footage 1250 Square Footage 1250 Square Footage 1250 Driveway (asphalt or concrete) Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimum drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent to
A Not Approved SITE PLAN A NA Front setback (20'-0" minimum)
Date Submitted SITE PLAN
SITE PLAN A NA G Front setback (20'-0" minimum) Same G Rear setback (10'-0" minimum) Same G Side setbacks (10'-0" minimum "B" and "C" lots) Same G Square Footage 1250 G Sidewalks G Driveway (asphalt or concrete) G Drainage G Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimum drainage pipe extended 2"0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent lot
A NA Front setback (20'-0" minimum) Same Rear setback (10'-0" minimum) Same Side setbacks (10'-0" minimum "B" and "C" lots) Same Square Footage 1250 Sidewalks Driveway (asphalt or concrete) Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimum drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent locations.
A NA Front setback (20'-0" minimum) Same Rear setback (10'-0" minimum) Same Side setbacks (10'-0" minimum "B" and "C" lots) Same Square Footage 1250 Sidewalks Driveway (asphalt or concrete) Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimum drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent locations.
Front setback (20'-0" minimum) Rear setback (10'-0" minimum) Side setbacks (10'-0" minimum "B" and "C" lots) Square Footage /250 Sidewalks Driveway (asphalt or concrete) Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimud drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent lot
Rear setback (10'-0" minimum) Same Side setbacks (10'-0" minimum "B" and "C" lots) Same Square Footage 1250 Sidewalks Driveway (asphalt or concrete) Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimum drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent lot
Square Footage
Square Footage
Sidewalks Driveway (asphalt or concrete) Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimud drainage pipe extended 2"-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent loss.
Sidewalks Driveway (asphalt or concrete) Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimud drainage pipe extended 2"-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent loss.
Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimud drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent loss.
Drainage Landscaping NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimular drainage pipe extended 2".0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent loss.
NOTE: Driveway shall be constructed of asphalt or concrete and shall extend to street paving with a 12" minimudrainage pipe extended 2".0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent loads.
drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent lo
drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent lo
drainage pipe extended 2'-0" minimum each side of driveway. NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent lo
NOTE: All drainage shall be directed away from the foundation and disposed of without flowing onto adjacent lo
NOTE: Water meter and irrigation riser must not be disturbed without permission of Ridges Metropolitan Distric
VEEDIAD EL EVATIANA
XTERIOR ELEVATIONS
☐ Roof-Material Metal . Color Gray ☐ Trim · Color Gray
□ □ Siding - Material / Wood Color Cutay
MaterialColor
Brick - Color
Brick - Color
Porches or patios
G G Other
NOTE AN A second (I
NOTE: All exposed flashing and metal shall be painted so as to blend into adjacent material.
PROVED SUBJECT TO:
Carport to be anclosed as a garage. A room will be
built above the carport and la partion of the deck
will remain and be covered with a gabled roof. Re-roof
built above the carport and la partion of the deck
built above the corport and Ca partion of the deck will remain and be covered with a gabled roof. Re-roof will be gray-tone metal.
will remain and be covered with a gabled roof. Re-roof
built above the corport and Ca partion of the deck will remain and be covered with a gabled roof. Re-roof will be gray-tone metal.
built above the corport and Ca partion of the deck will remain and be covered with a gabled roof. Re-roof will be gray-tome metal. NOTE. Sawer, radon, and water permits must be obtained prior to issuance of building permit. NOTE: ACCO makes no judgement on foundation design.
built above the corport and Ca partion of the deck will remain and be covered with a gabled roof. Re-roof will be gray-tone metal. NOTE Sawer, radon, and water permits must be obtained prior to issuance of building permit.
built above the corport and a partion of the deck will remain and be convered with a gabled roof. Re-roof will be gray-tone metal. NOTE: Sewer, radon, and water permits must be obtained prior to issuance of building permit. NOTE: ACCO makes no judgement on founcation design. I signature below, builder or owner guarantees that improvements will be constructed as shown on this form as building plans that were submitted, including plot plan, landscaping, and drainage plan.
built above the corport and Ca partion of the deck will remain and be covered with a gabled roof. Re-roof will be gray-tone metal. NOTE: Sawer, radon, and water permits must be obtained prior to issuance of building permit. NOTE: ACCO makes no judgement on founcation design.
built above the corport and la partion of the deck will remain and be covered with a gabled roof. Re-roof will be gray-tone metal. NOTE: Sawer, radon, and water permits must be obtained prior to issuance of building permit. NOTE: ACCO makes no judgement on founcation design. I signature below, builder of owner guarantees that improvements will be constructed as shown on this form all building plans that were submitted, including plot plan, landscaping, and drainage plan. DGES Architectural Control Committee Builder/Realtor/Homegwines