

APPROVED FOR CONSTRUCTION INITIAL ACCEPTANCE CITY OF GRAND JUNCTION CITY OF GRAND JUNCTION

THE COTTAGES AT WELLINGTON FILING TWO

LEGEND & NOTES


- SET NO. 5 RE-BAR W/CAP L.S. 16413 IN CONCRETE
- SET NO. 5 RE-BAR W/CAP L.S. 16413
- MESA COUNTY SURVEY MARKER
- FOUND SURVEY MONUMENTS SET BY OTHERS
- SETBACK LINES
 - PROPOSED STORM FLOW DIRECTION
- 1. Project BENCHMARK is C-N-NW 1/64 Corner, Section 12 T1S, R1W, Ute Meridian. Elevation = 4664.64
- 2. Utility Providers:

SEWER **ELECTRIC** TELEPHONE

CITY OF GRAND JUNCTION CITY OF GRAND JUNCTION PUBLIC SERVICE
US WEST COMMUNICATIONS
PUBLIC SERVICE

- 3. All materials and construction shall comply with City standards and specifications.
- 4. Drain slope away from buildings at 5% for 10 feet. In between buildings, construct swale with flowline midway, and 0.5 feet minimum below lowest finish floor. Flowline grade to be 1% mimimum.
- 5. Driveways shall be no less than 20 feet long at the shortest point measured from the property line at private drive or from public road.
- 6. Uncovered decks or porches may extend no more than 3.0 feet from

No structure, including covered and uncovered porches, may extend into any easement.




WELLINGTON COURT CROSS SECTION:

NOT TO SCALE

The pedestrian path shall be constructed of 4" of concrete on 4" of compacted 3/4" minus base material. The concrete walk shall be 4' wide.

THE COTTAGES AT WELLINGTON FILING TWO



01152802.tif

revised 12/17/96

revised 12/5/96