CHECKED
OJR
DATE
JANUARY 1982
SCALE
AS SHOWN

REVISIONS	BY
AS BUILT 4 5 82	OJR

PARAGON ENGINEERING INC

SCALE 1" = 50

TAMARACK MEADOWS SUBDIVISION

EXISTING 5' CURBWALK

EXISTING MH C 2
STA 0+00 A LINE

MH A
STA 0+00

EXISTING 8" SAN SEWER

REMOVE & REPLACE
155 L.F. x 16 WIDE ASPHALT

LORRAINE MEADOWS SUBDIVISION
BLOCK ONE
BLOCK TWO
BLOCK THREE
BLOCK FOUR

LORRAINE COURT

FRUITWOOD DRIVE

ROAD

E ½

N00°00'11"W 160 L.F. 8" SAN SEWER

N00°00'11"W 370.85 L.F. 8" SAN SEWER

S89°59'49"E 290.3

20 LF 8" SAN SEWER

MH #A1
STA 0+00 B LINE

MH #B1
STA 3+78.88

MH #B2
STA 5+88.88

TB M
TOP OF PIN
9660.39

STA. 4+10.8
6" x 8" INF.
PROVIDE GLUED
8" PVC CAP AT 8

NOTE:
This is to certify that the system infiltration does not exceed 200 gallons per inch diameter per mile of length per day

PROFILE SCALE 1"=5 VERT, 1"=50 HORIZ

EXISTING PAVEMENT

EXISTING STREET

FINISHED STREET GRADE

297 L.F. 8" PVC SAN SEWER @ 0.40%

129 L.F. 8" PVC SAN SEWER
S = 0.40%

378 L.F. - 8" PVC SAN SEWER @ 0.90%

100 L.F. 8" PVC SAN SEWER @ 0.88%

GLUED 8" PVC CAP AT PROP. LINE

A LINE (IN FRUITWOOD DRIVE)

"B" LINE (IN LORRAINE COURT)

LORRAINE MEADOWS SUBDIVISION
MESA COUNTY COLORADO

SANITARY SEWER
PLANS AND PROFILES

SHEET 1 OF 2 SHEETS

02030300.tif